

Manufacturer: **Spectra Lighting LLC**
Ostródzka st. 53
03-289 Warsaw

Product name: **CONTI 125 IP**

Product number: **in the attachment nr 041/125 IP**

We hereby declare, under the sole responsibility of the manufacturer, that the above product complies with the provisions of the following directives:

2009/125/WE	Ecodesign
2011/65/UE	Restriction of the use of certain hazardous substances
2014/30/UE	Electromagnetic Compatibility
2014/35/UE	Low Voltage

and the following standards:

PN-EN 55015:2013	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
PN-EN 60529:2003	Degrees of protection provided by enclosures (IP code)
PN-EN 60598-1:2015	Luminaires - Part 1: General requirements and tests
PN-EN 60598-2-2:2012	Luminaires - Part 2-2: Particular requirements - Recessed luminaires
PN-EN 61000-3-2:2014	Electromagnetic compatibility (EMC) -- Part 3-2: Limits -- Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
PN-EN 61000-3-3:2013	Electromagnetic compatibility (EMC) -- Part 3-3: Limits -- Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection
PN-EN 61547:2009	Equipment for general lighting purposes - EMC immunity requirements
PN-EN 62493:2015	Assessment of lighting equipment related to human exposure to electromagnetic fields

The product has been CE marked for the first time in the year:

2021

Place and date of issue of the document

Warszawa, 08.12.2021



MIROSLAW RAKOCZY
V-ce PREZES

ATTACHMENT

Code	Name
02.041.1021.01.930.250	Conti 125 IP Recessed LED/930, 19° 250mA IP65/IP20 RAL9016
02.041.1021.01.930.250.DALI	Conti 125 IP Recessed LED/930, 19° DALI 250mA IP65/IP20 RAL9016
02.041.1021.01.930.350	Conti 125 IP Recessed LED/930, 19° 350mA IP65/IP20 RAL9016
02.041.1021.01.930.350.DALI	Conti 125 IP Recessed LED/930, 19° DALI 350mA IP65/IP20 RAL9016
02.041.1021.01.930.450	Conti 125 IP Recessed LED/930, 19° 450mA IP65/IP20 RAL9016
02.041.1021.01.930.450.DALI	Conti 125 IP Recessed LED/930, 19° DALI 450mA IP65/IP20 RAL9016
02.041.1021.01.930.500	Conti 125 IP Recessed LED/930, 19° 500mA IP65/IP20 RAL9016
02.041.1021.01.930.500.DALI	Conti 125 IP Recessed LED/930, 19° DALI 500mA IP65/IP20 RAL9016
02.041.1021.01.930.600	Conti 125 IP Recessed LED/930, 19° 600mA IP65/IP20 RAL9016
02.041.1021.01.930.600.DALI	Conti 125 IP Recessed LED/930, 19° DALI 600mA IP65/IP20 RAL9016
02.041.1021.01.930.650	Conti 125 IP Recessed LED/930, 19° 650mA IP65/IP20 RAL9016
02.041.1021.01.930.650.DALI	Conti 125 IP Recessed LED/930, 19° DALI 650mA IP65/IP20 RAL9016
02.041.1021.01.930.700	Conti 125 IP Recessed LED/930, 19° 700mA IP65/IP20 RAL9016
02.041.1021.01.930.700.DALI	Conti 125 IP Recessed LED/930, 19° DALI 700mA IP65/IP20 RAL9016
02.041.1021.01.940.250	Conti 125 IP Recessed LED/940, 19° 250mA IP65/IP20 RAL9016
02.041.1021.01.940.250.DALI	Conti 125 IP Recessed LED/940, 19° DALI 250mA IP65/IP20 RAL9016
02.041.1021.01.940.350	Conti 125 IP Recessed LED/940, 19° 350mA IP65/IP20 RAL9016
02.041.1021.01.940.350.DALI	Conti 125 IP Recessed LED/940, 19° DALI 350mA IP65/IP20 RAL9016
02.041.1021.01.940.450	Conti 125 IP Recessed LED/940, 19° 450mA IP65/IP20 RAL9016
02.041.1021.01.940.450.DALI	Conti 125 IP Recessed LED/940, 19° DALI 450mA IP65/IP20 RAL9016
02.041.1021.01.940.500	Conti 125 IP Recessed LED/940, 19° 500mA IP65/IP20 RAL9016
02.041.1021.01.940.500.DALI	Conti 125 IP Recessed LED/940, 19° DALI 500mA IP65/IP20 RAL9016
02.041.1021.01.940.600	Conti 125 IP Recessed LED/940, 19° 600mA IP65/IP20 RAL9016
02.041.1021.01.940.600.DALI	Conti 125 IP Recessed LED/940, 19° DALI 600mA IP65/IP20 RAL9016
02.041.1021.01.940.650	Conti 125 IP Recessed LED/940, 19° 650mA IP65/IP20 RAL9016
02.041.1021.01.940.650.DALI	Conti 125 IP Recessed LED/940, 19° DALI 650mA IP65/IP20 RAL9016
02.041.1021.01.940.700	Conti 125 IP Recessed LED/940, 19° 700mA IP65/IP20 RAL9016
02.041.1021.01.940.700.DALI	Conti 125 IP Recessed LED/940, 19° DALI 700mA IP65/IP20 RAL9016
02.041.1021.02.930.250	Conti 125 IP Recessed LED/930, 19° 250mA IP65/IP20 RAL9006
02.041.1021.02.930.250.DALI	Conti 125 IP Recessed LED/930, 19° DALI 250mA IP65/IP20 RAL9006
02.041.1021.02.930.350	Conti 125 IP Recessed LED/930, 19° 350mA IP65/IP20 RAL9006
02.041.1021.02.930.350.DALI	Conti 125 IP Recessed LED/930, 19° DALI 350mA IP65/IP20 RAL9006
02.041.1021.02.930.450	Conti 125 IP Recessed LED/930, 19° 450mA IP65/IP20 RAL9006
02.041.1021.02.930.450.DALI	Conti 125 IP Recessed LED/930, 19° DALI 450mA IP65/IP20 RAL9006
02.041.1021.02.930.500	Conti 125 IP Recessed LED/930, 19° 500mA IP65/IP20 RAL9006
02.041.1021.02.930.500.DALI	Conti 125 IP Recessed LED/930, 19° DALI 500mA IP65/IP20 RAL9006
02.041.1021.02.930.600	Conti 125 IP Recessed LED/930, 19° 600mA IP65/IP20 RAL9006
02.041.1021.02.930.600.DALI	Conti 125 IP Recessed LED/930, 19° DALI 600mA IP65/IP20 RAL9006
02.041.1021.02.930.650	Conti 125 IP Recessed LED/930, 19° 650mA IP65/IP20 RAL9006
02.041.1021.02.930.650.DALI	Conti 125 IP Recessed LED/930, 19° DALI 650mA IP65/IP20 RAL9006
02.041.1021.02.930.700	Conti 125 IP Recessed LED/930, 19° 700mA IP65/IP20 RAL9006
02.041.1021.02.930.700.DALI	Conti 125 IP Recessed LED/930, 19° DALI 700mA IP65/IP20 RAL9006

Place and date of issue of the document

Warszawa, 08.12.2021



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
02.041.1021.02.940.250	Conti 125 IP Recessed LED/940, 19° 250mA IP65/IP20 RAL9006
02.041.1021.02.940.250.DALI	Conti 125 IP Recessed LED/940, 19° DALI 250mA IP65/IP20 RAL9006
02.041.1021.02.940.350	Conti 125 IP Recessed LED/940, 19° 350mA IP65/IP20 RAL9006
02.041.1021.02.940.350.DALI	Conti 125 IP Recessed LED/940, 19° DALI 350mA IP65/IP20 RAL9006
02.041.1021.02.940.450	Conti 125 IP Recessed LED/940, 19° 450mA IP65/IP20 RAL9006
02.041.1021.02.940.450.DALI	Conti 125 IP Recessed LED/940, 19° DALI 450mA IP65/IP20 RAL9006
02.041.1021.02.940.500	Conti 125 IP Recessed LED/940, 19° 500mA IP65/IP20 RAL9006
02.041.1021.02.940.500.DALI	Conti 125 IP Recessed LED/940, 19° DALI 500mA IP65/IP20 RAL9006
02.041.1021.02.940.600	Conti 125 IP Recessed LED/940, 19° 600mA IP65/IP20 RAL9006
02.041.1021.02.940.600.DALI	Conti 125 IP Recessed LED/940, 19° DALI 600mA IP65/IP20 RAL9006
02.041.1021.02.940.650	Conti 125 IP Recessed LED/940, 19° 650mA IP65/IP20 RAL9006
02.041.1021.02.940.650.DALI	Conti 125 IP Recessed LED/940, 19° DALI 650mA IP65/IP20 RAL9006
02.041.1021.02.940.700	Conti 125 IP Recessed LED/940, 19° 700mA IP65/IP20 RAL9006
02.041.1021.02.940.700.DALI	Conti 125 IP Recessed LED/940, 19° DALI 700mA IP65/IP20 RAL9006
02.041.1021.03.930.250	Conti 125 IP Recessed LED/930, 19° 250mA IP65/IP20 RAL9005
02.041.1021.03.930.250.DALI	Conti 125 IP Recessed LED/930, 19° DALI 250mA IP65/IP20 RAL9005
02.041.1021.03.930.350	Conti 125 IP Recessed LED/930, 19° 350mA IP65/IP20 RAL9005
02.041.1021.03.930.350.DALI	Conti 125 IP Recessed LED/930, 19° DALI 350mA IP65/IP20 RAL9005
02.041.1021.03.930.450	Conti 125 IP Recessed LED/930, 19° 450mA IP65/IP20 RAL9005
02.041.1021.03.930.450.DALI	Conti 125 IP Recessed LED/930, 19° DALI 450mA IP65/IP20 RAL9005
02.041.1021.03.930.500	Conti 125 IP Recessed LED/930, 19° 500mA IP65/IP20 RAL9005
02.041.1021.03.930.500.DALI	Conti 125 IP Recessed LED/930, 19° DALI 500mA IP65/IP20 RAL9005
02.041.1021.03.930.600	Conti 125 IP Recessed LED/930, 19° 600mA IP65/IP20 RAL9005
02.041.1021.03.930.600.DALI	Conti 125 IP Recessed LED/930, 19° DALI 600mA IP65/IP20 RAL9005
02.041.1021.03.930.650	Conti 125 IP Recessed LED/930, 19° 650mA IP65/IP20 RAL9005
02.041.1021.03.930.650.DALI	Conti 125 IP Recessed LED/930, 19° DALI 650mA IP65/IP20 RAL9005
02.041.1021.03.930.700	Conti 125 IP Recessed LED/930, 19° 700mA IP65/IP20 RAL9005
02.041.1021.03.930.700.DALI	Conti 125 IP Recessed LED/930, 19° DALI 700mA IP65/IP20 RAL9005
02.041.1021.03.940.250	Conti 125 IP Recessed LED/940, 19° 250mA IP65/IP20 RAL9005
02.041.1021.03.940.250.DALI	Conti 125 IP Recessed LED/940, 19° DALI 250mA IP65/IP20 RAL9005
02.041.1021.03.940.350	Conti 125 IP Recessed LED/940, 19° 350mA IP65/IP20 RAL9005
02.041.1021.03.940.350.DALI	Conti 125 IP Recessed LED/940, 19° DALI 350mA IP65/IP20 RAL9005
02.041.1021.03.940.450	Conti 125 IP Recessed LED/940, 19° 450mA IP65/IP20 RAL9005
02.041.1021.03.940.450.DALI	Conti 125 IP Recessed LED/940, 19° DALI 450mA IP65/IP20 RAL9005
02.041.1021.03.940.500	Conti 125 IP Recessed LED/940, 19° 500mA IP65/IP20 RAL9005
02.041.1021.03.940.500.DALI	Conti 125 IP Recessed LED/940, 19° DALI 500mA IP65/IP20 RAL9005
02.041.1021.03.940.600	Conti 125 IP Recessed LED/940, 19° 600mA IP65/IP20 RAL9005
02.041.1021.03.940.600.DALI	Conti 125 IP Recessed LED/940, 19° DALI 600mA IP65/IP20 RAL9005
02.041.1021.03.940.650	Conti 125 IP Recessed LED/940, 19° 650mA IP65/IP20 RAL9005
02.041.1021.03.940.650.DALI	Conti 125 IP Recessed LED/940, 19° DALI 650mA IP65/IP20 RAL9005
02.041.1021.03.940.700	Conti 125 IP Recessed LED/940, 19° 700mA IP65/IP20 RAL9005
02.041.1021.03.940.700.DALI	Conti 125 IP Recessed LED/940, 19° DALI 700mA IP65/IP20 RAL9005
02.041.1022.01.930.250	Conti 125 IP Recessed LED/930, 33° 250mA IP65/IP20 RAL9016
02.041.1022.01.930.250.DALI	Conti 125 IP Recessed LED/930, 33° DALI 250mA IP65/IP20 RAL9016

Place and date of issue of the document

Warszawa, 08.12.2021




MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
02.041.1022.01.930.350	Conti 125 IP Recessed LED/930, 33° 350mA IP65/IP20 RAL9016
02.041.1022.01.930.350.DALI	Conti 125 IP Recessed LED/930, 33° DALI 350mA IP65/IP20 RAL9016
02.041.1022.01.930.450	Conti 125 IP Recessed LED/930, 33° 450mA IP65/IP20 RAL9016
02.041.1022.01.930.450.DALI	Conti 125 IP Recessed LED/930, 33° DALI 450mA IP65/IP20 RAL9016
02.041.1022.01.930.500	Conti 125 IP Recessed LED/930, 33° 500mA IP65/IP20 RAL9016
02.041.1022.01.930.500.DALI	Conti 125 IP Recessed LED/930, 33° DALI 500mA IP65/IP20 RAL9016
02.041.1022.01.930.600	Conti 125 IP Recessed LED/930, 33° 600mA IP65/IP20 RAL9016
02.041.1022.01.930.600.DALI	Conti 125 IP Recessed LED/930, 33° DALI 600mA IP65/IP20 RAL9016
02.041.1022.01.930.650	Conti 125 IP Recessed LED/930, 33° 650mA IP65/IP20 RAL9016
02.041.1022.01.930.650.DALI	Conti 125 IP Recessed LED/930, 33° DALI 650mA IP65/IP20 RAL9016
02.041.1022.01.930.700	Conti 125 IP Recessed LED/930, 33° 700mA IP65/IP20 RAL9016
02.041.1022.01.930.700.DALI	Conti 125 IP Recessed LED/930, 33° DALI 700mA IP65/IP20 RAL9016
02.041.1022.01.940.250	Conti 125 IP Recessed LED/940, 33° 250mA IP65/IP20 RAL9016
02.041.1022.01.940.250.DALI	Conti 125 IP Recessed LED/940, 33° DALI 250mA IP65/IP20 RAL9016
02.041.1022.01.940.350	Conti 125 IP Recessed LED/940, 33° 350mA IP65/IP20 RAL9016
02.041.1022.01.940.350.DALI	Conti 125 IP Recessed LED/940, 33° DALI 350mA IP65/IP20 RAL9016
02.041.1022.01.940.450	Conti 125 IP Recessed LED/940, 33° 450mA IP65/IP20 RAL9016
02.041.1022.01.940.450.DALI	Conti 125 IP Recessed LED/940, 33° DALI 450mA IP65/IP20 RAL9016
02.041.1022.01.940.500	Conti 125 IP Recessed LED/940, 33° 500mA IP65/IP20 RAL9016
02.041.1022.01.940.500.DALI	Conti 125 IP Recessed LED/940, 33° DALI 500mA IP65/IP20 RAL9016
02.041.1022.01.940.600	Conti 125 IP Recessed LED/940, 33° 600mA IP65/IP20 RAL9016
02.041.1022.01.940.600.DALI	Conti 125 IP Recessed LED/940, 33° DALI 600mA IP65/IP20 RAL9016
02.041.1022.01.940.650	Conti 125 IP Recessed LED/940, 33° 650mA IP65/IP20 RAL9016
02.041.1022.01.940.650.DALI	Conti 125 IP Recessed LED/940, 33° DALI 650mA IP65/IP20 RAL9016
02.041.1022.01.940.700	Conti 125 IP Recessed LED/940, 33° 700mA IP65/IP20 RAL9016
02.041.1022.01.940.700.DALI	Conti 125 IP Recessed LED/940, 33° DALI 700mA IP65/IP20 RAL9016
02.041.1022.02.930.250	Conti 125 IP Recessed LED/930, 33° 250mA IP65/IP20 RAL9006
02.041.1022.02.930.250.DALI	Conti 125 IP Recessed LED/930, 33° DALI 250mA IP65/IP20 RAL9006
02.041.1022.02.930.350	Conti 125 IP Recessed LED/930, 33° 350mA IP65/IP20 RAL9006
02.041.1022.02.930.350.DALI	Conti 125 IP Recessed LED/930, 33° DALI 350mA IP65/IP20 RAL9006
02.041.1022.02.930.450	Conti 125 IP Recessed LED/930, 33° 450mA IP65/IP20 RAL9006
02.041.1022.02.930.450.DALI	Conti 125 IP Recessed LED/930, 33° DALI 450mA IP65/IP20 RAL9006
02.041.1022.02.930.500	Conti 125 IP Recessed LED/930, 33° 500mA IP65/IP20 RAL9006
02.041.1022.02.930.500.DALI	Conti 125 IP Recessed LED/930, 33° DALI 500mA IP65/IP20 RAL9006
02.041.1022.02.930.600	Conti 125 IP Recessed LED/930, 33° 600mA IP65/IP20 RAL9006
02.041.1022.02.930.600.DALI	Conti 125 IP Recessed LED/930, 33° DALI 600mA IP65/IP20 RAL9006
02.041.1022.02.930.650	Conti 125 IP Recessed LED/930, 33° 650mA IP65/IP20 RAL9006
02.041.1022.02.930.650.DALI	Conti 125 IP Recessed LED/930, 33° DALI 650mA IP65/IP20 RAL9006
02.041.1022.02.930.700	Conti 125 IP Recessed LED/930, 33° 700mA IP65/IP20 RAL9006
02.041.1022.02.930.700.DALI	Conti 125 IP Recessed LED/930, 33° DALI 700mA IP65/IP20 RAL9006
02.041.1022.02.940.250	Conti 125 IP Recessed LED/940, 33° 250mA IP65/IP20 RAL9006
02.041.1022.02.940.250.DALI	Conti 125 IP Recessed LED/940, 33° DALI 250mA IP65/IP20 RAL9006
02.041.1022.02.940.350	Conti 125 IP Recessed LED/940, 33° 350mA IP65/IP20 RAL9006
02.041.1022.02.940.350.DALI	Conti 125 IP Recessed LED/940, 33° DALI 350mA IP65/IP20 RAL9006

Place and date of issue of the document

Warszawa, 08.12.2021




MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
02.041.1022.02.940.450	Conti 125 IP Recessed LED/940, 33° 450mA IP65/IP20 RAL9006
02.041.1022.02.940.450.DALI	Conti 125 IP Recessed LED/940, 33° DALI 450mA IP65/IP20 RAL9006
02.041.1022.02.940.500	Conti 125 IP Recessed LED/940, 33° 500mA IP65/IP20 RAL9006
02.041.1022.02.940.500.DALI	Conti 125 IP Recessed LED/940, 33° DALI 500mA IP65/IP20 RAL9006
02.041.1022.02.940.600	Conti 125 IP Recessed LED/940, 33° 600mA IP65/IP20 RAL9006
02.041.1022.02.940.600.DALI	Conti 125 IP Recessed LED/940, 33° DALI 600mA IP65/IP20 RAL9006
02.041.1022.02.940.650	Conti 125 IP Recessed LED/940, 33° 650mA IP65/IP20 RAL9006
02.041.1022.02.940.650.DALI	Conti 125 IP Recessed LED/940, 33° DALI 650mA IP65/IP20 RAL9006
02.041.1022.02.940.700	Conti 125 IP Recessed LED/940, 33° 700mA IP65/IP20 RAL9006
02.041.1022.02.940.700.DALI	Conti 125 IP Recessed LED/940, 33° DALI 700mA IP65/IP20 RAL9006
02.041.1022.03.930.250	Conti 125 IP Recessed LED/930, 33° 250mA IP65/IP20 RAL9005
02.041.1022.03.930.250.DALI	Conti 125 IP Recessed LED/930, 33° DALI 250mA IP65/IP20 RAL9005
02.041.1022.03.930.350	Conti 125 IP Recessed LED/930, 33° 350mA IP65/IP20 RAL9005
02.041.1022.03.930.350.DALI	Conti 125 IP Recessed LED/930, 33° DALI 350mA IP65/IP20 RAL9005
02.041.1022.03.930.450	Conti 125 IP Recessed LED/930, 33° 450mA IP65/IP20 RAL9005
02.041.1022.03.930.450.DALI	Conti 125 IP Recessed LED/930, 33° DALI 450mA IP65/IP20 RAL9005
02.041.1022.03.930.500	Conti 125 IP Recessed LED/930, 33° 500mA IP65/IP20 RAL9005
02.041.1022.03.930.500.DALI	Conti 125 IP Recessed LED/930, 33° DALI 500mA IP65/IP20 RAL9005
02.041.1022.03.930.600	Conti 125 IP Recessed LED/930, 33° 600mA IP65/IP20 RAL9005
02.041.1022.03.930.600.DALI	Conti 125 IP Recessed LED/930, 33° DALI 600mA IP65/IP20 RAL9005
02.041.1022.03.930.650	Conti 125 IP Recessed LED/930, 33° 650mA IP65/IP20 RAL9005
02.041.1022.03.930.650.DALI	Conti 125 IP Recessed LED/930, 33° DALI 650mA IP65/IP20 RAL9005
02.041.1022.03.930.700	Conti 125 IP Recessed LED/930, 33° 700mA IP65/IP20 RAL9005
02.041.1022.03.930.700.DALI	Conti 125 IP Recessed LED/930, 33° DALI 700mA IP65/IP20 RAL9005
02.041.1022.03.940.250	Conti 125 IP Recessed LED/940, 33° 250mA IP65/IP20 RAL9005
02.041.1022.03.940.250.DALI	Conti 125 IP Recessed LED/940, 33° DALI 250mA IP65/IP20 RAL9005
02.041.1022.03.940.350	Conti 125 IP Recessed LED/940, 33° 350mA IP65/IP20 RAL9005
02.041.1022.03.940.350.DALI	Conti 125 IP Recessed LED/940, 33° DALI 350mA IP65/IP20 RAL9005
02.041.1022.03.940.450	Conti 125 IP Recessed LED/940, 33° 450mA IP65/IP20 RAL9005
02.041.1022.03.940.450.DALI	Conti 125 IP Recessed LED/940, 33° DALI 450mA IP65/IP20 RAL9005
02.041.1022.03.940.500	Conti 125 IP Recessed LED/940, 33° 500mA IP65/IP20 RAL9005
02.041.1022.03.940.500.DALI	Conti 125 IP Recessed LED/940, 33° DALI 500mA IP65/IP20 RAL9005
02.041.1022.03.940.600	Conti 125 IP Recessed LED/940, 33° 600mA IP65/IP20 RAL9005
02.041.1022.03.940.600.DALI	Conti 125 IP Recessed LED/940, 33° DALI 600mA IP65/IP20 RAL9005
02.041.1022.03.940.650	Conti 125 IP Recessed LED/940, 33° 650mA IP65/IP20 RAL9005
02.041.1022.03.940.650.DALI	Conti 125 IP Recessed LED/940, 33° DALI 650mA IP65/IP20 RAL9005
02.041.1022.03.940.700	Conti 125 IP Recessed LED/940, 33° 700mA IP65/IP20 RAL9005
02.041.1022.03.940.700.DALI	Conti 125 IP Recessed LED/940, 33° DALI 700mA IP65/IP20 RAL9005
02.041.1023.01.930.250	Conti 125 IP Recessed LED/930, 48° 250mA IP65/IP20 RAL9016
02.041.1023.01.930.250.DALI	Conti 125 IP Recessed LED/930, 48° DALI 250mA IP65/IP20 RAL9016
02.041.1023.01.930.350	Conti 125 IP Recessed LED/930, 48° 350mA IP65/IP20 RAL9016
02.041.1023.01.930.350.DALI	Conti 125 IP Recessed LED/930, 48° DALI 350mA IP65/IP20 RAL9016
02.041.1023.01.930.450	Conti 125 IP Recessed LED/930, 48° 450mA IP65/IP20 RAL9016
02.041.1023.01.930.450.DALI	Conti 125 IP Recessed LED/930, 48° DALI 450mA IP65/IP20 RAL9016

Place and date of issue of the document

Warszawa, 08.12.2021



MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
02.041.1023.01.930.500	Conti 125 IP Recessed LED/930, 48° 500mA IP65/IP20 RAL9016
02.041.1023.01.930.500.DALI	Conti 125 IP Recessed LED/930, 48° DALI 500mA IP65/IP20 RAL9016
02.041.1023.01.930.600	Conti 125 IP Recessed LED/930, 48° 600mA IP65/IP20 RAL9016
02.041.1023.01.930.600.DALI	Conti 125 IP Recessed LED/930, 48° DALI 600mA IP65/IP20 RAL9016
02.041.1023.01.930.650	Conti 125 IP Recessed LED/930, 48° 650mA IP65/IP20 RAL9016
02.041.1023.01.930.650.DALI	Conti 125 IP Recessed LED/930, 48° DALI 650mA IP65/IP20 RAL9016
02.041.1023.01.930.700	Conti 125 IP Recessed LED/930, 48° 700mA IP65/IP20 RAL9016
02.041.1023.01.930.700.DALI	Conti 125 IP Recessed LED/930, 48° DALI 700mA IP65/IP20 RAL9016
02.041.1023.01.940.250	Conti 125 IP Recessed LED/940, 48° 250mA IP65/IP20 RAL9016
02.041.1023.01.940.250.DALI	Conti 125 IP Recessed LED/940, 48° DALI 250mA IP65/IP20 RAL9016
02.041.1023.01.940.350	Conti 125 IP Recessed LED/940, 48° 350mA IP65/IP20 RAL9016
02.041.1023.01.940.350.DALI	Conti 125 IP Recessed LED/940, 48° DALI 350mA IP65/IP20 RAL9016
02.041.1023.01.940.450	Conti 125 IP Recessed LED/940, 48° 450mA IP65/IP20 RAL9016
02.041.1023.01.940.450.DALI	Conti 125 IP Recessed LED/940, 48° DALI 450mA IP65/IP20 RAL9016
02.041.1023.01.940.500	Conti 125 IP Recessed LED/940, 48° 500mA IP65/IP20 RAL9016
02.041.1023.01.940.500.DALI	Conti 125 IP Recessed LED/940, 48° DALI 500mA IP65/IP20 RAL9016
02.041.1023.01.940.600	Conti 125 IP Recessed LED/940, 48° 600mA IP65/IP20 RAL9016
02.041.1023.01.940.600.DALI	Conti 125 IP Recessed LED/940, 48° DALI 600mA IP65/IP20 RAL9016
02.041.1023.01.940.650	Conti 125 IP Recessed LED/940, 48° 650mA IP65/IP20 RAL9016
02.041.1023.01.940.650.DALI	Conti 125 IP Recessed LED/940, 48° DALI 650mA IP65/IP20 RAL9016
02.041.1023.01.940.700	Conti 125 IP Recessed LED/940, 48° 700mA IP65/IP20 RAL9016
02.041.1023.01.940.700.DALI	Conti 125 IP Recessed LED/940, 48° DALI 700mA IP65/IP20 RAL9016
02.041.1023.02.930.250	Conti 125 IP Recessed LED/930, 48° 250mA IP65/IP20 RAL9006
02.041.1023.02.930.250.DALI	Conti 125 IP Recessed LED/930, 48° DALI 250mA IP65/IP20 RAL9006
02.041.1023.02.930.350	Conti 125 IP Recessed LED/930, 48° 350mA IP65/IP20 RAL9006
02.041.1023.02.930.350.DALI	Conti 125 IP Recessed LED/930, 48° DALI 350mA IP65/IP20 RAL9006
02.041.1023.02.930.450	Conti 125 IP Recessed LED/930, 48° 450mA IP65/IP20 RAL9006
02.041.1023.02.930.450.DALI	Conti 125 IP Recessed LED/930, 48° DALI 450mA IP65/IP20 RAL9006
02.041.1023.02.930.500	Conti 125 IP Recessed LED/930, 48° 500mA IP65/IP20 RAL9006
02.041.1023.02.930.500.DALI	Conti 125 IP Recessed LED/930, 48° DALI 500mA IP65/IP20 RAL9006
02.041.1023.02.930.600	Conti 125 IP Recessed LED/930, 48° 600mA IP65/IP20 RAL9006
02.041.1023.02.930.600.DALI	Conti 125 IP Recessed LED/930, 48° DALI 600mA IP65/IP20 RAL9006
02.041.1023.02.930.650	Conti 125 IP Recessed LED/930, 48° 650mA IP65/IP20 RAL9006
02.041.1023.02.930.650.DALI	Conti 125 IP Recessed LED/930, 48° DALI 650mA IP65/IP20 RAL9006
02.041.1023.02.930.700	Conti 125 IP Recessed LED/930, 48° 700mA IP65/IP20 RAL9006
02.041.1023.02.930.700.DALI	Conti 125 IP Recessed LED/930, 48° DALI 700mA IP65/IP20 RAL9006
02.041.1023.02.940.250	Conti 125 IP Recessed LED/940, 48° 250mA IP65/IP20 RAL9006
02.041.1023.02.940.250.DALI	Conti 125 IP Recessed LED/940, 48° DALI 250mA IP65/IP20 RAL9006
02.041.1023.02.940.350	Conti 125 IP Recessed LED/940, 48° 350mA IP65/IP20 RAL9006
02.041.1023.02.940.350.DALI	Conti 125 IP Recessed LED/940, 48° DALI 350mA IP65/IP20 RAL9006
02.041.1023.02.940.450	Conti 125 IP Recessed LED/940, 48° 450mA IP65/IP20 RAL9006
02.041.1023.02.940.450.DALI	Conti 125 IP Recessed LED/940, 48° DALI 450mA IP65/IP20 RAL9006
02.041.1023.02.940.500	Conti 125 IP Recessed LED/940, 48° 500mA IP65/IP20 RAL9006
02.041.1023.02.940.500.DALI	Conti 125 IP Recessed LED/940, 48° DALI 500mA IP65/IP20 RAL9006

Place and date of issue of the document

Warszawa, 08.12.2021



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
02.041.1023.02.940.600	Conti 125 IP Recessed LED/940, 48° 600mA IP65/IP20 RAL9006
02.041.1023.02.940.600.DALI	Conti 125 IP Recessed LED/940, 48° DALI 600mA IP65/IP20 RAL9006
02.041.1023.02.940.650	Conti 125 IP Recessed LED/940, 48° 650mA IP65/IP20 RAL9006
02.041.1023.02.940.650.DALI	Conti 125 IP Recessed LED/940, 48° DALI 650mA IP65/IP20 RAL9006
02.041.1023.02.940.700	Conti 125 IP Recessed LED/940, 48° 700mA IP65/IP20 RAL9006
02.041.1023.02.940.700.DALI	Conti 125 IP Recessed LED/940, 48° DALI 700mA IP65/IP20 RAL9006
02.041.1023.03.930.250	Conti 125 IP Recessed LED/930, 48° 250mA IP65/IP20 RAL9005
02.041.1023.03.930.250.DALI	Conti 125 IP Recessed LED/930, 48° DALI 250mA IP65/IP20 RAL9005
02.041.1023.03.930.350	Conti 125 IP Recessed LED/930, 48° 350mA IP65/IP20 RAL9005
02.041.1023.03.930.350.DALI	Conti 125 IP Recessed LED/930, 48° DALI 350mA IP65/IP20 RAL9005
02.041.1023.03.930.450	Conti 125 IP Recessed LED/930, 48° 450mA IP65/IP20 RAL9005
02.041.1023.03.930.450.DALI	Conti 125 IP Recessed LED/930, 48° DALI 450mA IP65/IP20 RAL9005
02.041.1023.03.930.500	Conti 125 IP Recessed LED/930, 48° 500mA IP65/IP20 RAL9005
02.041.1023.03.930.500.DALI	Conti 125 IP Recessed LED/930, 48° DALI 500mA IP65/IP20 RAL9005
02.041.1023.03.930.600	Conti 125 IP Recessed LED/930, 48° 600mA IP65/IP20 RAL9005
02.041.1023.03.930.600.DALI	Conti 125 IP Recessed LED/930, 48° DALI 600mA IP65/IP20 RAL9005
02.041.1023.03.930.650	Conti 125 IP Recessed LED/930, 48° 650mA IP65/IP20 RAL9005
02.041.1023.03.930.650.DALI	Conti 125 IP Recessed LED/930, 48° DALI 650mA IP65/IP20 RAL9005
02.041.1023.03.930.700	Conti 125 IP Recessed LED/930, 48° 700mA IP65/IP20 RAL9005
02.041.1023.03.930.700.DALI	Conti 125 IP Recessed LED/930, 48° DALI 700mA IP65/IP20 RAL9005
02.041.1023.03.940.250	Conti 125 IP Recessed LED/940, 48° 250mA IP65/IP20 RAL9005
02.041.1023.03.940.250.DALI	Conti 125 IP Recessed LED/940, 48° DALI 250mA IP65/IP20 RAL9005
02.041.1023.03.940.350	Conti 125 IP Recessed LED/940, 48° 350mA IP65/IP20 RAL9005
02.041.1023.03.940.350.DALI	Conti 125 IP Recessed LED/940, 48° DALI 350mA IP65/IP20 RAL9005
02.041.1023.03.940.450	Conti 125 IP Recessed LED/940, 48° 450mA IP65/IP20 RAL9005
02.041.1023.03.940.450.DALI	Conti 125 IP Recessed LED/940, 48° DALI 450mA IP65/IP20 RAL9005
02.041.1023.03.940.500	Conti 125 IP Recessed LED/940, 48° 500mA IP65/IP20 RAL9005
02.041.1023.03.940.500.DALI	Conti 125 IP Recessed LED/940, 48° DALI 500mA IP65/IP20 RAL9005
02.041.1023.03.940.600	Conti 125 IP Recessed LED/940, 48° 600mA IP65/IP20 RAL9005
02.041.1023.03.940.600.DALI	Conti 125 IP Recessed LED/940, 48° DALI 600mA IP65/IP20 RAL9005
02.041.1023.03.940.650	Conti 125 IP Recessed LED/940, 48° 650mA IP65/IP20 RAL9005
02.041.1023.03.940.650.DALI	Conti 125 IP Recessed LED/940, 48° DALI 650mA IP65/IP20 RAL9005
02.041.1023.03.940.700	Conti 125 IP Recessed LED/940, 48° 700mA IP65/IP20 RAL9005
02.041.1023.03.940.700.DALI	Conti 125 IP Recessed LED/940, 48° DALI 700mA IP65/IP20 RAL9005
02.041.1121.01.930.250.DALI.DP	Conti 125 IP Recessed LED/930, 19° DALI 250mA IP65/IP66 RAL9016
02.041.1121.01.930.250.DP	Conti 125 IP Recessed LED/930, 19° 250mA IP65/IP66 RAL9016
02.041.1121.01.930.350.DALI.DP	Conti 125 IP Recessed LED/930, 19° DALI 350mA IP65/IP66 RAL9016
02.041.1121.01.930.350.DP	Conti 125 IP Recessed LED/930, 19° 350mA IP65/IP66 RAL9016
02.041.1121.01.930.450.DALI.DP	Conti 125 IP Recessed LED/930, 19° DALI 450mA IP65/IP66 RAL9016
02.041.1121.01.930.450.DP	Conti 125 IP Recessed LED/930, 19° 450mA IP65/IP66 RAL9016
02.041.1121.01.930.500.DALI.DP	Conti 125 IP Recessed LED/930, 19° DALI 500mA IP65/IP66 RAL9016
02.041.1121.01.930.500.DP	Conti 125 IP Recessed LED/930, 19° 500mA IP65/IP66 RAL9016
02.041.1121.01.930.600.DALI.DP	Conti 125 IP Recessed LED/930, 19° DALI 600mA IP65/IP66 RAL9016
02.041.1121.01.930.600.DP	Conti 125 IP Recessed LED/930, 19° 600mA IP65/IP66 RAL9016

Place and date of issue of the document

Warszawa, 08.12.2021



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
02.041.1121.01.930.650.DALI.DP	Conti 125 IP Recessed LED/930, 19° DALI 650mA IP65/IP66 RAL9016
02.041.1121.01.930.650.DP	Conti 125 IP Recessed LED/930, 19° 650mA IP65/IP66 RAL9016
02.041.1121.01.930.700.DALI.DP	Conti 125 IP Recessed LED/930, 19° DALI 700mA IP65/IP66 RAL9016
02.041.1121.01.930.700.DP	Conti 125 IP Recessed LED/930, 19° 700mA IP65/IP66 RAL9016
02.041.1121.01.940.250.DALI.DP	Conti 125 IP Recessed LED/940, 19° DALI 250mA IP65/IP66 RAL9016
02.041.1121.01.940.250.DP	Conti 125 IP Recessed LED/940, 19° 250mA IP65/IP66 RAL9016
02.041.1121.01.940.350.DALI.DP	Conti 125 IP Recessed LED/940, 19° DALI 350mA IP65/IP66 RAL9016
02.041.1121.01.940.350.DP	Conti 125 IP Recessed LED/940, 19° 350mA IP65/IP66 RAL9016
02.041.1121.01.940.450.DALI.DP	Conti 125 IP Recessed LED/940, 19° DALI 450mA IP65/IP66 RAL9016
02.041.1121.01.940.450.DP	Conti 125 IP Recessed LED/940, 19° 450mA IP65/IP66 RAL9016
02.041.1121.01.940.500.DALI.DP	Conti 125 IP Recessed LED/940, 19° DALI 500mA IP65/IP66 RAL9016
02.041.1121.01.940.500.DP	Conti 125 IP Recessed LED/940, 19° 500mA IP65/IP66 RAL9016
02.041.1121.01.940.600.DALI.DP	Conti 125 IP Recessed LED/940, 19° DALI 600mA IP65/IP66 RAL9016
02.041.1121.01.940.600.DP	Conti 125 IP Recessed LED/940, 19° 600mA IP65/IP66 RAL9016
02.041.1121.01.940.650.DALI.DP	Conti 125 IP Recessed LED/940, 19° DALI 650mA IP65/IP66 RAL9016
02.041.1121.01.940.650.DP	Conti 125 IP Recessed LED/940, 19° 650mA IP65/IP66 RAL9016
02.041.1121.01.940.700.DALI.DP	Conti 125 IP Recessed LED/940, 19° DALI 700mA IP65/IP66 RAL9016
02.041.1121.01.940.700.DP	Conti 125 IP Recessed LED/940, 19° 700mA IP65/IP66 RAL9016
02.041.1121.02.930.250.DALI.DP	Conti 125 IP Recessed LED/930, 19° DALI 250mA IP65/IP66 RAL9006
02.041.1121.02.930.250.DP	Conti 125 IP Recessed LED/930, 19° 250mA IP65/IP66 RAL9006
02.041.1121.02.930.350.DALI.DP	Conti 125 IP Recessed LED/930, 19° DALI 350mA IP65/IP66 RAL9006
02.041.1121.02.930.350.DP	Conti 125 IP Recessed LED/930, 19° 350mA IP65/IP66 RAL9006
02.041.1121.02.930.450.DALI.DP	Conti 125 IP Recessed LED/930, 19° DALI 450mA IP65/IP66 RAL9006
02.041.1121.02.930.450.DP	Conti 125 IP Recessed LED/930, 19° 450mA IP65/IP66 RAL9006
02.041.1121.02.930.500.DALI.DP	Conti 125 IP Recessed LED/930, 19° DALI 500mA IP65/IP66 RAL9006
02.041.1121.02.930.500.DP	Conti 125 IP Recessed LED/930, 19° 500mA IP65/IP66 RAL9006
02.041.1121.02.930.600.DALI.DP	Conti 125 IP Recessed LED/930, 19° DALI 600mA IP65/IP66 RAL9006
02.041.1121.02.930.600.DP	Conti 125 IP Recessed LED/930, 19° 600mA IP65/IP66 RAL9006
02.041.1121.02.930.650.DALI.DP	Conti 125 IP Recessed LED/930, 19° DALI 650mA IP65/IP66 RAL9006
02.041.1121.02.930.650.DP	Conti 125 IP Recessed LED/930, 19° 650mA IP65/IP66 RAL9006
02.041.1121.02.930.700.DALI.DP	Conti 125 IP Recessed LED/930, 19° DALI 700mA IP65/IP66 RAL9006
02.041.1121.02.930.700.DP	Conti 125 IP Recessed LED/930, 19° 700mA IP65/IP66 RAL9006
02.041.1121.02.940.250.DALI.DP	Conti 125 IP Recessed LED/940, 19° DALI 250mA IP65/IP66 RAL9006
02.041.1121.02.940.250.DP	Conti 125 IP Recessed LED/940, 19° 250mA IP65/IP66 RAL9006
02.041.1121.02.940.350.DALI.DP	Conti 125 IP Recessed LED/940, 19° DALI 350mA IP65/IP66 RAL9006
02.041.1121.02.940.350.DP	Conti 125 IP Recessed LED/940, 19° 350mA IP65/IP66 RAL9006
02.041.1121.02.940.450.DALI.DP	Conti 125 IP Recessed LED/940, 19° DALI 450mA IP65/IP66 RAL9006
02.041.1121.02.940.450.DP	Conti 125 IP Recessed LED/940, 19° 450mA IP65/IP66 RAL9006
02.041.1121.02.940.500.DALI.DP	Conti 125 IP Recessed LED/940, 19° DALI 500mA IP65/IP66 RAL9006
02.041.1121.02.940.500.DP	Conti 125 IP Recessed LED/940, 19° 500mA IP65/IP66 RAL9006
02.041.1121.02.940.600.DALI.DP	Conti 125 IP Recessed LED/940, 19° DALI 600mA IP65/IP66 RAL9006
02.041.1121.02.940.600.DP	Conti 125 IP Recessed LED/940, 19° 600mA IP65/IP66 RAL9006
02.041.1121.02.940.650.DALI.DP	Conti 125 IP Recessed LED/940, 19° DALI 650mA IP65/IP66 RAL9006
02.041.1121.02.940.650.DP	Conti 125 IP Recessed LED/940, 19° 650mA IP65/IP66 RAL9006

Place and date of issue of the document

Warszawa, 08.12.2021



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
02.041.1121.02.940.700.DALI.DP	Conti 125 IP Recessed LED/940, 19° DALI 700mA IP65/IP66 RAL9006
02.041.1121.02.940.700.DP	Conti 125 IP Recessed LED/940, 19° 700mA IP65/IP66 RAL9006
02.041.1121.03.930.250.DALI.DP	Conti 125 IP Recessed LED/930, 19° DALI 250mA IP65/IP66 RAL9005
02.041.1121.03.930.250.DP	Conti 125 IP Recessed LED/930, 19° 250mA IP65/IP66 RAL9005
02.041.1121.03.930.350.DALI.DP	Conti 125 IP Recessed LED/930, 19° DALI 350mA IP65/IP66 RAL9005
02.041.1121.03.930.350.DP	Conti 125 IP Recessed LED/930, 19° 350mA IP65/IP66 RAL9005
02.041.1121.03.930.450.DALI.DP	Conti 125 IP Recessed LED/930, 19° DALI 450mA IP65/IP66 RAL9005
02.041.1121.03.930.450.DP	Conti 125 IP Recessed LED/930, 19° 450mA IP65/IP66 RAL9005
02.041.1121.03.930.500.DALI.DP	Conti 125 IP Recessed LED/930, 19° DALI 500mA IP65/IP66 RAL9005
02.041.1121.03.930.500.DP	Conti 125 IP Recessed LED/930, 19° 500mA IP65/IP66 RAL9005
02.041.1121.03.930.600.DALI.DP	Conti 125 IP Recessed LED/930, 19° DALI 600mA IP65/IP66 RAL9005
02.041.1121.03.930.600.DP	Conti 125 IP Recessed LED/930, 19° 600mA IP65/IP66 RAL9005
02.041.1121.03.930.650.DALI.DP	Conti 125 IP Recessed LED/930, 19° DALI 650mA IP65/IP66 RAL9005
02.041.1121.03.930.650.DP	Conti 125 IP Recessed LED/930, 19° 650mA IP65/IP66 RAL9005
02.041.1121.03.930.700.DALI.DP	Conti 125 IP Recessed LED/930, 19° DALI 700mA IP65/IP66 RAL9005
02.041.1121.03.930.700.DP	Conti 125 IP Recessed LED/930, 19° 700mA IP65/IP66 RAL9005
02.041.1121.03.940.250.DALI.DP	Conti 125 IP Recessed LED/940, 19° DALI 250mA IP65/IP66 RAL9005
02.041.1121.03.940.250.DP	Conti 125 IP Recessed LED/940, 19° 250mA IP65/IP66 RAL9005
02.041.1121.03.940.350.DALI.DP	Conti 125 IP Recessed LED/940, 19° DALI 350mA IP65/IP66 RAL9005
02.041.1121.03.940.350.DP	Conti 125 IP Recessed LED/940, 19° 350mA IP65/IP66 RAL9005
02.041.1121.03.940.450.DALI.DP	Conti 125 IP Recessed LED/940, 19° DALI 450mA IP65/IP66 RAL9005
02.041.1121.03.940.450.DP	Conti 125 IP Recessed LED/940, 19° 450mA IP65/IP66 RAL9005
02.041.1121.03.940.500.DALI.DP	Conti 125 IP Recessed LED/940, 19° DALI 500mA IP65/IP66 RAL9005
02.041.1121.03.940.500.DP	Conti 125 IP Recessed LED/940, 19° 500mA IP65/IP66 RAL9005
02.041.1121.03.940.600.DALI.DP	Conti 125 IP Recessed LED/940, 19° DALI 600mA IP65/IP66 RAL9005
02.041.1121.03.940.600.DP	Conti 125 IP Recessed LED/940, 19° 600mA IP65/IP66 RAL9005
02.041.1121.03.940.650.DALI.DP	Conti 125 IP Recessed LED/940, 19° DALI 650mA IP65/IP66 RAL9005
02.041.1121.03.940.650.DP	Conti 125 IP Recessed LED/940, 19° 650mA IP65/IP66 RAL9005
02.041.1121.03.940.700.DALI.DP	Conti 125 IP Recessed LED/940, 19° DALI 700mA IP65/IP66 RAL9005
02.041.1121.03.940.700.DP	Conti 125 IP Recessed LED/940, 19° 700mA IP65/IP66 RAL9005
02.041.1122.01.930.250.DALI.DP	Conti 125 IP Recessed LED/930, 33° DALI 250mA IP65/IP66 RAL9016
02.041.1122.01.930.250.DP	Conti 125 IP Recessed LED/930, 33° 250mA IP65/IP66 RAL9016
02.041.1122.01.930.350.DALI.DP	Conti 125 IP Recessed LED/930, 33° DALI 350mA IP65/IP66 RAL9016
02.041.1122.01.930.350.DP	Conti 125 IP Recessed LED/930, 33° 350mA IP65/IP66 RAL9016
02.041.1122.01.930.450.DALI.DP	Conti 125 IP Recessed LED/930, 33° DALI 450mA IP65/IP66 RAL9016
02.041.1122.01.930.450.DP	Conti 125 IP Recessed LED/930, 33° 450mA IP65/IP66 RAL9016
02.041.1122.01.930.500.DALI.DP	Conti 125 IP Recessed LED/930, 33° DALI 500mA IP65/IP66 RAL9016
02.041.1122.01.930.500.DP	Conti 125 IP Recessed LED/930, 33° 500mA IP65/IP66 RAL9016
02.041.1122.01.930.600.DALI.DP	Conti 125 IP Recessed LED/930, 33° DALI 600mA IP65/IP66 RAL9016
02.041.1122.01.930.600.DP	Conti 125 IP Recessed LED/930, 33° 600mA IP65/IP66 RAL9016
02.041.1122.01.930.650.DALI.DP	Conti 125 IP Recessed LED/930, 33° DALI 650mA IP65/IP66 RAL9016
02.041.1122.01.930.650.DP	Conti 125 IP Recessed LED/930, 33° 650mA IP65/IP66 RAL9016
02.041.1122.01.930.700.DALI.DP	Conti 125 IP Recessed LED/930, 33° DALI 700mA IP65/IP66 RAL9016
02.041.1122.01.930.700.DP	Conti 125 IP Recessed LED/930, 33° 700mA IP65/IP66 RAL9016

Place and date of issue of the document

Warszawa, 08.12.2021



MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
02.041.1122.01.940.250.DALI.DP	Conti 125 IP Recessed LED/940, 33° DALI 250mA IP65/IP66 RAL9016
02.041.1122.01.940.250.DP	Conti 125 IP Recessed LED/940, 33° 250mA IP65/IP66 RAL9016
02.041.1122.01.940.350.DALI.DP	Conti 125 IP Recessed LED/940, 33° DALI 350mA IP65/IP66 RAL9016
02.041.1122.01.940.350.DP	Conti 125 IP Recessed LED/940, 33° 350mA IP65/IP66 RAL9016
02.041.1122.01.940.450.DALI.DP	Conti 125 IP Recessed LED/940, 33° DALI 450mA IP65/IP66 RAL9016
02.041.1122.01.940.450.DP	Conti 125 IP Recessed LED/940, 33° 450mA IP65/IP66 RAL9016
02.041.1122.01.940.500.DALI.DP	Conti 125 IP Recessed LED/940, 33° DALI 500mA IP65/IP66 RAL9016
02.041.1122.01.940.500.DP	Conti 125 IP Recessed LED/940, 33° 500mA IP65/IP66 RAL9016
02.041.1122.01.940.600.DALI.DP	Conti 125 IP Recessed LED/940, 33° DALI 600mA IP65/IP66 RAL9016
02.041.1122.01.940.600.DP	Conti 125 IP Recessed LED/940, 33° 600mA IP65/IP66 RAL9016
02.041.1122.01.940.650.DALI.DP	Conti 125 IP Recessed LED/940, 33° DALI 650mA IP65/IP66 RAL9016
02.041.1122.01.940.650.DP	Conti 125 IP Recessed LED/940, 33° 650mA IP65/IP66 RAL9016
02.041.1122.01.940.700.DALI.DP	Conti 125 IP Recessed LED/940, 33° DALI 700mA IP65/IP66 RAL9016
02.041.1122.01.940.700.DP	Conti 125 IP Recessed LED/940, 33° 700mA IP65/IP66 RAL9016
02.041.1122.02.930.250.DALI.DP	Conti 125 IP Recessed LED/930, 33° DALI 250mA IP65/IP66 RAL9006
02.041.1122.02.930.250.DP	Conti 125 IP Recessed LED/930, 33° 250mA IP65/IP66 RAL9006
02.041.1122.02.930.350.DALI.DP	Conti 125 IP Recessed LED/930, 33° DALI 350mA IP65/IP66 RAL9006
02.041.1122.02.930.350.DP	Conti 125 IP Recessed LED/930, 33° 350mA IP65/IP66 RAL9006
02.041.1122.02.930.450.DALI.DP	Conti 125 IP Recessed LED/930, 33° DALI 450mA IP65/IP66 RAL9006
02.041.1122.02.930.450.DP	Conti 125 IP Recessed LED/930, 33° 450mA IP65/IP66 RAL9006
02.041.1122.02.930.500.DALI.DP	Conti 125 IP Recessed LED/930, 33° DALI 500mA IP65/IP66 RAL9006
02.041.1122.02.930.500.DP	Conti 125 IP Recessed LED/930, 33° 500mA IP65/IP66 RAL9006
02.041.1122.02.930.600.DALI.DP	Conti 125 IP Recessed LED/930, 33° DALI 600mA IP65/IP66 RAL9006
02.041.1122.02.930.600.DP	Conti 125 IP Recessed LED/930, 33° 600mA IP65/IP66 RAL9006
02.041.1122.02.930.650.DALI.DP	Conti 125 IP Recessed LED/930, 33° DALI 650mA IP65/IP66 RAL9006
02.041.1122.02.930.650.DP	Conti 125 IP Recessed LED/930, 33° 650mA IP65/IP66 RAL9006
02.041.1122.02.930.700.DALI.DP	Conti 125 IP Recessed LED/930, 33° DALI 700mA IP65/IP66 RAL9006
02.041.1122.02.930.700.DP	Conti 125 IP Recessed LED/930, 33° 700mA IP65/IP66 RAL9006
02.041.1122.02.940.250.DALI.DP	Conti 125 IP Recessed LED/940, 33° DALI 250mA IP65/IP66 RAL9006
02.041.1122.02.940.250.DP	Conti 125 IP Recessed LED/940, 33° 250mA IP65/IP66 RAL9006
02.041.1122.02.940.350.DALI.DP	Conti 125 IP Recessed LED/940, 33° DALI 350mA IP65/IP66 RAL9006
02.041.1122.02.940.350.DP	Conti 125 IP Recessed LED/940, 33° 350mA IP65/IP66 RAL9006
02.041.1122.02.940.450.DALI.DP	Conti 125 IP Recessed LED/940, 33° DALI 450mA IP65/IP66 RAL9006
02.041.1122.02.940.450.DP	Conti 125 IP Recessed LED/940, 33° 450mA IP65/IP66 RAL9006
02.041.1122.02.940.500.DALI.DP	Conti 125 IP Recessed LED/940, 33° DALI 500mA IP65/IP66 RAL9006
02.041.1122.02.940.500.DP	Conti 125 IP Recessed LED/940, 33° 500mA IP65/IP66 RAL9006
02.041.1122.02.940.600.DALI.DP	Conti 125 IP Recessed LED/940, 33° DALI 600mA IP65/IP66 RAL9006
02.041.1122.02.940.600.DP	Conti 125 IP Recessed LED/940, 33° 600mA IP65/IP66 RAL9006
02.041.1122.02.940.650.DALI.DP	Conti 125 IP Recessed LED/940, 33° DALI 650mA IP65/IP66 RAL9006
02.041.1122.02.940.650.DP	Conti 125 IP Recessed LED/940, 33° 650mA IP65/IP66 RAL9006
02.041.1122.02.940.700.DALI.DP	Conti 125 IP Recessed LED/940, 33° DALI 700mA IP65/IP66 RAL9006
02.041.1122.02.940.700.DP	Conti 125 IP Recessed LED/940, 33° 700mA IP65/IP66 RAL9006
02.041.1122.03.930.250.DALI.DP	Conti 125 IP Recessed LED/930, 33° DALI 250mA IP65/IP66 RAL9005
02.041.1122.03.930.250.DP	Conti 125 IP Recessed LED/930, 33° 250mA IP65/IP66 RAL9005

Place and date of issue of the document

Warszawa, 08.12.2021



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
02.041.1122.03.930.350.DALI.DP	Conti 125 IP Recessed LED/930, 33° DALI 350mA IP65/IP66 RAL9005
02.041.1122.03.930.350.DP	Conti 125 IP Recessed LED/930, 33° 350mA IP65/IP66 RAL9005
02.041.1122.03.930.450.DALI.DP	Conti 125 IP Recessed LED/930, 33° DALI 450mA IP65/IP66 RAL9005
02.041.1122.03.930.450.DP	Conti 125 IP Recessed LED/930, 33° 450mA IP65/IP66 RAL9005
02.041.1122.03.930.500.DALI.DP	Conti 125 IP Recessed LED/930, 33° DALI 500mA IP65/IP66 RAL9005
02.041.1122.03.930.500.DP	Conti 125 IP Recessed LED/930, 33° 500mA IP65/IP66 RAL9005
02.041.1122.03.930.600.DALI.DP	Conti 125 IP Recessed LED/930, 33° DALI 600mA IP65/IP66 RAL9005
02.041.1122.03.930.600.DP	Conti 125 IP Recessed LED/930, 33° 600mA IP65/IP66 RAL9005
02.041.1122.03.930.650.DALI.DP	Conti 125 IP Recessed LED/930, 33° DALI 650mA IP65/IP66 RAL9005
02.041.1122.03.930.650.DP	Conti 125 IP Recessed LED/930, 33° 650mA IP65/IP66 RAL9005
02.041.1122.03.930.700.DALI.DP	Conti 125 IP Recessed LED/930, 33° DALI 700mA IP65/IP66 RAL9005
02.041.1122.03.930.700.DP	Conti 125 IP Recessed LED/930, 33° 700mA IP65/IP66 RAL9005
02.041.1122.03.940.250.DALI.DP	Conti 125 IP Recessed LED/940, 33° DALI 250mA IP65/IP66 RAL9005
02.041.1122.03.940.250.DP	Conti 125 IP Recessed LED/940, 33° 250mA IP65/IP66 RAL9005
02.041.1122.03.940.350.DALI.DP	Conti 125 IP Recessed LED/940, 33° DALI 350mA IP65/IP66 RAL9005
02.041.1122.03.940.350.DP	Conti 125 IP Recessed LED/940, 33° 350mA IP65/IP66 RAL9005
02.041.1122.03.940.450.DALI.DP	Conti 125 IP Recessed LED/940, 33° DALI 450mA IP65/IP66 RAL9005
02.041.1122.03.940.450.DP	Conti 125 IP Recessed LED/940, 33° 450mA IP65/IP66 RAL9005
02.041.1122.03.940.500.DALI.DP	Conti 125 IP Recessed LED/940, 33° DALI 500mA IP65/IP66 RAL9005
02.041.1122.03.940.500.DP	Conti 125 IP Recessed LED/940, 33° 500mA IP65/IP66 RAL9005
02.041.1122.03.940.600.DALI.DP	Conti 125 IP Recessed LED/940, 33° DALI 600mA IP65/IP66 RAL9005
02.041.1122.03.940.600.DP	Conti 125 IP Recessed LED/940, 33° 600mA IP65/IP66 RAL9005
02.041.1122.03.940.650.DALI.DP	Conti 125 IP Recessed LED/940, 33° DALI 650mA IP65/IP66 RAL9005
02.041.1122.03.940.650.DP	Conti 125 IP Recessed LED/940, 33° 650mA IP65/IP66 RAL9005
02.041.1122.03.940.700.DALI.DP	Conti 125 IP Recessed LED/940, 33° DALI 700mA IP65/IP66 RAL9005
02.041.1122.03.940.700.DP	Conti 125 IP Recessed LED/940, 33° 700mA IP65/IP66 RAL9005
02.041.1123.01.930.250.DALI.DP	Conti 125 IP Recessed LED/930, 48° DALI 250mA IP65/IP66 RAL9016
02.041.1123.01.930.250.DP	Conti 125 IP Recessed LED/930, 48° 250mA IP65/IP66 RAL9016
02.041.1123.01.930.350.DALI.DP	Conti 125 IP Recessed LED/930, 48° DALI 350mA IP65/IP66 RAL9016
02.041.1123.01.930.350.DP	Conti 125 IP Recessed LED/930, 48° 350mA IP65/IP66 RAL9016
02.041.1123.01.930.450.DALI.DP	Conti 125 IP Recessed LED/930, 48° DALI 450mA IP65/IP66 RAL9016
02.041.1123.01.930.450.DP	Conti 125 IP Recessed LED/930, 48° 450mA IP65/IP66 RAL9016
02.041.1123.01.930.500.DALI.DP	Conti 125 IP Recessed LED/930, 48° DALI 500mA IP65/IP66 RAL9016
02.041.1123.01.930.500.DP	Conti 125 IP Recessed LED/930, 48° 500mA IP65/IP66 RAL9016
02.041.1123.01.930.600.DALI.DP	Conti 125 IP Recessed LED/930, 48° DALI 600mA IP65/IP66 RAL9016
02.041.1123.01.930.600.DP	Conti 125 IP Recessed LED/930, 48° 600mA IP65/IP66 RAL9016
02.041.1123.01.930.650.DALI.DP	Conti 125 IP Recessed LED/930, 48° DALI 650mA IP65/IP66 RAL9016
02.041.1123.01.930.650.DP	Conti 125 IP Recessed LED/930, 48° 650mA IP65/IP66 RAL9016
02.041.1123.01.930.700.DALI.DP	Conti 125 IP Recessed LED/930, 48° DALI 700mA IP65/IP66 RAL9016
02.041.1123.01.930.700.DP	Conti 125 IP Recessed LED/930, 48° 700mA IP65/IP66 RAL9016
02.041.1123.01.940.250.DALI.DP	Conti 125 IP Recessed LED/940, 48° DALI 250mA IP65/IP66 RAL9016
02.041.1123.01.940.250.DP	Conti 125 IP Recessed LED/940, 48° 250mA IP65/IP66 RAL9016
02.041.1123.01.940.350.DALI.DP	Conti 125 IP Recessed LED/940, 48° DALI 350mA IP65/IP66 RAL9016
02.041.1123.01.940.350.DP	Conti 125 IP Recessed LED/940, 48° 350mA IP65/IP66 RAL9016

Place and date of issue of the document

Warszawa, 08.12.2021



MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
02.041.1123.01.940.450.DALI.DP	Conti 125 IP Recessed LED/940, 48° DALI 450mA IP65/IP66 RAL9016
02.041.1123.01.940.450.DP	Conti 125 IP Recessed LED/940, 48° 450mA IP65/IP66 RAL9016
02.041.1123.01.940.500.DALI.DP	Conti 125 IP Recessed LED/940, 48° DALI 500mA IP65/IP66 RAL9016
02.041.1123.01.940.500.DP	Conti 125 IP Recessed LED/940, 48° 500mA IP65/IP66 RAL9016
02.041.1123.01.940.600.DALI.DP	Conti 125 IP Recessed LED/940, 48° DALI 600mA IP65/IP66 RAL9016
02.041.1123.01.940.600.DP	Conti 125 IP Recessed LED/940, 48° 600mA IP65/IP66 RAL9016
02.041.1123.01.940.650.DALI.DP	Conti 125 IP Recessed LED/940, 48° DALI 650mA IP65/IP66 RAL9016
02.041.1123.01.940.650.DP	Conti 125 IP Recessed LED/940, 48° 650mA IP65/IP66 RAL9016
02.041.1123.01.940.700.DALI.DP	Conti 125 IP Recessed LED/940, 48° DALI 700mA IP65/IP66 RAL9016
02.041.1123.01.940.700.DP	Conti 125 IP Recessed LED/940, 48° 700mA IP65/IP66 RAL9016
02.041.1123.02.930.250.DALI.DP	Conti 125 IP Recessed LED/930, 48° DALI 250mA IP65/IP66 RAL9006
02.041.1123.02.930.250.DP	Conti 125 IP Recessed LED/930, 48° 250mA IP65/IP66 RAL9006
02.041.1123.02.930.350.DALI.DP	Conti 125 IP Recessed LED/930, 48° DALI 350mA IP65/IP66 RAL9006
02.041.1123.02.930.350.DP	Conti 125 IP Recessed LED/930, 48° 350mA IP65/IP66 RAL9006
02.041.1123.02.930.450.DALI.DP	Conti 125 IP Recessed LED/930, 48° DALI 450mA IP65/IP66 RAL9006
02.041.1123.02.930.450.DP	Conti 125 IP Recessed LED/930, 48° 450mA IP65/IP66 RAL9006
02.041.1123.02.930.500.DALI.DP	Conti 125 IP Recessed LED/930, 48° DALI 500mA IP65/IP66 RAL9006
02.041.1123.02.930.500.DP	Conti 125 IP Recessed LED/930, 48° 500mA IP65/IP66 RAL9006
02.041.1123.02.930.600.DALI.DP	Conti 125 IP Recessed LED/930, 48° DALI 600mA IP65/IP66 RAL9006
02.041.1123.02.930.600.DP	Conti 125 IP Recessed LED/930, 48° 600mA IP65/IP66 RAL9006
02.041.1123.02.930.650.DALI.DP	Conti 125 IP Recessed LED/930, 48° DALI 650mA IP65/IP66 RAL9006
02.041.1123.02.930.650.DP	Conti 125 IP Recessed LED/930, 48° 650mA IP65/IP66 RAL9006
02.041.1123.02.930.700.DALI.DP	Conti 125 IP Recessed LED/930, 48° DALI 700mA IP65/IP66 RAL9006
02.041.1123.02.930.700.DP	Conti 125 IP Recessed LED/930, 48° 700mA IP65/IP66 RAL9006
02.041.1123.02.940.250.DALI.DP	Conti 125 IP Recessed LED/940, 48° DALI 250mA IP65/IP66 RAL9006
02.041.1123.02.940.250.DP	Conti 125 IP Recessed LED/940, 48° 250mA IP65/IP66 RAL9006
02.041.1123.02.940.350.DALI.DP	Conti 125 IP Recessed LED/940, 48° DALI 350mA IP65/IP66 RAL9006
02.041.1123.02.940.350.DP	Conti 125 IP Recessed LED/940, 48° 350mA IP65/IP66 RAL9006
02.041.1123.02.940.450.DALI.DP	Conti 125 IP Recessed LED/940, 48° DALI 450mA IP65/IP66 RAL9006
02.041.1123.02.940.450.DP	Conti 125 IP Recessed LED/940, 48° 450mA IP65/IP66 RAL9006
02.041.1123.02.940.500.DALI.DP	Conti 125 IP Recessed LED/940, 48° DALI 500mA IP65/IP66 RAL9006
02.041.1123.02.940.500.DP	Conti 125 IP Recessed LED/940, 48° 500mA IP65/IP66 RAL9006
02.041.1123.02.940.600.DALI.DP	Conti 125 IP Recessed LED/940, 48° DALI 600mA IP65/IP66 RAL9006
02.041.1123.02.940.600.DP	Conti 125 IP Recessed LED/940, 48° 600mA IP65/IP66 RAL9006
02.041.1123.02.940.650.DALI.DP	Conti 125 IP Recessed LED/940, 48° DALI 650mA IP65/IP66 RAL9006
02.041.1123.02.940.650.DP	Conti 125 IP Recessed LED/940, 48° 650mA IP65/IP66 RAL9006
02.041.1123.02.940.700.DALI.DP	Conti 125 IP Recessed LED/940, 48° DALI 700mA IP65/IP66 RAL9006
02.041.1123.02.940.700.DP	Conti 125 IP Recessed LED/940, 48° 700mA IP65/IP66 RAL9006
02.041.1123.03.930.250.DALI.DP	Conti 125 IP Recessed LED/930, 48° DALI 250mA IP65/IP66 RAL9005
02.041.1123.03.930.250.DP	Conti 125 IP Recessed LED/930, 48° 250mA IP65/IP66 RAL9005
02.041.1123.03.930.350.DALI.DP	Conti 125 IP Recessed LED/930, 48° DALI 350mA IP65/IP66 RAL9005
02.041.1123.03.930.350.DP	Conti 125 IP Recessed LED/930, 48° 350mA IP65/IP66 RAL9005
02.041.1123.03.930.450.DALI.DP	Conti 125 IP Recessed LED/930, 48° DALI 450mA IP65/IP66 RAL9005
02.041.1123.03.930.450.DP	Conti 125 IP Recessed LED/930, 48° 450mA IP65/IP66 RAL9005

Place and date of issue of the document

Warszawa, 08.12.2021




MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
02.041.1123.03.930.500.DALI.DP	Conti 125 IP Recessed LED/930, 48° DALI 500mA IP65/IP66 RAL9005
02.041.1123.03.930.500.DP	Conti 125 IP Recessed LED/930, 48° 500mA IP65/IP66 RAL9005
02.041.1123.03.930.600.DALI.DP	Conti 125 IP Recessed LED/930, 48° DALI 600mA IP65/IP66 RAL9005
02.041.1123.03.930.600.DP	Conti 125 IP Recessed LED/930, 48° 600mA IP65/IP66 RAL9005
02.041.1123.03.930.650.DALI.DP	Conti 125 IP Recessed LED/930, 48° DALI 650mA IP65/IP66 RAL9005
02.041.1123.03.930.650.DP	Conti 125 IP Recessed LED/930, 48° 650mA IP65/IP66 RAL9005
02.041.1123.03.930.700.DALI.DP	Conti 125 IP Recessed LED/930, 48° DALI 700mA IP65/IP66 RAL9005
02.041.1123.03.930.700.DP	Conti 125 IP Recessed LED/930, 48° 700mA IP65/IP66 RAL9005
02.041.1123.03.940.250.DALI.DP	Conti 125 IP Recessed LED/940, 48° DALI 250mA IP65/IP66 RAL9005
02.041.1123.03.940.250.DP	Conti 125 IP Recessed LED/940, 48° 250mA IP65/IP66 RAL9005
02.041.1123.03.940.350.DALI.DP	Conti 125 IP Recessed LED/940, 48° DALI 350mA IP65/IP66 RAL9005
02.041.1123.03.940.350.DP	Conti 125 IP Recessed LED/940, 48° 350mA IP65/IP66 RAL9005
02.041.1123.03.940.450.DALI.DP	Conti 125 IP Recessed LED/940, 48° DALI 450mA IP65/IP66 RAL9005
02.041.1123.03.940.450.DP	Conti 125 IP Recessed LED/940, 48° 450mA IP65/IP66 RAL9005
02.041.1123.03.940.500.DALI.DP	Conti 125 IP Recessed LED/940, 48° DALI 500mA IP65/IP66 RAL9005
02.041.1123.03.940.500.DP	Conti 125 IP Recessed LED/940, 48° 500mA IP65/IP66 RAL9005
02.041.1123.03.940.600.DALI.DP	Conti 125 IP Recessed LED/940, 48° DALI 600mA IP65/IP66 RAL9005
02.041.1123.03.940.600.DP	Conti 125 IP Recessed LED/940, 48° 600mA IP65/IP66 RAL9005
02.041.1123.03.940.650.DALI.DP	Conti 125 IP Recessed LED/940, 48° DALI 650mA IP65/IP66 RAL9005
02.041.1123.03.940.650.DP	Conti 125 IP Recessed LED/940, 48° 650mA IP65/IP66 RAL9005
02.041.1123.03.940.700.DALI.DP	Conti 125 IP Recessed LED/940, 48° DALI 700mA IP65/IP66 RAL9005
02.041.1123.03.940.700.DP	Conti 125 IP Recessed LED/940, 48° 700mA IP65/IP66 RAL9005

Place and date of issue of the document

Warszawa, 08.12.2021



MIROSLAW-RAKOCZY
V-ce PREZES