

Manufacturer: **Spectra Lighting LLC**
Ostródzka st. 53
03-289 Warsaw

Product name: **TALIS 130**

Product number: **in the attachment nr 02/049**

We hereby declare, under the sole responsibility of the manufacturer, that the above product complies with the provisions of the following directives:

2009/125/WE	Ecodesign
2011/65/UE	Restriction of the use of certain hazardous substances
2014/30/UE	Electromagnetic Compatibility
2014/35/UE	Low Voltage

and the following standards:

PN-EN 55015:2013	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
PN-EN 60529:2003	Degrees of protection provided by enclosures (IP code)
PN-EN 60598-1:2015	Luminaires - Part 1: General requirements and tests
PN-EN 61000-3-2:2014	Electromagnetic compatibility (EMC) -- Part 3-2: Limits -- Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
PN-EN 61000-3-3:2013	Electromagnetic compatibility (EMC) -- Part 3-3: Limits -- Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection
PN-EN 61547:2009	Equipment for general lighting purposes - EMC immunity requirements
PN-EN 62493:2015	Assessment of lighting equipment related to human exposure to electromagnetic fields

The product has been CE marked for the first time in the year:

2021

Place and date of issue of the document

Warszawa, 11.02.2022


MIROSLAW RAKOCZY
V-ce PREZES

ATTACHMENT

Code	Name
02.049.2101.01.930	Talis 130 Surface-mounted LED/930, 33° AC Transparent RAL9016
02.049.2101.01.940	Talis 130 Surface-mounted LED/940, 33° AC Transparent RAL9016
02.049.2101.02.930	Talis 130 Surface-mounted LED/930, 33° AC Transparent RAL9006
02.049.2101.02.940	Talis 130 Surface-mounted LED/940, 33° AC Transparent RAL9006
02.049.2101.03.930	Talis 130 Surface-mounted LED/930, 33° AC Transparent RAL9005
02.049.2101.03.940	Talis 130 Surface-mounted LED/940, 33° AC Transparent RAL9005
02.049.2102.01.930	Talis 130 Surface-mounted LED/930, 33° AC HO Transparent RAL9016
02.049.2102.01.940	Talis 130 Surface-mounted LED/940, 33° AC HO Transparent RAL9016
02.049.2102.02.930	Talis 130 Surface-mounted LED/930, 33° AC HO Transparent RAL9006
02.049.2102.02.940	Talis 130 Surface-mounted LED/940, 33° AC HO Transparent RAL9006
02.049.2102.03.930	Talis 130 Surface-mounted LED/930, 33° AC HO Transparent RAL9005
02.049.2102.03.940	Talis 130 Surface-mounted LED/940, 33° AC HO Transparent RAL9005
02.049.2103.01.930	Talis 130 Surface-mounted LED/930, 33° 250mA Transparent RAL9016
02.049.2103.01.930.DALI	Talis 130 Surface-mounted LED/930, 33° 250mA Transparent DALI RAL9016
02.049.2103.01.940	Talis 130 Surface-mounted LED/940, 33° 250mA Transparent RAL9016
02.049.2103.01.940.DALI	Talis 130 Surface-mounted LED/940, 33° 250mA Transparent DALI RAL9016
02.049.2103.02.930	Talis 130 Surface-mounted LED/930, 33° 250mA Transparent RAL9006
02.049.2103.02.930.DALI	Talis 130 Surface-mounted LED/930, 33° 250mA Transparent DALI RAL9006
02.049.2103.02.940	Talis 130 Surface-mounted LED/940, 33° 250mA Transparent RAL9006
02.049.2103.02.940.DALI	Talis 130 Surface-mounted LED/940, 33° 250mA Transparent DALI RAL9006
02.049.2103.03.930	Talis 130 Surface-mounted LED/930, 33° 250mA Transparent RAL9005
02.049.2103.03.930.DALI	Talis 130 Surface-mounted LED/930, 33° 250mA Transparent DALI RAL9005
02.049.2103.03.940	Talis 130 Surface-mounted LED/940, 33° 250mA Transparent RAL9005
02.049.2103.03.940.DALI	Talis 130 Surface-mounted LED/940, 33° 250mA Transparent DALI RAL9005
02.049.2104.01.930	Talis 130 Surface-mounted LED/930, 42° 250mA Transparent RAL9016
02.049.2104.01.930.DALI	Talis 130 Surface-mounted LED/930, 42° 250mA Transparent DALI RAL9016
02.049.2104.01.940	Talis 130 Surface-mounted LED/940, 42° 250mA Transparent RAL9016
02.049.2104.01.940.DALI	Talis 130 Surface-mounted LED/940, 42° 250mA Transparent DALI RAL9016
02.049.2104.02.930	Talis 130 Surface-mounted LED/930, 42° 250mA Transparent RAL9006
02.049.2104.02.930.DALI	Talis 130 Surface-mounted LED/930, 42° 250mA Transparent DALI RAL9006
02.049.2104.02.940	Talis 130 Surface-mounted LED/940, 42° 250mA Transparent RAL9006
02.049.2104.02.940.DALI	Talis 130 Surface-mounted LED/940, 42° 250mA Transparent DALI RAL9006
02.049.2104.03.930	Talis 130 Surface-mounted LED/930, 42° 250mA Transparent RAL9005
02.049.2104.03.930.DALI	Talis 130 Surface-mounted LED/930, 42° 250mA Transparent DALI RAL9005
02.049.2104.03.940	Talis 130 Surface-mounted LED/940, 42° 250mA Transparent RAL9005
02.049.2104.03.940.DALI	Talis 130 Surface-mounted LED/940, 42° 250mA Transparent DALI RAL9005
02.049.2105.01.930	Talis 130 Surface-mounted LED/930, 65° 250mA Transparent RAL9016
02.049.2105.01.930.DALI	Talis 130 Surface-mounted LED/930, 65° 250mA Transparent DALI RAL9016
02.049.2105.01.940	Talis 130 Surface-mounted LED/940, 65° 250mA Transparent RAL9016
02.049.2105.01.940.DALI	Talis 130 Surface-mounted LED/940, 65° 250mA Transparent DALI RAL9016
02.049.2105.02.930	Talis 130 Surface-mounted LED/930, 65° 250mA Transparent RAL9006
02.049.2105.02.930.DALI	Talis 130 Surface-mounted LED/930, 65° 250mA Transparent DALI RAL9006

Place and date of issue of the document

Warszawa, 11.02.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
02.049.2105.02.940	Talis 130 Surface-mounted LED/940, 65° 250mA Transparent RAL9006
02.049.2105.02.940.DALI	Talis 130 Surface-mounted LED/940, 65° 250mA Transparent DALI RAL9006
02.049.2105.03.930	Talis 130 Surface-mounted LED/930, 65° 250mA Transparent RAL9005
02.049.2105.03.930.DALI	Talis 130 Surface-mounted LED/930, 65° 250mA Transparent DALI RAL9005
02.049.2105.03.940	Talis 130 Surface-mounted LED/940, 65° 250mA Transparent RAL9005
02.049.2105.03.940.DALI	Talis 130 Surface-mounted LED/940, 65° 250mA Transparent DALI RAL9005
02.049.2106.01.930	Talis 130 Surface-mounted LED/930, 37° AC Frost RAL9016
02.049.2106.01.940	Talis 130 Surface-mounted LED/940, 37° AC Frost RAL9016
02.049.2106.02.930	Talis 130 Surface-mounted LED/930, 37° AC Frost RAL9006
02.049.2106.02.940	Talis 130 Surface-mounted LED/940, 37° AC Frost RAL9006
02.049.2106.03.930	Talis 130 Surface-mounted LED/930, 37° AC Frost RAL9005
02.049.2106.03.940	Talis 130 Surface-mounted LED/940, 37° AC Frost RAL9005
02.049.2107.01.930	Talis 130 Surface-mounted LED/930, 37° AC HO Frost RAL9016
02.049.2107.01.940	Talis 130 Surface-mounted LED/940, 37° AC HO Frost RAL9016
02.049.2107.02.930	Talis 130 Surface-mounted LED/930, 37° AC HO Frost RAL9006
02.049.2107.02.940	Talis 130 Surface-mounted LED/940, 37° AC HO Frost RAL9006
02.049.2107.03.930	Talis 130 Surface-mounted LED/930, 37° AC HO Frost RAL9005
02.049.2107.03.940	Talis 130 Surface-mounted LED/940, 37° AC HO Frost RAL9005
02.049.2108.01.930	Talis 130 Surface-mounted LED/930, 37° 250mA Frost RAL9016
02.049.2108.01.930.DALI	Talis 130 Surface-mounted LED/930, 37° 250mA Frost DALI RAL9016
02.049.2108.01.940	Talis 130 Surface-mounted LED/940, 37° 250mA Frost RAL9016
02.049.2108.01.940.DALI	Talis 130 Surface-mounted LED/940, 37° 250mA Frost DALI RAL9016
02.049.2108.02.930	Talis 130 Surface-mounted LED/930, 37° 250mA Frost RAL9006
02.049.2108.02.930.DALI	Talis 130 Surface-mounted LED/930, 37° 250mA Frost DALI RAL9006
02.049.2108.02.940	Talis 130 Surface-mounted LED/940, 37° 250mA Frost RAL9006
02.049.2108.02.940.DALI	Talis 130 Surface-mounted LED/940, 37° 250mA Frost DALI RAL9006
02.049.2108.03.930	Talis 130 Surface-mounted LED/930, 37° 250mA Frost RAL9005
02.049.2108.03.930.DALI	Talis 130 Surface-mounted LED/930, 37° 250mA Frost DALI RAL9005
02.049.2108.03.940	Talis 130 Surface-mounted LED/940, 37° 250mA Frost RAL9005
02.049.2108.03.940.DALI	Talis 130 Surface-mounted LED/940, 37° 250mA Frost DALI RAL9005
02.049.2109.01.930	Talis 130 Surface-mounted LED/930, 46° 250mA Frost RAL9016
02.049.2109.01.930.DALI	Talis 130 Surface-mounted LED/930, 46° 250mA Frost DALI RAL9016
02.049.2109.01.940	Talis 130 Surface-mounted LED/940, 46° 250mA Frost RAL9016
02.049.2109.01.940.DALI	Talis 130 Surface-mounted LED/940, 46° 250mA Frost DALI RAL9016
02.049.2109.02.930	Talis 130 Surface-mounted LED/930, 46° 250mA Frost RAL9006
02.049.2109.02.930.DALI	Talis 130 Surface-mounted LED/930, 46° 250mA Frost DALI RAL9006
02.049.2109.02.940	Talis 130 Surface-mounted LED/940, 46° 250mA Frost RAL9006
02.049.2109.02.940.DALI	Talis 130 Surface-mounted LED/940, 46° 250mA Frost DALI RAL9006
02.049.2109.03.930	Talis 130 Surface-mounted LED/930, 46° 250mA Frost RAL9005
02.049.2109.03.930.DALI	Talis 130 Surface-mounted LED/930, 46° 250mA Frost DALI RAL9005
02.049.2109.03.940	Talis 130 Surface-mounted LED/940, 46° 250mA Frost RAL9005
02.049.2109.03.940.DALI	Talis 130 Surface-mounted LED/940, 46° 250mA Frost DALI RAL9005
02.049.2110.01.930	Talis 130 Surface-mounted LED/930, 65° 250mA Frost RAL9016
02.049.2110.01.930.DALI	Talis 130 Surface-mounted LED/930, 65° 250mA Frost DALI RAL9016

Place and date of issue of the document

Warszawa, 11.02.2022



MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
02.049.2110.01.940	Talis 130 Surface-mounted LED/940, 65° 250mA Frost RAL9016
02.049.2110.01.940.DALI	Talis 130 Surface-mounted LED/940, 65° 250mA Frost DALI RAL9016
02.049.2110.02.930	Talis 130 Surface-mounted LED/930, 65° 250mA Frost RAL9006
02.049.2110.02.930.DALI	Talis 130 Surface-mounted LED/930, 65° 250mA Frost DALI RAL9006
02.049.2110.02.940	Talis 130 Surface-mounted LED/940, 65° 250mA Frost RAL9006
02.049.2110.02.940.DALI	Talis 130 Surface-mounted LED/940, 65° 250mA Frost DALI RAL9006
02.049.2110.03.930	Talis 130 Surface-mounted LED/930, 65° 250mA Frost RAL9005
02.049.2110.03.930.DALI	Talis 130 Surface-mounted LED/930, 65° 250mA Frost DALI RAL9005
02.049.2110.03.940	Talis 130 Surface-mounted LED/940, 65° 250mA Frost RAL9005
02.049.2110.03.940.DALI	Talis 130 Surface-mounted LED/940, 65° 250mA Frost DALI RAL9005
02.049.2111.01.930	Talis 130 Surface-mounted LED/930, 42° AC Transparent RAL9016
02.049.2111.01.940	Talis 130 Surface-mounted LED/940, 42° AC Transparent RAL9016
02.049.2111.02.930	Talis 130 Surface-mounted LED/930, 42° AC Transparent RAL9006
02.049.2111.02.940	Talis 130 Surface-mounted LED/940, 42° AC Transparent RAL9006
02.049.2111.03.930	Talis 130 Surface-mounted LED/930, 42° AC Transparent RAL9005
02.049.2111.03.940	Talis 130 Surface-mounted LED/940, 42° AC Transparent RAL9005
02.049.2112.01.930	Talis 130 Surface-mounted LED/930, 42° AC HO Transparent RAL9016
02.049.2112.01.940	Talis 130 Surface-mounted LED/940, 42° AC HO Transparent RAL9016
02.049.2112.02.930	Talis 130 Surface-mounted LED/930, 42° AC HO Transparent RAL9006
02.049.2112.02.940	Talis 130 Surface-mounted LED/940, 42° AC HO Transparent RAL9006
02.049.2112.03.930	Talis 130 Surface-mounted LED/930, 42° AC HO Transparent RAL9005
02.049.2112.03.940	Talis 130 Surface-mounted LED/940, 42° AC HO Transparent RAL9005
02.049.2113.01.930	Talis 130 Surface-mounted LED/930, 33° 500mA Transparent RAL9016
02.049.2113.01.930.DALI	Talis 130 Surface-mounted LED/930, 33° 500mA Transparent DALI RAL9016
02.049.2113.01.940	Talis 130 Surface-mounted LED/940, 33° 500mA Transparent RAL9016
02.049.2113.01.940.DALI	Talis 130 Surface-mounted LED/940, 33° 500mA Transparent DALI RAL9016
02.049.2113.02.930	Talis 130 Surface-mounted LED/930, 33° 500mA Transparent RAL9006
02.049.2113.02.930.DALI	Talis 130 Surface-mounted LED/930, 33° 500mA Transparent DALI RAL9006
02.049.2113.02.940	Talis 130 Surface-mounted LED/940, 33° 500mA Transparent RAL9006
02.049.2113.02.940.DALI	Talis 130 Surface-mounted LED/940, 33° 500mA Transparent DALI RAL9006
02.049.2113.03.930	Talis 130 Surface-mounted LED/930, 33° 500mA Transparent RAL9005
02.049.2113.03.930.DALI	Talis 130 Surface-mounted LED/930, 33° 500mA Transparent DALI RAL9005
02.049.2113.03.940	Talis 130 Surface-mounted LED/940, 33° 500mA Transparent RAL9005
02.049.2113.03.940.DALI	Talis 130 Surface-mounted LED/940, 33° 500mA Transparent DALI RAL9005
02.049.2114.01.930	Talis 130 Surface-mounted LED/930, 42° 500mA Transparent RAL9016
02.049.2114.01.930.DALI	Talis 130 Surface-mounted LED/930, 42° 500mA Transparent DALI RAL9016
02.049.2114.01.940	Talis 130 Surface-mounted LED/940, 42° 500mA Transparent RAL9016
02.049.2114.01.940.DALI	Talis 130 Surface-mounted LED/940, 42° 500mA Transparent DALI RAL9016
02.049.2114.02.930	Talis 130 Surface-mounted LED/930, 42° 500mA Transparent RAL9006
02.049.2114.02.930.DALI	Talis 130 Surface-mounted LED/930, 42° 500mA Transparent DALI RAL9006
02.049.2114.02.940	Talis 130 Surface-mounted LED/940, 42° 500mA Transparent RAL9006
02.049.2114.02.940.DALI	Talis 130 Surface-mounted LED/940, 42° 500mA Transparent DALI RAL9006
02.049.2114.03.930	Talis 130 Surface-mounted LED/930, 42° 500mA Transparent RAL9005
02.049.2114.03.930.DALI	Talis 130 Surface-mounted LED/930, 42° 500mA Transparent DALI RAL9005

Place and date of issue of the document

Warszawa, 11.02.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
02.049.2114.03.940	Talis 130 Surface-mounted LED/940, 42° 500mA Transparent RAL9005
02.049.2114.03.940.DALI	Talis 130 Surface-mounted LED/940, 42° 500mA Transparent DALI RAL9005
02.049.2115.01.930	Talis 130 Surface-mounted LED/930, 65° 500mA Transparent RAL9016
02.049.2115.01.930.DALI	Talis 130 Surface-mounted LED/930, 65° 500mA Transparent DALI RAL9016
02.049.2115.01.940	Talis 130 Surface-mounted LED/940, 65° 500mA Transparent RAL9016
02.049.2115.01.940.DALI	Talis 130 Surface-mounted LED/940, 65° 500mA Transparent DALI RAL9016
02.049.2115.02.930	Talis 130 Surface-mounted LED/930, 65° 500mA Transparent RAL9006
02.049.2115.02.930.DALI	Talis 130 Surface-mounted LED/930, 65° 500mA Transparent DALI RAL9006
02.049.2115.02.940	Talis 130 Surface-mounted LED/940, 65° 500mA Transparent RAL9006
02.049.2115.02.940.DALI	Talis 130 Surface-mounted LED/940, 65° 500mA Transparent DALI RAL9006
02.049.2115.03.930	Talis 130 Surface-mounted LED/930, 65° 500mA Transparent RAL9005
02.049.2115.03.930.DALI	Talis 130 Surface-mounted LED/930, 65° 500mA Transparent DALI RAL9005
02.049.2115.03.940	Talis 130 Surface-mounted LED/940, 65° 500mA Transparent RAL9005
02.049.2115.03.940.DALI	Talis 130 Surface-mounted LED/940, 65° 500mA Transparent DALI RAL9005
02.049.2116.01.930	Talis 130 Surface-mounted LED/930, 46° AC Frost RAL9016
02.049.2116.01.940	Talis 130 Surface-mounted LED/940, 46° AC Frost RAL9016
02.049.2116.02.930	Talis 130 Surface-mounted LED/930, 46° AC Frost RAL9006
02.049.2116.02.940	Talis 130 Surface-mounted LED/940, 46° AC Frost RAL9006
02.049.2116.03.930	Talis 130 Surface-mounted LED/930, 46° AC Frost RAL9005
02.049.2116.03.940	Talis 130 Surface-mounted LED/940, 46° AC Frost RAL9005
02.049.2117.01.930	Talis 130 Surface-mounted LED/930, 46° AC HO Frost RAL9016
02.049.2117.01.940	Talis 130 Surface-mounted LED/940, 46° AC HO Frost RAL9016
02.049.2117.02.930	Talis 130 Surface-mounted LED/930, 46° AC HO Frost RAL9006
02.049.2117.02.940	Talis 130 Surface-mounted LED/940, 46° AC HO Frost RAL9006
02.049.2117.03.930	Talis 130 Surface-mounted LED/930, 46° AC HO Frost RAL9005
02.049.2117.03.940	Talis 130 Surface-mounted LED/940, 46° AC HO Frost RAL9005
02.049.2118.01.930	Talis 130 Surface-mounted LED/930, 37° 500mA Frost RAL9016
02.049.2118.01.930.DALI	Talis 130 Surface-mounted LED/930, 37° 500mA Frost DALI RAL9016
02.049.2118.01.940	Talis 130 Surface-mounted LED/940, 37° 500mA Frost RAL9016
02.049.2118.01.940.DALI	Talis 130 Surface-mounted LED/940, 37° 500mA Frost DALI RAL9016
02.049.2118.02.930	Talis 130 Surface-mounted LED/930, 37° 500mA Frost RAL9006
02.049.2118.02.930.DALI	Talis 130 Surface-mounted LED/930, 37° 500mA Frost DALI RAL9006
02.049.2118.02.940	Talis 130 Surface-mounted LED/940, 37° 500mA Frost RAL9006
02.049.2118.02.940.DALI	Talis 130 Surface-mounted LED/940, 37° 500mA Frost DALI RAL9006
02.049.2118.03.930	Talis 130 Surface-mounted LED/930, 37° 500mA Frost RAL9005
02.049.2118.03.930.DALI	Talis 130 Surface-mounted LED/930, 37° 500mA Frost DALI RAL9005
02.049.2118.03.940	Talis 130 Surface-mounted LED/940, 37° 500mA Frost RAL9005
02.049.2118.03.940.DALI	Talis 130 Surface-mounted LED/940, 37° 500mA Frost DALI RAL9005
02.049.2119.01.930	Talis 130 Surface-mounted LED/930, 46° 500mA Frost RAL9016
02.049.2119.01.930.DALI	Talis 130 Surface-mounted LED/930, 46° 500mA Frost DALI RAL9016
02.049.2119.01.940	Talis 130 Surface-mounted LED/940, 46° 500mA Frost RAL9016
02.049.2119.01.940.DALI	Talis 130 Surface-mounted LED/940, 46° 500mA Frost DALI RAL9016
02.049.2119.02.930	Talis 130 Surface-mounted LED/930, 46° 500mA Frost RAL9006
02.049.2119.02.930.DALI	Talis 130 Surface-mounted LED/930, 46° 500mA Frost DALI RAL9006

Place and date of issue of the document

Warszawa, 11.02.2022




MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
02.049.2119.02.940	Talis 130 Surface-mounted LED/940, 46° 500mA Frost RAL9006
02.049.2119.02.940.DALI	Talis 130 Surface-mounted LED/940, 46° 500mA Frost DALI RAL9006
02.049.2119.03.930	Talis 130 Surface-mounted LED/930, 46° 500mA Frost RAL9005
02.049.2119.03.930.DALI	Talis 130 Surface-mounted LED/930, 46° 500mA Frost DALI RAL9005
02.049.2119.03.940	Talis 130 Surface-mounted LED/940, 46° 500mA Frost RAL9005
02.049.2119.03.940.DALI	Talis 130 Surface-mounted LED/940, 46° 500mA Frost DALI RAL9005
02.049.2120.01.930	Talis 130 Surface-mounted LED/930, 65° 500mA Frost RAL9016
02.049.2120.01.930.DALI	Talis 130 Surface-mounted LED/930, 65° 500mA Frost DALI RAL9016
02.049.2120.01.940	Talis 130 Surface-mounted LED/940, 65° 500mA Frost RAL9016
02.049.2120.01.940.DALI	Talis 130 Surface-mounted LED/940, 65° 500mA Frost DALI RAL9016
02.049.2120.02.930	Talis 130 Surface-mounted LED/930, 65° 500mA Frost RAL9006
02.049.2120.02.930.DALI	Talis 130 Surface-mounted LED/930, 65° 500mA Frost DALI RAL9006
02.049.2120.02.940	Talis 130 Surface-mounted LED/940, 65° 500mA Frost RAL9006
02.049.2120.02.940.DALI	Talis 130 Surface-mounted LED/940, 65° 500mA Frost DALI RAL9006
02.049.2120.03.930	Talis 130 Surface-mounted LED/930, 65° 500mA Frost RAL9005
02.049.2120.03.930.DALI	Talis 130 Surface-mounted LED/930, 65° 500mA Frost DALI RAL9005
02.049.2120.03.940	Talis 130 Surface-mounted LED/940, 65° 500mA Frost RAL9005
02.049.2120.03.940.DALI	Talis 130 Surface-mounted LED/940, 65° 500mA Frost DALI RAL9005
02.049.2121.01.930	Talis 130 Surface-mounted LED/930, 65° AC Transparent RAL9016
02.049.2121.01.940	Talis 130 Surface-mounted LED/940, 65° AC Transparent RAL9016
02.049.2121.02.930	Talis 130 Surface-mounted LED/930, 65° AC Transparent RAL9006
02.049.2121.02.940	Talis 130 Surface-mounted LED/940, 65° AC Transparent RAL9006
02.049.2121.03.930	Talis 130 Surface-mounted LED/930, 65° AC Transparent RAL9005
02.049.2121.03.940	Talis 130 Surface-mounted LED/940, 65° AC Transparent RAL9005
02.049.2122.01.930	Talis 130 Surface-mounted LED/930, 65° AC HO Transparent RAL9016
02.049.2122.01.940	Talis 130 Surface-mounted LED/940, 65° AC HO Transparent RAL9016
02.049.2122.02.930	Talis 130 Surface-mounted LED/930, 65° AC HO Transparent RAL9006
02.049.2122.02.940	Talis 130 Surface-mounted LED/940, 65° AC HO Transparent RAL9006
02.049.2122.03.930	Talis 130 Surface-mounted LED/930, 65° AC HO Transparent RAL9005
02.049.2122.03.940	Talis 130 Surface-mounted LED/940, 65° AC HO Transparent RAL9005
02.049.2123.01.930	Talis 130 Surface-mounted LED/930, 33° 800mA Transparent RAL9016
02.049.2123.01.930.DALI	Talis 130 Surface-mounted LED/930, 33° 800mA Transparent DALI RAL9016
02.049.2123.01.940	Talis 130 Surface-mounted LED/940, 33° 800mA Transparent RAL9016
02.049.2123.01.940.DALI	Talis 130 Surface-mounted LED/940, 33° 800mA Transparent DALI RAL9016
02.049.2123.02.930	Talis 130 Surface-mounted LED/930, 33° 800mA Transparent RAL9006
02.049.2123.02.930.DALI	Talis 130 Surface-mounted LED/930, 33° 800mA Transparent DALI RAL9006
02.049.2123.02.940	Talis 130 Surface-mounted LED/940, 33° 800mA Transparent RAL9006
02.049.2123.02.940.DALI	Talis 130 Surface-mounted LED/940, 33° 800mA Transparent DALI RAL9006
02.049.2123.03.930	Talis 130 Surface-mounted LED/930, 33° 800mA Transparent RAL9005
02.049.2123.03.930.DALI	Talis 130 Surface-mounted LED/930, 33° 800mA Transparent DALI RAL9005
02.049.2123.03.940	Talis 130 Surface-mounted LED/940, 33° 800mA Transparent RAL9005
02.049.2123.03.940.DALI	Talis 130 Surface-mounted LED/940, 33° 800mA Transparent DALI RAL9005
02.049.2124.01.930	Talis 130 Surface-mounted LED/930, 42° 800mA Transparent RAL9016
02.049.2124.01.930.DALI	Talis 130 Surface-mounted LED/930, 42° 800mA Transparent DALI RAL9016

Place and date of issue of the document

Warszawa, 11.02.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
02.049.2124.01.940	Talis 130 Surface-mounted LED/940, 42° 800mA Transparent RAL9016
02.049.2124.01.940.DALI	Talis 130 Surface-mounted LED/940, 42° 800mA Transparent DALI RAL9016
02.049.2124.02.930	Talis 130 Surface-mounted LED/930, 42° 800mA Transparent RAL9006
02.049.2124.02.930.DALI	Talis 130 Surface-mounted LED/930, 42° 800mA Transparent DALI RAL9006
02.049.2124.02.940	Talis 130 Surface-mounted LED/940, 42° 800mA Transparent RAL9006
02.049.2124.02.940.DALI	Talis 130 Surface-mounted LED/940, 42° 800mA Transparent DALI RAL9006
02.049.2124.03.930	Talis 130 Surface-mounted LED/930, 42° 800mA Transparent RAL9005
02.049.2124.03.930.DALI	Talis 130 Surface-mounted LED/930, 42° 800mA Transparent DALI RAL9005
02.049.2124.03.940	Talis 130 Surface-mounted LED/940, 42° 800mA Transparent RAL9005
02.049.2124.03.940.DALI	Talis 130 Surface-mounted LED/940, 42° 800mA Transparent DALI RAL9005
02.049.2125.01.930	Talis 130 Surface-mounted LED/930, 65° 800mA Transparent RAL9016
02.049.2125.01.930.DALI	Talis 130 Surface-mounted LED/930, 65° 800mA Transparent DALI RAL9016
02.049.2125.01.940	Talis 130 Surface-mounted LED/940, 65° 800mA Transparent RAL9016
02.049.2125.01.940.DALI	Talis 130 Surface-mounted LED/940, 65° 800mA Transparent DALI RAL9016
02.049.2125.02.930	Talis 130 Surface-mounted LED/930, 65° 800mA Transparent RAL9006
02.049.2125.02.930.DALI	Talis 130 Surface-mounted LED/930, 65° 800mA Transparent DALI RAL9006
02.049.2125.02.940	Talis 130 Surface-mounted LED/940, 65° 800mA Transparent RAL9006
02.049.2125.02.940.DALI	Talis 130 Surface-mounted LED/940, 65° 800mA Transparent DALI RAL9006
02.049.2125.03.930	Talis 130 Surface-mounted LED/930, 65° 800mA Transparent RAL9005
02.049.2125.03.930.DALI	Talis 130 Surface-mounted LED/930, 65° 800mA Transparent DALI RAL9005
02.049.2125.03.940	Talis 130 Surface-mounted LED/940, 65° 800mA Transparent RAL9005
02.049.2125.03.940.DALI	Talis 130 Surface-mounted LED/940, 65° 800mA Transparent DALI RAL9005
02.049.2126.01.930	Talis 130 Surface-mounted LED/930, 65° AC Frost RAL9016
02.049.2126.01.940	Talis 130 Surface-mounted LED/940, 65° AC Frost RAL9016
02.049.2126.02.930	Talis 130 Surface-mounted LED/930, 65° AC Frost RAL9006
02.049.2126.02.940	Talis 130 Surface-mounted LED/940, 65° AC Frost RAL9006
02.049.2126.03.930	Talis 130 Surface-mounted LED/930, 65° AC Frost RAL9005
02.049.2126.03.940	Talis 130 Surface-mounted LED/940, 65° AC Frost RAL9005
02.049.2127.01.930	Talis 130 Surface-mounted LED/930, 65° AC HO Frost RAL9016
02.049.2127.01.940	Talis 130 Surface-mounted LED/940, 65° AC HO Frost RAL9016
02.049.2127.02.930	Talis 130 Surface-mounted LED/930, 65° AC HO Frost RAL9006
02.049.2127.02.940	Talis 130 Surface-mounted LED/940, 65° AC HO Frost RAL9006
02.049.2127.03.930	Talis 130 Surface-mounted LED/930, 65° AC HO Frost RAL9005
02.049.2127.03.940	Talis 130 Surface-mounted LED/940, 65° AC HO Frost RAL9005
02.049.2128.01.930	Talis 130 Surface-mounted LED/930, 37° 800mA Frost RAL9016
02.049.2128.01.930.DALI	Talis 130 Surface-mounted LED/930, 37° 800mA Frost DALI RAL9016
02.049.2128.01.940	Talis 130 Surface-mounted LED/940, 37° 800mA Frost RAL9016
02.049.2128.01.940.DALI	Talis 130 Surface-mounted LED/940, 37° 800mA Frost DALI RAL9016
02.049.2128.02.930	Talis 130 Surface-mounted LED/930, 37° 800mA Frost RAL9006
02.049.2128.02.930.DALI	Talis 130 Surface-mounted LED/930, 37° 800mA Frost DALI RAL9006
02.049.2128.02.940	Talis 130 Surface-mounted LED/940, 37° 800mA Frost RAL9006
02.049.2128.02.940.DALI	Talis 130 Surface-mounted LED/940, 37° 800mA Frost DALI RAL9006
02.049.2128.03.930	Talis 130 Surface-mounted LED/930, 37° 800mA Frost RAL9005
02.049.2128.03.930.DALI	Talis 130 Surface-mounted LED/930, 37° 800mA Frost DALI RAL9005

Place and date of issue of the document

Warszawa, 11.02.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
02.049.2128.03.940	Talis 130 Surface-mounted LED/940, 37° 800mA Frost RAL9005
02.049.2128.03.940.DALI	Talis 130 Surface-mounted LED/940, 37° 800mA Frost DALI RAL9005
02.049.2129.01.930	Talis 130 Surface-mounted LED/930, 46° 800mA Frost RAL9016
02.049.2129.01.930.DALI	Talis 130 Surface-mounted LED/930, 46° 800mA Frost DALI RAL9016
02.049.2129.01.940	Talis 130 Surface-mounted LED/940, 46° 800mA Frost RAL9016
02.049.2129.01.940.DALI	Talis 130 Surface-mounted LED/940, 46° 800mA Frost DALI RAL9016
02.049.2129.02.930	Talis 130 Surface-mounted LED/930, 46° 800mA Frost RAL9006
02.049.2129.02.930.DALI	Talis 130 Surface-mounted LED/930, 46° 800mA Frost DALI RAL9006
02.049.2129.02.940	Talis 130 Surface-mounted LED/940, 46° 800mA Frost RAL9006
02.049.2129.02.940.DALI	Talis 130 Surface-mounted LED/940, 46° 800mA Frost DALI RAL9006
02.049.2129.03.930	Talis 130 Surface-mounted LED/930, 46° 800mA Frost RAL9005
02.049.2129.03.930.DALI	Talis 130 Surface-mounted LED/930, 46° 800mA Frost DALI RAL9005
02.049.2129.03.940	Talis 130 Surface-mounted LED/940, 46° 800mA Frost RAL9005
02.049.2129.03.940.DALI	Talis 130 Surface-mounted LED/940, 46° 800mA Frost DALI RAL9005
02.049.2130.01.930	Talis 130 Surface-mounted LED/930, 65° 800mA Frost RAL9016
02.049.2130.01.930.DALI	Talis 130 Surface-mounted LED/930, 65° 800mA Frost DALI RAL9016
02.049.2130.01.940	Talis 130 Surface-mounted LED/940, 65° 800mA Frost RAL9016
02.049.2130.01.940.DALI	Talis 130 Surface-mounted LED/940, 65° 800mA Frost DALI RAL9016
02.049.2130.02.930	Talis 130 Surface-mounted LED/930, 65° 800mA Frost RAL9006
02.049.2130.02.930.DALI	Talis 130 Surface-mounted LED/930, 65° 800mA Frost DALI RAL9006
02.049.2130.02.940	Talis 130 Surface-mounted LED/940, 65° 800mA Frost RAL9006
02.049.2130.02.940.DALI	Talis 130 Surface-mounted LED/940, 65° 800mA Frost DALI RAL9006
02.049.2130.03.930	Talis 130 Surface-mounted LED/930, 65° 800mA Frost RAL9005
02.049.2130.03.930.DALI	Talis 130 Surface-mounted LED/930, 65° 800mA Frost DALI RAL9005
02.049.2130.03.940	Talis 130 Surface-mounted LED/940, 65° 800mA Frost RAL9005
02.049.2130.03.940.DALI	Talis 130 Surface-mounted LED/940, 65° 800mA Frost DALI RAL9005
02.049.3101.01.930	Talis 130 Suspended LED/930, 33° AC Transparent RAL9016
02.049.3101.01.940	Talis 130 Suspended LED/940, 33° AC Transparent RAL9016
02.049.3101.02.930	Talis 130 Suspended LED/930, 33° AC Transparent RAL9006
02.049.3101.02.940	Talis 130 Suspended LED/940, 33° AC Transparent RAL9006
02.049.3101.03.930	Talis 130 Suspended LED/930, 33° AC Transparent RAL9005
02.049.3101.03.940	Talis 130 Suspended LED/940, 33° AC Transparent RAL9005
02.049.3102.01.930	Talis 130 Suspended LED/930, 33° AC HO Transparent RAL9016
02.049.3102.01.940	Talis 130 Suspended LED/940, 33° AC HO Transparent RAL9016
02.049.3102.02.930	Talis 130 Suspended LED/930, 33° AC HO Transparent RAL9006
02.049.3102.02.940	Talis 130 Suspended LED/940, 33° AC HO Transparent RAL9006
02.049.3102.03.930	Talis 130 Suspended LED/930, 33° AC HO Transparent RAL9005
02.049.3102.03.940	Talis 130 Suspended LED/940, 33° AC HO Transparent RAL9005
02.049.3103.01.930	Talis 130 Suspended LED/930, 33° 250mA Transparent RAL9016
02.049.3103.01.930.DALI	Talis 130 Suspended LED/930, 33° 250mA Transparent DALI RAL9016
02.049.3103.01.940	Talis 130 Suspended LED/940, 33° 250mA Transparent RAL9016
02.049.3103.01.940.DALI	Talis 130 Suspended LED/940, 33° 250mA Transparent DALI RAL9016
02.049.3103.02.930	Talis 130 Suspended LED/930, 33° 250mA Transparent RAL9006
02.049.3103.02.930.DALI	Talis 130 Suspended LED/930, 33° 250mA Transparent DALI RAL9006

Place and date of issue of the document

Warszawa, 11.02.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
02.049.3103.02.940	Talis 130 Suspended LED/940, 33° 250mA Transparent RAL9006
02.049.3103.02.940.DALI	Talis 130 Suspended LED/940, 33° 250mA Transparent DALI RAL9006
02.049.3103.03.930	Talis 130 Suspended LED/930, 33° 250mA Transparent RAL9005
02.049.3103.03.930.DALI	Talis 130 Suspended LED/930, 33° 250mA Transparent DALI RAL9005
02.049.3103.03.940	Talis 130 Suspended LED/940, 33° 250mA Transparent RAL9005
02.049.3103.03.940.DALI	Talis 130 Suspended LED/940, 33° 250mA Transparent DALI RAL9005
02.049.3104.01.930	Talis 130 Suspended LED/930, 42° 250mA Transparent RAL9016
02.049.3104.01.930.DALI	Talis 130 Suspended LED/930, 42° 250mA Transparent DALI RAL9016
02.049.3104.01.940	Talis 130 Suspended LED/940, 42° 250mA Transparent RAL9016
02.049.3104.01.940.DALI	Talis 130 Suspended LED/940, 42° 250mA Transparent DALI RAL9016
02.049.3104.02.930	Talis 130 Suspended LED/930, 42° 250mA Transparent RAL9006
02.049.3104.02.930.DALI	Talis 130 Suspended LED/930, 42° 250mA Transparent DALI RAL9006
02.049.3104.02.940	Talis 130 Suspended LED/940, 42° 250mA Transparent RAL9006
02.049.3104.02.940.DALI	Talis 130 Suspended LED/940, 42° 250mA Transparent DALI RAL9006
02.049.3104.03.930	Talis 130 Suspended LED/930, 42° 250mA Transparent RAL9005
02.049.3104.03.930.DALI	Talis 130 Suspended LED/930, 42° 250mA Transparent DALI RAL9005
02.049.3104.03.940	Talis 130 Suspended LED/940, 42° 250mA Transparent RAL9005
02.049.3104.03.940.DALI	Talis 130 Suspended LED/940, 42° 250mA Transparent DALI RAL9005
02.049.3105.01.930	Talis 130 Suspended LED/930, 65° 250mA Transparent RAL9016
02.049.3105.01.930.DALI	Talis 130 Suspended LED/930, 65° 250mA Transparent DALI RAL9016
02.049.3105.01.940	Talis 130 Suspended LED/940, 65° 250mA Transparent RAL9016
02.049.3105.01.940.DALI	Talis 130 Suspended LED/940, 65° 250mA Transparent DALI RAL9016
02.049.3105.02.930	Talis 130 Suspended LED/930, 65° 250mA Transparent RAL9006
02.049.3105.02.930.DALI	Talis 130 Suspended LED/930, 65° 250mA Transparent DALI RAL9006
02.049.3105.02.940	Talis 130 Suspended LED/940, 65° 250mA Transparent RAL9006
02.049.3105.02.940.DALI	Talis 130 Suspended LED/940, 65° 250mA Transparent DALI RAL9006
02.049.3105.03.930	Talis 130 Suspended LED/930, 65° 250mA Transparent RAL9005
02.049.3105.03.930.DALI	Talis 130 Suspended LED/930, 65° 250mA Transparent DALI RAL9005
02.049.3105.03.940	Talis 130 Suspended LED/940, 65° 250mA Transparent RAL9005
02.049.3105.03.940.DALI	Talis 130 Suspended LED/940, 65° 250mA Transparent DALI RAL9005
02.049.3106.01.930	Talis 130 Suspended LED/930, 37° AC Frost RAL9016
02.049.3106.01.940	Talis 130 Suspended LED/940, 37° AC Frost RAL9016
02.049.3106.02.930	Talis 130 Suspended LED/930, 37° AC Frost RAL9006
02.049.3106.02.940	Talis 130 Suspended LED/940, 37° AC Frost RAL9006
02.049.3106.03.930	Talis 130 Suspended LED/930, 37° AC Frost RAL9005
02.049.3106.03.940	Talis 130 Suspended LED/940, 37° AC Frost RAL9005
02.049.3107.01.930	Talis 130 Suspended LED/930, 37° AC HO Frost RAL9016
02.049.3107.01.940	Talis 130 Suspended LED/940, 37° AC HO Frost RAL9016
02.049.3107.02.930	Talis 130 Suspended LED/930, 37° AC HO Frost RAL9006
02.049.3107.02.940	Talis 130 Suspended LED/940, 37° AC HO Frost RAL9006
02.049.3107.03.930	Talis 130 Suspended LED/930, 37° AC HO Frost RAL9005
02.049.3107.03.940	Talis 130 Suspended LED/940, 37° AC HO Frost RAL9005
02.049.3108.01.930	Talis 130 Suspended LED/930, 37° 250mA Frost RAL9016
02.049.3108.01.930.DALI	Talis 130 Suspended LED/930, 37° 250mA Frost DALI RAL9016

Place and date of issue of the document

Warszawa, 11.02.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
02.049.3108.01.940	Talis 130 Suspended LED/940, 37° 250mA Frost RAL9016
02.049.3108.01.940.DALI	Talis 130 Suspended LED/940, 37° 250mA Frost DALI RAL9016
02.049.3108.02.930	Talis 130 Suspended LED/930, 37° 250mA Frost RAL9006
02.049.3108.02.930.DALI	Talis 130 Suspended LED/930, 37° 250mA Frost DALI RAL9006
02.049.3108.02.940	Talis 130 Suspended LED/940, 37° 250mA Frost RAL9006
02.049.3108.02.940.DALI	Talis 130 Suspended LED/940, 37° 250mA Frost DALI RAL9006
02.049.3108.03.930	Talis 130 Suspended LED/930, 37° 250mA Frost RAL9005
02.049.3108.03.930.DALI	Talis 130 Suspended LED/930, 37° 250mA Frost DALI RAL9005
02.049.3108.03.940	Talis 130 Suspended LED/940, 37° 250mA Frost RAL9005
02.049.3108.03.940.DALI	Talis 130 Suspended LED/940, 37° 250mA Frost DALI RAL9005
02.049.3109.01.930	Talis 130 Suspended LED/930, 46° 250mA Frost RAL9016
02.049.3109.01.930.DALI	Talis 130 Suspended LED/930, 46° 250mA Frost DALI RAL9016
02.049.3109.01.940	Talis 130 Suspended LED/940, 46° 250mA Frost RAL9016
02.049.3109.01.940.DALI	Talis 130 Suspended LED/940, 46° 250mA Frost DALI RAL9016
02.049.3109.02.930	Talis 130 Suspended LED/930, 46° 250mA Frost RAL9006
02.049.3109.02.930.DALI	Talis 130 Suspended LED/930, 46° 250mA Frost DALI RAL9006
02.049.3109.02.940	Talis 130 Suspended LED/940, 46° 250mA Frost RAL9006
02.049.3109.02.940.DALI	Talis 130 Suspended LED/940, 46° 250mA Frost DALI RAL9006
02.049.3109.03.930	Talis 130 Suspended LED/930, 46° 250mA Frost RAL9005
02.049.3109.03.930.DALI	Talis 130 Suspended LED/930, 46° 250mA Frost DALI RAL9005
02.049.3109.03.940	Talis 130 Suspended LED/940, 46° 250mA Frost RAL9005
02.049.3109.03.940.DALI	Talis 130 Suspended LED/940, 46° 250mA Frost DALI RAL9005
02.049.3110.01.930	Talis 130 Suspended LED/930, 65° 250mA Frost RAL9016
02.049.3110.01.930.DALI	Talis 130 Suspended LED/930, 65° 250mA Frost DALI RAL9016
02.049.3110.01.940	Talis 130 Suspended LED/940, 65° 250mA Frost RAL9016
02.049.3110.01.940.DALI	Talis 130 Suspended LED/940, 65° 250mA Frost DALI RAL9016
02.049.3110.02.930	Talis 130 Suspended LED/930, 65° 250mA Frost RAL9006
02.049.3110.02.930.DALI	Talis 130 Suspended LED/930, 65° 250mA Frost DALI RAL9006
02.049.3110.02.940	Talis 130 Suspended LED/940, 65° 250mA Frost RAL9006
02.049.3110.02.940.DALI	Talis 130 Suspended LED/940, 65° 250mA Frost DALI RAL9006
02.049.3110.03.930	Talis 130 Suspended LED/930, 65° 250mA Frost RAL9005
02.049.3110.03.930.DALI	Talis 130 Suspended LED/930, 65° 250mA Frost DALI RAL9005
02.049.3110.03.940	Talis 130 Suspended LED/940, 65° 250mA Frost RAL9005
02.049.3110.03.940.DALI	Talis 130 Suspended LED/940, 65° 250mA Frost DALI RAL9005
02.049.3111.01.930	Talis 130 Suspended LED/930, 42° AC Transparent RAL9016
02.049.3111.01.940	Talis 130 Suspended LED/940, 42° AC Transparent RAL9016
02.049.3111.02.930	Talis 130 Suspended LED/930, 42° AC Transparent RAL9006
02.049.3111.02.940	Talis 130 Suspended LED/940, 42° AC Transparent RAL9006
02.049.3111.03.930	Talis 130 Suspended LED/930, 42° AC Transparent RAL9005
02.049.3111.03.940	Talis 130 Suspended LED/940, 42° AC Transparent RAL9005
02.049.3112.01.930	Talis 130 Suspended LED/930, 42° AC HO Transparent RAL9016
02.049.3112.01.940	Talis 130 Suspended LED/940, 42° AC HO Transparent RAL9016
02.049.3112.02.930	Talis 130 Suspended LED/930, 42° AC HO Transparent RAL9006
02.049.3112.02.940	Talis 130 Suspended LED/940, 42° AC HO Transparent RAL9006

Place and date of issue of the document

Warszawa, 11.02.2022



MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
02.049.3112.03.930	Talis 130 Suspended LED/930, 42° AC HO Transparent RAL9005
02.049.3112.03.940	Talis 130 Suspended LED/940, 42° AC HO Transparent RAL9005
02.049.3113.01.930	Talis 130 Suspended LED/930, 33° 500mA Transparent RAL9016
02.049.3113.01.930.DALI	Talis 130 Suspended LED/930, 33° 500mA Transparent DALI RAL9016
02.049.3113.01.940	Talis 130 Suspended LED/940, 33° 500mA Transparent RAL9016
02.049.3113.01.940.DALI	Talis 130 Suspended LED/940, 33° 500mA Transparent DALI RAL9016
02.049.3113.02.930	Talis 130 Suspended LED/930, 33° 500mA Transparent RAL9006
02.049.3113.02.930.DALI	Talis 130 Suspended LED/930, 33° 500mA Transparent DALI RAL9006
02.049.3113.02.940	Talis 130 Suspended LED/940, 33° 500mA Transparent RAL9006
02.049.3113.02.940.DALI	Talis 130 Suspended LED/940, 33° 500mA Transparent DALI RAL9006
02.049.3113.03.930	Talis 130 Suspended LED/930, 33° 500mA Transparent RAL9005
02.049.3113.03.930.DALI	Talis 130 Suspended LED/930, 33° 500mA Transparent DALI RAL9005
02.049.3113.03.940	Talis 130 Suspended LED/940, 33° 500mA Transparent RAL9005
02.049.3113.03.940.DALI	Talis 130 Suspended LED/940, 33° 500mA Transparent DALI RAL9005
02.049.3114.01.930	Talis 130 Suspended LED/930, 42° 500mA Transparent RAL9016
02.049.3114.01.930.DALI	Talis 130 Suspended LED/930, 42° 500mA Transparent DALI RAL9016
02.049.3114.01.940	Talis 130 Suspended LED/940, 42° 500mA Transparent RAL9016
02.049.3114.01.940.DALI	Talis 130 Suspended LED/940, 42° 500mA Transparent DALI RAL9016
02.049.3114.02.930	Talis 130 Suspended LED/930, 42° 500mA Transparent RAL9006
02.049.3114.02.930.DALI	Talis 130 Suspended LED/930, 42° 500mA Transparent DALI RAL9006
02.049.3114.02.940	Talis 130 Suspended LED/940, 42° 500mA Transparent RAL9006
02.049.3114.02.940.DALI	Talis 130 Suspended LED/940, 42° 500mA Transparent DALI RAL9006
02.049.3114.03.930	Talis 130 Suspended LED/930, 42° 500mA Transparent RAL9005
02.049.3114.03.930.DALI	Talis 130 Suspended LED/930, 42° 500mA Transparent DALI RAL9005
02.049.3114.03.940	Talis 130 Suspended LED/940, 42° 500mA Transparent RAL9005
02.049.3114.03.940.DALI	Talis 130 Suspended LED/940, 42° 500mA Transparent DALI RAL9005
02.049.3115.01.930	Talis 130 Suspended LED/930, 65° 500mA Transparent RAL9016
02.049.3115.01.930.DALI	Talis 130 Suspended LED/930, 65° 500mA Transparent DALI RAL9016
02.049.3115.01.940	Talis 130 Suspended LED/940, 65° 500mA Transparent RAL9016
02.049.3115.01.940.DALI	Talis 130 Suspended LED/940, 65° 500mA Transparent DALI RAL9016
02.049.3115.02.930	Talis 130 Suspended LED/930, 65° 500mA Transparent RAL9006
02.049.3115.02.930.DALI	Talis 130 Suspended LED/930, 65° 500mA Transparent DALI RAL9006
02.049.3115.02.940	Talis 130 Suspended LED/940, 65° 500mA Transparent RAL9006
02.049.3115.02.940.DALI	Talis 130 Suspended LED/940, 65° 500mA Transparent DALI RAL9006
02.049.3115.03.930	Talis 130 Suspended LED/930, 65° 500mA Transparent RAL9005
02.049.3115.03.930.DALI	Talis 130 Suspended LED/930, 65° 500mA Transparent DALI RAL9005
02.049.3115.03.940	Talis 130 Suspended LED/940, 65° 500mA Transparent RAL9005
02.049.3115.03.940.DALI	Talis 130 Suspended LED/940, 65° 500mA Transparent DALI RAL9005
02.049.3116.01.930	Talis 130 Suspended LED/930, 46° AC Frost RAL9016
02.049.3116.01.940	Talis 130 Suspended LED/940, 46° AC Frost RAL9016
02.049.3116.02.930	Talis 130 Suspended LED/930, 46° AC Frost RAL9006
02.049.3116.02.940	Talis 130 Suspended LED/940, 46° AC Frost RAL9006
02.049.3116.03.930	Talis 130 Suspended LED/930, 46° AC Frost RAL9005
02.049.3116.03.940	Talis 130 Suspended LED/940, 46° AC Frost RAL9005

Place and date of issue of the document

Warszawa, 11.02.2022



MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
02.049.3117.01.930	Talis 130 Suspended LED/930, 46° AC HO Frost RAL9016
02.049.3117.01.940	Talis 130 Suspended LED/940, 46° AC HO Frost RAL9016
02.049.3117.02.930	Talis 130 Suspended LED/930, 46° AC HO Frost RAL9006
02.049.3117.02.940	Talis 130 Suspended LED/940, 46° AC HO Frost RAL9006
02.049.3117.03.930	Talis 130 Suspended LED/930, 46° AC HO Frost RAL9005
02.049.3117.03.940	Talis 130 Suspended LED/940, 46° AC HO Frost RAL9005
02.049.3118.01.930	Talis 130 Suspended LED/930, 37° 500mA Frost RAL9016
02.049.3118.01.930.DALI	Talis 130 Suspended LED/930, 37° 500mA Frost DALI RAL9016
02.049.3118.01.940	Talis 130 Suspended LED/940, 37° 500mA Frost RAL9016
02.049.3118.01.940.DALI	Talis 130 Suspended LED/940, 37° 500mA Frost DALI RAL9016
02.049.3118.02.930	Talis 130 Suspended LED/930, 37° 500mA Frost RAL9006
02.049.3118.02.930.DALI	Talis 130 Suspended LED/930, 37° 500mA Frost DALI RAL9006
02.049.3118.02.940	Talis 130 Suspended LED/940, 37° 500mA Frost RAL9006
02.049.3118.02.940.DALI	Talis 130 Suspended LED/940, 37° 500mA Frost DALI RAL9006
02.049.3118.03.930	Talis 130 Suspended LED/930, 37° 500mA Frost RAL9005
02.049.3118.03.930.DALI	Talis 130 Suspended LED/930, 37° 500mA Frost DALI RAL9005
02.049.3118.03.940	Talis 130 Suspended LED/940, 37° 500mA Frost RAL9005
02.049.3118.03.940.DALI	Talis 130 Suspended LED/940, 37° 500mA Frost DALI RAL9005
02.049.3119.01.930	Talis 130 Suspended LED/930, 46° 500mA Frost RAL9016
02.049.3119.01.930.DALI	Talis 130 Suspended LED/930, 46° 500mA Frost DALI RAL9016
02.049.3119.01.940	Talis 130 Suspended LED/940, 46° 500mA Frost RAL9016
02.049.3119.01.940.DALI	Talis 130 Suspended LED/940, 46° 500mA Frost DALI RAL9016
02.049.3119.02.930	Talis 130 Suspended LED/930, 46° 500mA Frost RAL9006
02.049.3119.02.930.DALI	Talis 130 Suspended LED/930, 46° 500mA Frost DALI RAL9006
02.049.3119.02.940	Talis 130 Suspended LED/940, 46° 500mA Frost RAL9006
02.049.3119.02.940.DALI	Talis 130 Suspended LED/940, 46° 500mA Frost DALI RAL9006
02.049.3119.03.930	Talis 130 Suspended LED/930, 46° 500mA Frost RAL9005
02.049.3119.03.930.DALI	Talis 130 Suspended LED/930, 46° 500mA Frost DALI RAL9005
02.049.3119.03.940	Talis 130 Suspended LED/940, 46° 500mA Frost RAL9005
02.049.3119.03.940.DALI	Talis 130 Suspended LED/940, 46° 500mA Frost DALI RAL9005
02.049.3120.01.930	Talis 130 Suspended LED/930, 65° 500mA Frost RAL9016
02.049.3120.01.930.DALI	Talis 130 Suspended LED/930, 65° 500mA Frost DALI RAL9016
02.049.3120.01.940	Talis 130 Suspended LED/940, 65° 500mA Frost RAL9016
02.049.3120.01.940.DALI	Talis 130 Suspended LED/940, 65° 500mA Frost DALI RAL9016
02.049.3120.02.930	Talis 130 Suspended LED/930, 65° 500mA Frost RAL9006
02.049.3120.02.930.DALI	Talis 130 Suspended LED/930, 65° 500mA Frost DALI RAL9006
02.049.3120.02.940	Talis 130 Suspended LED/940, 65° 500mA Frost RAL9006
02.049.3120.02.940.DALI	Talis 130 Suspended LED/940, 65° 500mA Frost DALI RAL9006
02.049.3120.03.930	Talis 130 Suspended LED/930, 65° 500mA Frost RAL9005
02.049.3120.03.930.DALI	Talis 130 Suspended LED/930, 65° 500mA Frost DALI RAL9005
02.049.3120.03.940	Talis 130 Suspended LED/940, 65° 500mA Frost RAL9005
02.049.3120.03.940.DALI	Talis 130 Suspended LED/940, 65° 500mA Frost DALI RAL9005
02.049.3121.01.930	Talis 130 Suspended LED/930, 65° AC Transparent RAL9016
02.049.3121.01.940	Talis 130 Suspended LED/940, 65° AC Transparent RAL9016

Place and date of issue of the document

Warszawa, 11.02.2022



MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
02.049.3121.02.930	Talis 130 Suspended LED/930, 65° AC Transparent RAL9006
02.049.3121.02.940	Talis 130 Suspended LED/940, 65° AC Transparent RAL9006
02.049.3121.03.930	Talis 130 Suspended LED/930, 65° AC Transparent RAL9005
02.049.3121.03.940	Talis 130 Suspended LED/940, 65° AC Transparent RAL9005
02.049.3122.01.930	Talis 130 Suspended LED/930, 65° AC HO Transparent RAL9016
02.049.3122.01.940	Talis 130 Suspended LED/940, 65° AC HO Transparent RAL9016
02.049.3122.02.930	Talis 130 Suspended LED/930, 65° AC HO Transparent RAL9006
02.049.3122.02.940	Talis 130 Suspended LED/940, 65° AC HO Transparent RAL9006
02.049.3122.03.930	Talis 130 Suspended LED/930, 65° AC HO Transparent RAL9005
02.049.3122.03.940	Talis 130 Suspended LED/940, 65° AC HO Transparent RAL9005
02.049.3123.01.930	Talis 130 Suspended LED/930, 33° 800mA Transparent RAL9016
02.049.3123.01.930.DALI	Talis 130 Suspended LED/930, 33° 800mA Transparent DALI RAL9016
02.049.3123.01.940	Talis 130 Suspended LED/940, 33° 800mA Transparent RAL9016
02.049.3123.01.940.DALI	Talis 130 Suspended LED/940, 33° 800mA Transparent DALI RAL9016
02.049.3123.02.930	Talis 130 Suspended LED/930, 33° 800mA Transparent RAL9006
02.049.3123.02.930.DALI	Talis 130 Suspended LED/930, 33° 800mA Transparent DALI RAL9006
02.049.3123.02.940	Talis 130 Suspended LED/940, 33° 800mA Transparent RAL9006
02.049.3123.02.940.DALI	Talis 130 Suspended LED/940, 33° 800mA Transparent DALI RAL9006
02.049.3123.03.930	Talis 130 Suspended LED/930, 33° 800mA Transparent RAL9005
02.049.3123.03.930.DALI	Talis 130 Suspended LED/930, 33° 800mA Transparent DALI RAL9005
02.049.3123.03.940	Talis 130 Suspended LED/940, 33° 800mA Transparent RAL9005
02.049.3123.03.940.DALI	Talis 130 Suspended LED/940, 33° 800mA Transparent DALI RAL9005
02.049.3124.01.930	Talis 130 Suspended LED/930, 42° 800mA Transparent RAL9016
02.049.3124.01.930.DALI	Talis 130 Suspended LED/930, 42° 800mA Transparent DALI RAL9016
02.049.3124.01.940	Talis 130 Suspended LED/940, 42° 800mA Transparent RAL9016
02.049.3124.01.940.DALI	Talis 130 Suspended LED/940, 42° 800mA Transparent DALI RAL9016
02.049.3124.02.930	Talis 130 Suspended LED/930, 42° 800mA Transparent RAL9006
02.049.3124.02.930.DALI	Talis 130 Suspended LED/930, 42° 800mA Transparent DALI RAL9006
02.049.3124.02.940	Talis 130 Suspended LED/940, 42° 800mA Transparent RAL9006
02.049.3124.02.940.DALI	Talis 130 Suspended LED/940, 42° 800mA Transparent DALI RAL9006
02.049.3124.03.930	Talis 130 Suspended LED/930, 42° 800mA Transparent RAL9005
02.049.3124.03.930.DALI	Talis 130 Suspended LED/930, 42° 800mA Transparent DALI RAL9005
02.049.3124.03.940	Talis 130 Suspended LED/940, 42° 800mA Transparent RAL9005
02.049.3124.03.940.DALI	Talis 130 Suspended LED/940, 42° 800mA Transparent DALI RAL9005
02.049.3125.01.930	Talis 130 Suspended LED/930, 65° 800mA Transparent RAL9016
02.049.3125.01.930.DALI	Talis 130 Suspended LED/930, 65° 800mA Transparent DALI RAL9016
02.049.3125.01.940	Talis 130 Suspended LED/940, 65° 800mA Transparent RAL9016
02.049.3125.01.940.DALI	Talis 130 Suspended LED/940, 65° 800mA Transparent DALI RAL9016
02.049.3125.02.930	Talis 130 Suspended LED/930, 65° 800mA Transparent RAL9006
02.049.3125.02.930.DALI	Talis 130 Suspended LED/930, 65° 800mA Transparent DALI RAL9006
02.049.3125.02.940	Talis 130 Suspended LED/940, 65° 800mA Transparent RAL9006
02.049.3125.02.940.DALI	Talis 130 Suspended LED/940, 65° 800mA Transparent DALI RAL9006
02.049.3125.03.930	Talis 130 Suspended LED/930, 65° 800mA Transparent RAL9005
02.049.3125.03.930.DALI	Talis 130 Suspended LED/930, 65° 800mA Transparent DALI RAL9005

Place and date of issue of the document

Warszawa, 11.02.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
02.049.3125.03.940	Talis 130 Suspended LED/940, 65° 800mA Transparent RAL9005
02.049.3125.03.940.DALI	Talis 130 Suspended LED/940, 65° 800mA Transparent DALI RAL9005
02.049.3126.01.930	Talis 130 Suspended LED/930, 65° AC Frost RAL9016
02.049.3126.01.940	Talis 130 Suspended LED/940, 65° AC Frost RAL9016
02.049.3126.02.930	Talis 130 Suspended LED/930, 65° AC Frost RAL9006
02.049.3126.02.940	Talis 130 Suspended LED/940, 65° AC Frost RAL9006
02.049.3126.03.930	Talis 130 Suspended LED/930, 65° AC Frost RAL9005
02.049.3126.03.940	Talis 130 Suspended LED/940, 65° AC Frost RAL9005
02.049.3127.01.930	Talis 130 Suspended LED/930, 65° AC HO Frost RAL9016
02.049.3127.01.940	Talis 130 Suspended LED/940, 65° AC HO Frost RAL9016
02.049.3127.02.930	Talis 130 Suspended LED/930, 65° AC HO Frost RAL9006
02.049.3127.02.940	Talis 130 Suspended LED/940, 65° AC HO Frost RAL9006
02.049.3127.03.930	Talis 130 Suspended LED/930, 65° AC HO Frost RAL9005
02.049.3127.03.940	Talis 130 Suspended LED/940, 65° AC HO Frost RAL9005
02.049.3128.01.930	Talis 130 Suspended LED/930, 37° 800mA Frost RAL9016
02.049.3128.01.930.DALI	Talis 130 Suspended LED/930, 37° 800mA Frost DALI RAL9016
02.049.3128.01.940	Talis 130 Suspended LED/940, 37° 800mA Frost RAL9016
02.049.3128.01.940.DALI	Talis 130 Suspended LED/940, 37° 800mA Frost DALI RAL9016
02.049.3128.02.930	Talis 130 Suspended LED/930, 37° 800mA Frost RAL9006
02.049.3128.02.930.DALI	Talis 130 Suspended LED/930, 37° 800mA Frost DALI RAL9006
02.049.3128.02.940	Talis 130 Suspended LED/940, 37° 800mA Frost RAL9006
02.049.3128.02.940.DALI	Talis 130 Suspended LED/940, 37° 800mA Frost DALI RAL9006
02.049.3128.03.930	Talis 130 Suspended LED/930, 37° 800mA Frost RAL9005
02.049.3128.03.930.DALI	Talis 130 Suspended LED/930, 37° 800mA Frost DALI RAL9005
02.049.3128.03.940	Talis 130 Suspended LED/940, 37° 800mA Frost RAL9005
02.049.3128.03.940.DALI	Talis 130 Suspended LED/940, 37° 800mA Frost DALI RAL9005
02.049.3129.01.930	Talis 130 Suspended LED/930, 46° 800mA Frost RAL9016
02.049.3129.01.930.DALI	Talis 130 Suspended LED/930, 46° 800mA Frost DALI RAL9016
02.049.3129.01.940	Talis 130 Suspended LED/940, 46° 800mA Frost RAL9016
02.049.3129.01.940.DALI	Talis 130 Suspended LED/940, 46° 800mA Frost DALI RAL9016
02.049.3129.02.930	Talis 130 Suspended LED/930, 46° 800mA Frost RAL9006
02.049.3129.02.930.DALI	Talis 130 Suspended LED/930, 46° 800mA Frost DALI RAL9006
02.049.3129.02.940	Talis 130 Suspended LED/940, 46° 800mA Frost RAL9006
02.049.3129.02.940.DALI	Talis 130 Suspended LED/940, 46° 800mA Frost DALI RAL9006
02.049.3129.03.930	Talis 130 Suspended LED/930, 46° 800mA Frost RAL9005
02.049.3129.03.930.DALI	Talis 130 Suspended LED/930, 46° 800mA Frost DALI RAL9005
02.049.3129.03.940	Talis 130 Suspended LED/940, 46° 800mA Frost RAL9005
02.049.3129.03.940.DALI	Talis 130 Suspended LED/940, 46° 800mA Frost DALI RAL9005
02.049.3130.01.930	Talis 130 Suspended LED/930, 65° 800mA Frost RAL9016
02.049.3130.01.930.DALI	Talis 130 Suspended LED/930, 65° 800mA Frost DALI RAL9016
02.049.3130.01.940	Talis 130 Suspended LED/940, 65° 800mA Frost RAL9016
02.049.3130.01.940.DALI	Talis 130 Suspended LED/940, 65° 800mA Frost DALI RAL9016
02.049.3130.02.930	Talis 130 Suspended LED/930, 65° 800mA Frost RAL9006
02.049.3130.02.930.DALI	Talis 130 Suspended LED/930, 65° 800mA Frost DALI RAL9006

Place and date of issue of the document

Warszawa, 11.02.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
02.049.3130.02.940	Talis 130 Suspended LED/940, 65° 800mA Frost RAL9006
02.049.3130.02.940.DALI	Talis 130 Suspended LED/940, 65° 800mA Frost DALI RAL9006
02.049.3130.03.930	Talis 130 Suspended LED/930, 65° 800mA Frost RAL9005
02.049.3130.03.930.DALI	Talis 130 Suspended LED/930, 65° 800mA Frost DALI RAL9005
02.049.3130.03.940	Talis 130 Suspended LED/940, 65° 800mA Frost RAL9005
02.049.3130.03.940.DALI	Talis 130 Suspended LED/940, 65° 800mA Frost DALI RAL9005
02.049.4001.01.930	Talis 130 Wall DI/IN HE/930, 33°/33° 500mA Transparent RAL9016
02.049.4001.01.940	Talis 130 Wall DI/IN HE/940, 33°/33° 500mA Transparent RAL9016
02.049.4001.02.930	Talis 130 Wall DI/IN HE/930, 33°/33° 500mA Transparent RAL9006
02.049.4001.02.940	Talis 130 Wall DI/IN HE/940, 33°/33° 500mA Transparent RAL9006
02.049.4001.03.930	Talis 130 Wall DI/IN HE/930, 33°/33° 500mA Transparent RAL9005
02.049.4001.03.940	Talis 130 Wall DI/IN HE/940, 33°/33° 500mA Transparent RAL9005
02.049.4002.01.930	Talis 130 Wall DI/IN HE/930, 42°/42° 500mA Transparent RAL9016
02.049.4002.01.940	Talis 130 Wall DI/IN HE/940, 42°/42° 500mA Transparent RAL9016
02.049.4002.02.930	Talis 130 Wall DI/IN HE/930, 42°/42° 500mA Transparent RAL9006
02.049.4002.02.940	Talis 130 Wall DI/IN HE/940, 42°/42° 500mA Transparent RAL9006
02.049.4002.03.930	Talis 130 Wall DI/IN HE/930, 42°/42° 500mA Transparent RAL9005
02.049.4002.03.940	Talis 130 Wall DI/IN HE/940, 42°/42° 500mA Transparent RAL9005
02.049.4003.01.930	Talis 130 Wall DI/IN HE/930, 65°/65° 500mA Transparent RAL9016
02.049.4003.01.940	Talis 130 Wall DI/IN HE/940, 65°/65° 500mA Transparent RAL9016
02.049.4003.02.930	Talis 130 Wall DI/IN HE/930, 65°/65° 500mA Transparent RAL9006
02.049.4003.02.940	Talis 130 Wall DI/IN HE/940, 65°/65° 500mA Transparent RAL9006
02.049.4003.03.930	Talis 130 Wall DI/IN HE/930, 65°/65° 500mA Transparent RAL9005
02.049.4003.03.940	Talis 130 Wall DI/IN HE/940, 65°/65° 500mA Transparent RAL9005
02.049.4004.01.930	Talis 130 Wall DI/IN HE/930, 37°/37° 500mA Frost RAL9016
02.049.4004.01.940	Talis 130 Wall DI/IN HE/940, 37°/37° 500mA Frost RAL9016
02.049.4004.02.930	Talis 130 Wall DI/IN HE/930, 37°/37° 500mA Frost RAL9006
02.049.4004.02.940	Talis 130 Wall DI/IN HE/940, 37°/37° 500mA Frost RAL9006
02.049.4004.03.930	Talis 130 Wall DI/IN HE/930, 37°/37° 500mA Frost RAL9005
02.049.4004.03.940	Talis 130 Wall DI/IN HE/940, 37°/37° 500mA Frost RAL9005
02.049.4005.01.930	Talis 130 Wall DI/IN HE/930, 46°/46° 500mA Frost RAL9016
02.049.4005.01.940	Talis 130 Wall DI/IN HE/940, 46°/46° 500mA Frost RAL9016
02.049.4005.02.930	Talis 130 Wall DI/IN HE/930, 46°/46° 500mA Frost RAL9006
02.049.4005.02.940	Talis 130 Wall DI/IN HE/940, 46°/46° 500mA Frost RAL9006
02.049.4005.03.930	Talis 130 Wall DI/IN HE/930, 46°/46° 500mA Frost RAL9005
02.049.4005.03.940	Talis 130 Wall DI/IN HE/940, 46°/46° 500mA Frost RAL9005
02.049.4006.01.930	Talis 130 Wall DI/IN HE/930, 65°/65° 500mA Frost RAL9016
02.049.4006.01.940	Talis 130 Wall DI/IN HE/940, 65°/65° 500mA Frost RAL9016
02.049.4006.02.930	Talis 130 Wall DI/IN HE/930, 65°/65° 500mA Frost RAL9006
02.049.4006.02.940	Talis 130 Wall DI/IN HE/940, 65°/65° 500mA Frost RAL9006
02.049.4006.03.930	Talis 130 Wall DI/IN HE/930, 65°/65° 500mA Frost RAL9005
02.049.4006.03.940	Talis 130 Wall DI/IN HE/940, 65°/65° 500mA Frost RAL9005
02.049.4007.01.930	Talis 130 Wall DI/IN ST/930, 33°/33° 1050mA Transparent RAL9016
02.049.4007.01.940	Talis 130 Wall DI/IN ST/940, 33°/33° 1050mA Transparent RAL9016

Place and date of issue of the document

Warszawa, 11.02.2022



MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
02.049.4007.02.930	Talis 130 Wall DI/IN ST/930, 33°/33° 1050mA Transparent RAL9006
02.049.4007.02.940	Talis 130 Wall DI/IN ST/940, 33°/33° 1050mA Transparent RAL9006
02.049.4007.03.930	Talis 130 Wall DI/IN ST/930, 33°/33° 1050mA Transparent RAL9005
02.049.4007.03.940	Talis 130 Wall DI/IN ST/940, 33°/33° 1050mA Transparent RAL9005
02.049.4008.01.930	Talis 130 Wall DI/IN ST/930, 42°/42° 1050mA Transparent RAL9016
02.049.4008.01.940	Talis 130 Wall DI/IN ST/940, 42°/42° 1050mA Transparent RAL9016
02.049.4008.02.930	Talis 130 Wall DI/IN ST/930, 42°/42° 1050mA Transparent RAL9006
02.049.4008.02.940	Talis 130 Wall DI/IN ST/940, 42°/42° 1050mA Transparent RAL9006
02.049.4008.03.930	Talis 130 Wall DI/IN ST/930, 42°/42° 1050mA Transparent RAL9005
02.049.4008.03.940	Talis 130 Wall DI/IN ST/940, 42°/42° 1050mA Transparent RAL9005
02.049.4009.01.930	Talis 130 Wall DI/IN ST/930, 65°/65° 1050mA Transparent RAL9016
02.049.4009.01.940	Talis 130 Wall DI/IN ST/940, 65°/65° 1050mA Transparent RAL9016
02.049.4009.02.930	Talis 130 Wall DI/IN ST/930, 65°/65° 1050mA Transparent RAL9006
02.049.4009.02.940	Talis 130 Wall DI/IN ST/940, 65°/65° 1050mA Transparent RAL9006
02.049.4009.03.930	Talis 130 Wall DI/IN ST/930, 65°/65° 1050mA Transparent RAL9005
02.049.4009.03.940	Talis 130 Wall DI/IN ST/940, 65°/65° 1050mA Transparent RAL9005
02.049.4010.01.930	Talis 130 Wall DI/IN ST/930, 37°/37° 1050mA Frost RAL9016
02.049.4010.01.940	Talis 130 Wall DI/IN ST/940, 37°/37° 1050mA Frost RAL9016
02.049.4010.02.930	Talis 130 Wall DI/IN ST/930, 37°/37° 1050mA Frost RAL9006
02.049.4010.02.940	Talis 130 Wall DI/IN ST/940, 37°/37° 1050mA Frost RAL9006
02.049.4010.03.930	Talis 130 Wall DI/IN ST/930, 37°/37° 1050mA Frost RAL9005
02.049.4010.03.940	Talis 130 Wall DI/IN ST/940, 37°/37° 1050mA Frost RAL9005
02.049.4011.01.930	Talis 130 Wall DI/IN ST/930, 46°/46° 1050mA Frost RAL9016
02.049.4011.01.940	Talis 130 Wall DI/IN ST/940, 46°/46° 1050mA Frost RAL9016
02.049.4011.02.930	Talis 130 Wall DI/IN ST/930, 46°/46° 1050mA Frost RAL9006
02.049.4011.02.940	Talis 130 Wall DI/IN ST/940, 46°/46° 1050mA Frost RAL9006
02.049.4011.03.930	Talis 130 Wall DI/IN ST/930, 46°/46° 1050mA Frost RAL9005
02.049.4011.03.940	Talis 130 Wall DI/IN ST/940, 46°/46° 1050mA Frost RAL9005
02.049.4012.01.930	Talis 130 Wall DI/IN ST/930, 65°/65° 1050mA Frost RAL9016
02.049.4012.01.940	Talis 130 Wall DI/IN ST/940, 65°/65° 1050mA Frost RAL9016
02.049.4012.02.930	Talis 130 Wall DI/IN ST/930, 65°/65° 1050mA Frost RAL9006
02.049.4012.02.940	Talis 130 Wall DI/IN ST/940, 65°/65° 1050mA Frost RAL9006
02.049.4012.03.930	Talis 130 Wall DI/IN ST/930, 65°/65° 1050mA Frost RAL9005
02.049.4012.03.940	Talis 130 Wall DI/IN ST/940, 65°/65° 1050mA Frost RAL9005
02.049.4051.01.930	Talis 130 Wall DI HE/930, 33° 250mA Transparent RAL9016
02.049.4051.01.940	Talis 130 Wall DI HE/940, 33° 250mA Transparent RAL9016
02.049.4051.02.930	Talis 130 Wall DI HE/930, 33° 250mA Transparent RAL9006
02.049.4051.02.940	Talis 130 Wall DI HE/940, 33° 250mA Transparent RAL9006
02.049.4051.03.930	Talis 130 Wall DI HE/930, 33° 250mA Transparent RAL9005
02.049.4051.03.940	Talis 130 Wall DI HE/940, 33° 250mA Transparent RAL9005
02.049.4052.01.930	Talis 130 Wall DI HE/930, 42° 250mA Transparent RAL9016
02.049.4052.01.940	Talis 130 Wall DI HE/940, 42° 250mA Transparent RAL9016
02.049.4052.02.930	Talis 130 Wall DI HE/930, 42° 250mA Transparent RAL9006
02.049.4052.02.940	Talis 130 Wall DI HE/940, 42° 250mA Transparent RAL9006

Place and date of issue of the document

Warszawa, 11.02.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
02.049.4052.03.930	Talis 130 Wall DI HE/930, 42° 250mA Transparent RAL9005
02.049.4052.03.940	Talis 130 Wall DI HE/940, 42° 250mA Transparent RAL9005
02.049.4053.01.930	Talis 130 Wall DI HE/930, 65° 250mA Transparent RAL9016
02.049.4053.01.940	Talis 130 Wall DI HE/940, 65° 250mA Transparent RAL9016
02.049.4053.02.930	Talis 130 Wall DI HE/930, 65° 250mA Transparent RAL9006
02.049.4053.02.940	Talis 130 Wall DI HE/940, 65° 250mA Transparent RAL9006
02.049.4053.03.930	Talis 130 Wall DI HE/930, 65° 250mA Transparent RAL9005
02.049.4053.03.940	Talis 130 Wall DI HE/940, 65° 250mA Transparent RAL9005
02.049.4054.01.930	Talis 130 Wall DI HE/930, 37° 250mA Frost RAL9016
02.049.4054.01.940	Talis 130 Wall DI HE/940, 37° 250mA Frost RAL9016
02.049.4054.02.930	Talis 130 Wall DI HE/930, 37° 250mA Frost RAL9006
02.049.4054.02.940	Talis 130 Wall DI HE/940, 37° 250mA Frost RAL9006
02.049.4054.03.930	Talis 130 Wall DI HE/930, 37° 250mA Frost RAL9005
02.049.4054.03.940	Talis 130 Wall DI HE/940, 37° 250mA Frost RAL9005
02.049.4055.01.930	Talis 130 Wall DI HE/930, 46° 250mA Frost RAL9016
02.049.4055.01.940	Talis 130 Wall DI HE/940, 46° 250mA Frost RAL9016
02.049.4055.02.930	Talis 130 Wall DI HE/930, 46° 250mA Frost RAL9006
02.049.4055.02.940	Talis 130 Wall DI HE/940, 46° 250mA Frost RAL9006
02.049.4055.03.930	Talis 130 Wall DI HE/930, 46° 250mA Frost RAL9005
02.049.4055.03.940	Talis 130 Wall DI HE/940, 46° 250mA Frost RAL9005
02.049.4056.01.930	Talis 130 Wall DI HE/930, 65° 250mA Frost RAL9016
02.049.4056.01.940	Talis 130 Wall DI HE/940, 65° 250mA Frost RAL9016
02.049.4056.02.930	Talis 130 Wall DI HE/930, 65° 250mA Frost RAL9006
02.049.4056.02.940	Talis 130 Wall DI HE/940, 65° 250mA Frost RAL9006
02.049.4056.03.930	Talis 130 Wall DI HE/930, 65° 250mA Frost RAL9005
02.049.4056.03.940	Talis 130 Wall DI HE/940, 65° 250mA Frost RAL9005
02.049.4057.01.930	Talis 130 Wall DI ST/930, 33° 500mA Transparent RAL9016
02.049.4057.01.940	Talis 130 Wall DI ST/940, 33° 500mA Transparent RAL9016
02.049.4057.02.930	Talis 130 Wall DI ST/930, 33° 500mA Transparent RAL9006
02.049.4057.02.940	Talis 130 Wall DI ST/940, 33° 500mA Transparent RAL9006
02.049.4057.03.930	Talis 130 Wall DI ST/930, 33° 500mA Transparent RAL9005
02.049.4057.03.940	Talis 130 Wall DI ST/940, 33° 500mA Transparent RAL9005
02.049.4058.01.930	Talis 130 Wall DI ST/930, 42° 500mA Transparent RAL9016
02.049.4058.01.940	Talis 130 Wall DI ST/940, 42° 500mA Transparent RAL9016
02.049.4058.02.930	Talis 130 Wall DI ST/930, 42° 500mA Transparent RAL9006
02.049.4058.02.940	Talis 130 Wall DI ST/940, 42° 500mA Transparent RAL9006
02.049.4058.03.930	Talis 130 Wall DI ST/930, 42° 500mA Transparent RAL9005
02.049.4058.03.940	Talis 130 Wall DI ST/940, 42° 500mA Transparent RAL9005
02.049.4059.01.930	Talis 130 Wall DI ST/930, 65° 500mA Transparent RAL9016
02.049.4059.01.940	Talis 130 Wall DI ST/940, 65° 500mA Transparent RAL9016
02.049.4059.02.930	Talis 130 Wall DI ST/930, 65° 500mA Transparent RAL9006
02.049.4059.02.940	Talis 130 Wall DI ST/940, 65° 500mA Transparent RAL9006
02.049.4059.03.930	Talis 130 Wall DI ST/930, 65° 500mA Transparent RAL9005
02.049.4059.03.940	Talis 130 Wall DI ST/940, 65° 500mA Transparent RAL9005

Place and date of issue of the document

Warszawa, 11.02.2022



MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
02.049.4060.01.930	Talis 130 Wall DI ST/930, 37° 500mA Frost RAL9016
02.049.4060.01.940	Talis 130 Wall DI ST/940, 37° 500mA Frost RAL9016
02.049.4060.02.930	Talis 130 Wall DI ST/930, 37° 500mA Frost RAL9006
02.049.4060.02.940	Talis 130 Wall DI ST/940, 37° 500mA Frost RAL9006
02.049.4060.03.930	Talis 130 Wall DI ST/930, 37° 500mA Frost RAL9005
02.049.4060.03.940	Talis 130 Wall DI ST/940, 37° 500mA Frost RAL9005
02.049.4061.01.930	Talis 130 Wall DI ST/930, 46° 500mA Frost RAL9016
02.049.4061.01.940	Talis 130 Wall DI ST/940, 46° 500mA Frost RAL9016
02.049.4061.02.930	Talis 130 Wall DI ST/930, 46° 500mA Frost RAL9006
02.049.4061.02.940	Talis 130 Wall DI ST/940, 46° 500mA Frost RAL9006
02.049.4061.03.930	Talis 130 Wall DI ST/930, 46° 500mA Frost RAL9005
02.049.4061.03.940	Talis 130 Wall DI ST/940, 46° 500mA Frost RAL9005
02.049.4062.01.930	Talis 130 Wall DI ST/930, 65° 500mA Frost RAL9016
02.049.4062.01.940	Talis 130 Wall DI ST/940, 65° 500mA Frost RAL9016
02.049.4062.02.930	Talis 130 Wall DI ST/930, 65° 500mA Frost RAL9006
02.049.4062.02.940	Talis 130 Wall DI ST/940, 65° 500mA Frost RAL9006
02.049.4062.03.930	Talis 130 Wall DI ST/930, 65° 500mA Frost RAL9005
02.049.4062.03.940	Talis 130 Wall DI ST/940, 65° 500mA Frost RAL9005
02.049.4063.01.930	Talis 130 Wall DI HO/940, 33° 800mA Transparent RAL9016
02.049.4063.01.940	Talis 130 Wall DI HO/930, 33° 800mA Transparent RAL9016
02.049.4063.02.930	Talis 130 Wall DI HO/930, 33° 800mA Transparent RAL9006
02.049.4063.02.940	Talis 130 Wall DI HO/940, 33° 800mA Transparent RAL9006
02.049.4063.03.930	Talis 130 Wall DI HO/930, 33° 800mA Transparent RAL9005
02.049.4063.03.940	Talis 130 Wall DI HO/940, 33° 800mA Transparent RAL9005
02.049.4064.01.930	Talis 130 Wall DI HO/940, 42° 800mA Transparent RAL9016
02.049.4064.01.940	Talis 130 Wall DI HO/930, 42° 800mA Transparent RAL9016
02.049.4064.02.930	Talis 130 Wall DI HO/930, 42° 800mA Transparent RAL9006
02.049.4064.02.940	Talis 130 Wall DI HO/940, 42° 800mA Transparent RAL9006
02.049.4064.03.930	Talis 130 Wall DI HO/930, 42° 800mA Transparent RAL9005
02.049.4064.03.940	Talis 130 Wall DI HO/940, 42° 800mA Transparent RAL9005
02.049.4065.01.930	Talis 130 Wall DI HO/940, 65° 800mA Transparent RAL9016
02.049.4065.01.940	Talis 130 Wall DI HO/930, 65° 800mA Transparent RAL9016
02.049.4065.02.930	Talis 130 Wall DI HO/930, 65° 800mA Transparent RAL9006
02.049.4065.02.940	Talis 130 Wall DI HO/940, 65° 800mA Transparent RAL9006
02.049.4065.03.930	Talis 130 Wall DI HO/930, 65° 800mA Transparent RAL9005
02.049.4065.03.940	Talis 130 Wall DI HO/940, 65° 800mA Transparent RAL9005
02.049.4066.01.930	Talis 130 Wall DI HO/940, 37° 800mA Frost RAL9016
02.049.4066.01.940	Talis 130 Wall DI HO/930, 37° 800mA Frost RAL9016
02.049.4066.02.930	Talis 130 Wall DI HO/930, 37° 800mA Frost RAL9006
02.049.4066.02.940	Talis 130 Wall DI HO/940, 37° 800mA Frost RAL9006
02.049.4066.03.930	Talis 130 Wall DI HO/930, 37° 800mA Frost RAL9005
02.049.4066.03.940	Talis 130 Wall DI HO/940, 37° 800mA Frost RAL9005
02.049.4067.01.930	Talis 130 Wall DI HO/930, 46° 800mA Frost RAL9016
02.049.4067.01.940	Talis 130 Wall DI HO/940, 46° 800mA Frost RAL9016

Place and date of issue of the document

Warszawa, 11.02.2022



MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
02.049.4067.02.930	Talis 130 Wall DI HO/930, 46° 800mA Frost RAL9006
02.049.4067.02.940	Talis 130 Wall DI HO/940, 46° 800mA Frost RAL9006
02.049.4067.03.930	Talis 130 Wall DI HO/930, 46° 800mA Frost RAL9005
02.049.4067.03.940	Talis 130 Wall DI HO/940, 46° 800mA Frost RAL9005
02.049.4068.01.930	Talis 130 Wall DI HO/930, 65° 800mA Frost RAL9016
02.049.4068.01.940	Talis 130 Wall DI HO/940, 65° 800mA Frost RAL9016
02.049.4068.02.930	Talis 130 Wall DI HO/930, 65° 800mA Frost RAL9006
02.049.4068.02.940	Talis 130 Wall DI HO/940, 65° 800mA Frost RAL9006
02.049.4068.03.930	Talis 130 Wall DI HO/930, 65° 800mA Frost RAL9005
02.049.4068.03.940	Talis 130 Wall DI HO/940, 65° 800mA Frost RAL9005

Place and date of issue of the document

Warszawa, 11.02.2022



MIROSLAW-RAKOCZY
V-ce PREZES