

Manufacturer: **Spectra Lighting LLC**
Ostródzka st. 53
03-289 Warsaw

Product name: **SMOOTH**

Product number: **in the attachment nr 04/112**

We hereby declare, under the sole responsibility of the manufacturer, that the above product complies with the provisions of the following directives:

2009/125/WE	Ecodesign
2011/65/UE	Restriction of the use of certain hazardous substances
2014/30/UE	Electromagnetic Compatibility
2014/35/UE	Low Voltage

and the following standards:

PN-EN 55015:2013	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
PN-EN 60529:2003	Degrees of protection provided by enclosures (IP code)
PN-EN 60598-1:2015	Luminaires - Part 1: General requirements and tests
PN-EN 61000-3-2:2014	Electromagnetic compatibility (EMC) -- Part 3-2: Limits -- Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
PN-EN 61000-3-3:2013	Electromagnetic compatibility (EMC) -- Part 3-3: Limits -- Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection
PN-EN 61547:2009	Equipment for general lighting purposes - EMC immunity requirements
PN-EN 62493:2015	Assessment of lighting equipment related to human exposure to electromagnetic fields

The product has been CE marked for the first time in the year:

2021

Place and date of issue of the document

Warszawa, 21.01.2022


MIROSLAW RAKOCZY
V-ce PREZES

ATTACHMENT

Code	Name
04.112.2001.01.930	Smooth Track HE/930, 16° RAL9016
04.112.2001.02.930	Smooth Track HE/930, 16° RAL9006
04.112.2001.03.930	Smooth Track HE/930, 16° RAL9005
04.112.2002.01.930	Smooth Track HO/930, 16° RAL9016
04.112.2002.02.930	Smooth Track HO/930, 16° RAL9006
04.112.2002.03.930	Smooth Track HO/930, 16° RAL9005
04.112.2003.01.930	Smooth Track ST/930, 16° RAL9016
04.112.2003.02.930	Smooth Track ST/930, 16° RAL9006
04.112.2003.03.930	Smooth Track ST/930, 16° RAL9005
04.112.2011.01.930	Smooth Track HE/930, 32° RAL9016
04.112.2011.02.930	Smooth Track HE/930, 32° RAL9006
04.112.2011.03.930	Smooth Track HE/930, 32° RAL9005
04.112.2012.01.930	Smooth Track HO/930, 32° RAL9016
04.112.2012.02.930	Smooth Track HO/930, 32° RAL9006
04.112.2012.03.930	Smooth Track HO/930, 32° RAL9005
04.112.2013.01.930	Smooth Track ST/930, 32° RAL9016
04.112.2013.02.930	Smooth Track ST/930, 32° RAL9006
04.112.2013.03.930	Smooth Track ST/930, 32° RAL9005
04.112.2021.01.930	Smooth Track HE/930, 42° RAL9016
04.112.2021.02.930	Smooth Track HE/930, 42° RAL9006
04.112.2021.03.930	Smooth Track HE/930, 42° RAL9005
04.112.2022.01.930	Smooth Track HO/930, 42° RAL9016
04.112.2022.02.930	Smooth Track HO/930, 42° RAL9006
04.112.2022.03.930	Smooth Track HO/930, 42° RAL9005
04.112.2023.01.930	Smooth Track ST/930, 42° RAL9016
04.112.2023.02.930	Smooth Track ST/930, 42° RAL9006
04.112.2023.03.930	Smooth Track ST/930, 42° RAL9005
04.112.2201.01.930	Smooth Surface-mounted HE/930, 16° RAL9016
04.112.2201.02.930	Smooth Surface-mounted HE/930, 16° RAL9006
04.112.2201.03.930	Smooth Surface-mounted HE/930, 16° RAL9005
04.112.2202.01.930	Smooth Surface-mounted HO/930, 16° RAL9016
04.112.2202.02.930	Smooth Surface-mounted HO/930, 16° RAL9006
04.112.2202.03.930	Smooth Surface-mounted HO/930, 16° RAL9005
04.112.2203.01.930	Smooth Surface-mounted ST/930, 16° RAL9016
04.112.2203.02.930	Smooth Surface-mounted ST/930, 16° RAL9006
04.112.2203.03.930	Smooth Surface-mounted ST/930, 16° RAL9005
04.112.2211.01.930	Smooth Surface-mounted HE/930, 32° RAL9016
04.112.2211.02.930	Smooth Surface-mounted HE/930, 32° RAL9006
04.112.2211.03.930	Smooth Surface-mounted HE/930, 32° RAL9005
04.112.2212.01.930	Smooth Surface-mounted HO/930, 32° RAL9016
04.112.2212.02.930	Smooth Surface-mounted HO/930, 32° RAL9006
04.112.2212.03.930	Smooth Surface-mounted HO/930, 32° RAL9005

Place and date of issue of the document

Warszawa, 21.01.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
04.112.2213.01.930	Smooth Surface-mounted ST/930, 32° RAL9016
04.112.2213.02.930	Smooth Surface-mounted ST/930, 32° RAL9006
04.112.2213.03.930	Smooth Surface-mounted ST/930, 32° RAL9005
04.112.2221.01.930	Smooth Surface-mounted HE/930, 42° RAL9016
04.112.2221.02.930	Smooth Surface-mounted HE/930, 42° RAL9006
04.112.2221.03.930	Smooth Surface-mounted HE/930, 42° RAL9005
04.112.2222.01.930	Smooth Surface-mounted HO/930, 42° RAL9016
04.112.2222.02.930	Smooth Surface-mounted HO/930, 42° RAL9006
04.112.2222.03.930	Smooth Surface-mounted HO/930, 42° RAL9005
04.112.2223.01.930	Smooth Surface-mounted ST/930, 42° RAL9016
04.112.2223.02.930	Smooth Surface-mounted ST/930, 42° RAL9006
04.112.2223.03.930	Smooth Surface-mounted ST/930, 42° RAL9005

Place and date of issue of the document

Warszawa, 21.01.2022



MIROSLAW-RAKOCZY
V-ce PREZES