

Manufacturer: **Spectra Lighting LLC**  
**Ostródzka st. 53**  
**03-289 Warsaw**

Product name: **CONTI 125**

Product number: **in the attachment nr 041/125**

We hereby declare, under the sole responsibility of the manufacturer, that the above product complies with the provisions of the following directives:

<b>2009/125/WE</b>	Ecodesign
<b>2011/65/UE</b>	Restriction of the use of certain hazardous substances
<b>2014/30/UE</b>	Electromagnetic Compatibility
<b>2014/35/UE</b>	Low Voltage

and the following standards:

<b>PN-EN 55015:2013</b>	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
<b>PN-EN 60529:2003</b>	Degrees of protection provided by enclosures (IP code)
<b>PN-EN 60598-1:2015</b>	Luminaires - Part 1: General requirements and tests
<b>PN-EN 60598-2-2:2012</b>	Luminaires - Part 2-2: Particular requirements - Recessed luminaires
<b>PN-EN 61000-3-2:2014</b>	Electromagnetic compatibility (EMC) -- Part 3-2: Limits -- Limits for harmonic current emissions (equipment input current $\leq 16$ A per phase)
<b>PN-EN 61000-3-3:2013</b>	Electromagnetic compatibility (EMC) -- Part 3-3: Limits -- Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current $\leq 16$ A per phase and not subject to conditional connection
<b>PN-EN 61547:2009</b>	Equipment for general lighting purposes - EMC immunity requirements
<b>PN-EN 62493:2015</b>	Assessment of lighting equipment related to human exposure to electromagnetic fields

The product has been CE marked for the first time in the year:

**2021**

Place and date of issue of the document

**Warszawa, 20.01.2022**

  
**MIROSLAW RAKOCZY**  
**V-ce PREZES**

### ATTACHMENT

Code	Name
02.040.1230.01.930.250	Conti 125 Recessed LED/930 46° 250mA RAL9016
02.040.1230.01.930.250.DALI	Conti 125 Recessed LED/930 46° DALI 250mA RAL9016
02.040.1230.01.930.300	Conti 125 Recessed LED/930 46° 300mA RAL9016
02.040.1230.01.930.300.DALI	Conti 125 Recessed LED/930 46° DALI 300mA RAL9016
02.040.1230.01.930.350	Conti 125 Recessed LED/930 46° 350mA RAL9016
02.040.1230.01.930.350.DALI	Conti 125 Recessed LED/930 46° DALI 350mA RAL9016
02.040.1230.01.930.400	Conti 125 Recessed LED/930 46° 400mA RAL9016
02.040.1230.01.930.400.DALI	Conti 125 Recessed LED/930 46° DALI 400mA RAL9016
02.040.1230.01.930.450	Conti 125 Recessed LED/930 46° 450mA RAL9016
02.040.1230.01.930.450.DALI	Conti 125 Recessed LED/930 46° DALI 450mA RAL9016
02.040.1230.01.930.500	Conti 125 Recessed LED/930 46° 500mA RAL9016
02.040.1230.01.930.500.DALI	Conti 125 Recessed LED/930 46° DALI 500mA RAL9016
02.040.1230.01.930.550	Conti 125 Recessed LED/930 46° 550mA RAL9016
02.040.1230.01.930.550.DALI	Conti 125 Recessed LED/930 46° DALI 550mA RAL9016
02.040.1230.01.930.600	Conti 125 Recessed LED/930 46° 600mA RAL9016
02.040.1230.01.930.600.DALI	Conti 125 Recessed LED/930 46° DALI 600mA RAL9016
02.040.1230.01.930.650	Conti 125 Recessed LED/930 46° 650mA RAL9016
02.040.1230.01.930.650.DALI	Conti 125 Recessed LED/930 46° DALI 650mA RAL9016
02.040.1230.01.930.700	Conti 125 Recessed LED/930 46° 700mA RAL9016
02.040.1230.01.930.700.DALI	Conti 125 Recessed LED/930 46° DALI 700mA RAL9016
02.040.1230.01.940.250	Conti 125 Recessed LED/940 46° 250mA RAL9016
02.040.1230.01.940.250.DALI	Conti 125 Recessed LED/940 46° DALI 250mA RAL9016
02.040.1230.01.940.300	Conti 125 Recessed LED/940 46° 300mA RAL9016
02.040.1230.01.940.300.DALI	Conti 125 Recessed LED/940 46° DALI 300mA RAL9016
02.040.1230.01.940.350	Conti 125 Recessed LED/940 46° 350mA RAL9016
02.040.1230.01.940.350.DALI	Conti 125 Recessed LED/940 46° DALI 350mA RAL9016
02.040.1230.01.940.400	Conti 125 Recessed LED/940 46° 400mA RAL9016
02.040.1230.01.940.400.DALI	Conti 125 Recessed LED/940 46° DALI 400mA RAL9016
02.040.1230.01.940.450	Conti 125 Recessed LED/940 46° 450mA RAL9016
02.040.1230.01.940.450.DALI	Conti 125 Recessed LED/940 46° DALI 450mA RAL9016
02.040.1230.01.940.500	Conti 125 Recessed LED/940 46° 500mA RAL9016
02.040.1230.01.940.500.DALI	Conti 125 Recessed LED/940 46° DALI 500mA RAL9016
02.040.1230.01.940.550	Conti 125 Recessed LED/940 46° 550mA RAL9016
02.040.1230.01.940.550.DALI	Conti 125 Recessed LED/940 46° DALI 550mA RAL9016
02.040.1230.01.940.600	Conti 125 Recessed LED/940 46° 600mA RAL9016
02.040.1230.01.940.600.DALI	Conti 125 Recessed LED/940 46° DALI 600mA RAL9016
02.040.1230.01.940.650	Conti 125 Recessed LED/940 46° 650mA RAL9016
02.040.1230.01.940.650.DALI	Conti 125 Recessed LED/940 46° DALI 650mA RAL9016
02.040.1230.01.940.700	Conti 125 Recessed LED/940 46° 700mA RAL9016
02.040.1230.01.940.700.DALI	Conti 125 Recessed LED/940 46° DALI 700mA RAL9016
02.040.1230.02.930.250	Conti 125 Recessed LED/930 46° 250mA RAL9006
02.040.1230.02.930.250.DALI	Conti 125 Recessed LED/930 46° DALI 250mA RAL9006

Place and date of issue of the document

**Warszawa, 20.01.2022**



MIROSLAW RAKOCZY  
V-ce PREZES

Code	Name
02.040.1230.02.930.300	Conti 125 Recessed LED/930 46° 300mA RAL9006
02.040.1230.02.930.300.DALI	Conti 125 Recessed LED/930 46° DALI 300mA RAL9006
02.040.1230.02.930.350	Conti 125 Recessed LED/930 46° 350mA RAL9006
02.040.1230.02.930.350.DALI	Conti 125 Recessed LED/930 46° DALI 350mA RAL9006
02.040.1230.02.930.400	Conti 125 Recessed LED/930 46° 400mA RAL9006
02.040.1230.02.930.400.DALI	Conti 125 Recessed LED/930 46° DALI 400mA RAL9006
02.040.1230.02.930.450	Conti 125 Recessed LED/930 46° 450mA RAL9006
02.040.1230.02.930.450.DALI	Conti 125 Recessed LED/930 46° DALI 450mA RAL9006
02.040.1230.02.930.500	Conti 125 Recessed LED/930 46° 500mA RAL9006
02.040.1230.02.930.500.DALI	Conti 125 Recessed LED/930 46° DALI 500mA RAL9006
02.040.1230.02.930.550	Conti 125 Recessed LED/930 46° 550mA RAL9006
02.040.1230.02.930.550.DALI	Conti 125 Recessed LED/930 46° DALI 550mA RAL9006
02.040.1230.02.930.600	Conti 125 Recessed LED/930 46° 600mA RAL9006
02.040.1230.02.930.600.DALI	Conti 125 Recessed LED/930 46° DALI 600mA RAL9006
02.040.1230.02.930.650	Conti 125 Recessed LED/930 46° 650mA RAL9006
02.040.1230.02.930.650.DALI	Conti 125 Recessed LED/930 46° DALI 650mA RAL9006
02.040.1230.02.930.700	Conti 125 Recessed LED/930 46° 700mA RAL9006
02.040.1230.02.930.700.DALI	Conti 125 Recessed LED/930 46° DALI 700mA RAL9006
02.040.1230.02.940.250	Conti 125 Recessed LED/940 46° 250mA RAL9006
02.040.1230.02.940.250.DALI	Conti 125 Recessed LED/940 46° DALI 250mA RAL9006
02.040.1230.02.940.300	Conti 125 Recessed LED/940 46° 300mA RAL9006
02.040.1230.02.940.300.DALI	Conti 125 Recessed LED/940 46° DALI 300mA RAL9006
02.040.1230.02.940.350	Conti 125 Recessed LED/940 46° 350mA RAL9006
02.040.1230.02.940.350.DALI	Conti 125 Recessed LED/940 46° DALI 350mA RAL9006
02.040.1230.02.940.400	Conti 125 Recessed LED/940 46° 400mA RAL9006
02.040.1230.02.940.400.DALI	Conti 125 Recessed LED/940 46° DALI 400mA RAL9006
02.040.1230.02.940.450	Conti 125 Recessed LED/940 46° 450mA RAL9006
02.040.1230.02.940.450.DALI	Conti 125 Recessed LED/940 46° DALI 450mA RAL9006
02.040.1230.02.940.500	Conti 125 Recessed LED/940 46° 500mA RAL9006
02.040.1230.02.940.500.DALI	Conti 125 Recessed LED/940 46° DALI 500mA RAL9006
02.040.1230.02.940.550	Conti 125 Recessed LED/940 46° 550mA RAL9006
02.040.1230.02.940.550.DALI	Conti 125 Recessed LED/940 46° DALI 550mA RAL9006
02.040.1230.02.940.600	Conti 125 Recessed LED/940 46° 600mA RAL9006
02.040.1230.02.940.600.DALI	Conti 125 Recessed LED/940 46° DALI 600mA RAL9006
02.040.1230.02.940.650	Conti 125 Recessed LED/940 46° 650mA RAL9006
02.040.1230.02.940.650.DALI	Conti 125 Recessed LED/940 46° DALI 650mA RAL9006
02.040.1230.02.940.700	Conti 125 Recessed LED/940 46° 700mA RAL9006
02.040.1230.02.940.700.DALI	Conti 125 Recessed LED/940 46° DALI 700mA RAL9006
02.040.1230.03.930.250	Conti 125 Recessed LED/930 46° 250mA RAL9005
02.040.1230.03.930.250.DALI	Conti 125 Recessed LED/930 46° DALI 250mA RAL9005
02.040.1230.03.930.300	Conti 125 Recessed LED/930 46° 300mA RAL9005
02.040.1230.03.930.300.DALI	Conti 125 Recessed LED/930 46° DALI 300mA RAL9005
02.040.1230.03.930.350	Conti 125 Recessed LED/930 46° 350mA RAL9005
02.040.1230.03.930.350.DALI	Conti 125 Recessed LED/930 46° DALI 350mA RAL9005

Place and date of issue of the document

**Warszawa, 20.01.2022**



MIROSLAW RAKOCZY  
V-ce PREZES

Code	Name
02.040.1230.03.930.400	Conti 125 Recessed LED/930 46° 400mA RAL9005
02.040.1230.03.930.400.DALI	Conti 125 Recessed LED/930 46° DALI 400mA RAL9005
02.040.1230.03.930.450	Conti 125 Recessed LED/930 46° 450mA RAL9005
02.040.1230.03.930.450.DALI	Conti 125 Recessed LED/930 46° DALI 450mA RAL9005
02.040.1230.03.930.500	Conti 125 Recessed LED/930 46° 500mA RAL9005
02.040.1230.03.930.500.DALI	Conti 125 Recessed LED/930 46° DALI 500mA RAL9005
02.040.1230.03.930.550	Conti 125 Recessed LED/930 46° 550mA RAL9005
02.040.1230.03.930.550.DALI	Conti 125 Recessed LED/930 46° DALI 550mA RAL9005
02.040.1230.03.930.600	Conti 125 Recessed LED/930 46° 600mA RAL9005
02.040.1230.03.930.600.DALI	Conti 125 Recessed LED/930 46° DALI 600mA RAL9005
02.040.1230.03.930.650	Conti 125 Recessed LED/930 46° 650mA RAL9005
02.040.1230.03.930.650.DALI	Conti 125 Recessed LED/930 46° DALI 650mA RAL9005
02.040.1230.03.930.700	Conti 125 Recessed LED/930 46° 700mA RAL9005
02.040.1230.03.930.700.DALI	Conti 125 Recessed LED/930 46° DALI 700mA RAL9005
02.040.1230.03.940.250	Conti 125 Recessed LED/940 46° 250mA RAL9005
02.040.1230.03.940.250.DALI	Conti 125 Recessed LED/940 46° DALI 250mA RAL9005
02.040.1230.03.940.300	Conti 125 Recessed LED/940 46° 300mA RAL9005
02.040.1230.03.940.300.DALI	Conti 125 Recessed LED/940 46° DALI 300mA RAL9005
02.040.1230.03.940.350	Conti 125 Recessed LED/940 46° 350mA RAL9005
02.040.1230.03.940.350.DALI	Conti 125 Recessed LED/940 46° DALI 350mA RAL9005
02.040.1230.03.940.400	Conti 125 Recessed LED/940 46° 400mA RAL9005
02.040.1230.03.940.400.DALI	Conti 125 Recessed LED/940 46° DALI 400mA RAL9005
02.040.1230.03.940.450	Conti 125 Recessed LED/940 46° 450mA RAL9005
02.040.1230.03.940.450.DALI	Conti 125 Recessed LED/940 46° DALI 450mA RAL9005
02.040.1230.03.940.500	Conti 125 Recessed LED/940 46° 500mA RAL9005
02.040.1230.03.940.500.DALI	Conti 125 Recessed LED/940 46° DALI 500mA RAL9005
02.040.1230.03.940.550	Conti 125 Recessed LED/940 46° 550mA RAL9005
02.040.1230.03.940.550.DALI	Conti 125 Recessed LED/940 46° DALI 550mA RAL9005
02.040.1230.03.940.600	Conti 125 Recessed LED/940 46° 600mA RAL9005
02.040.1230.03.940.600.DALI	Conti 125 Recessed LED/940 46° DALI 600mA RAL9005
02.040.1230.03.940.650	Conti 125 Recessed LED/940 46° 650mA RAL9005
02.040.1230.03.940.650.DALI	Conti 125 Recessed LED/940 46° DALI 650mA RAL9005
02.040.1230.03.940.700	Conti 125 Recessed LED/940 46° 700mA RAL9005
02.040.1230.03.940.700.DALI	Conti 125 Recessed LED/940 46° DALI 700mA RAL9005

Place and date of issue of the document

**Warszawa, 20.01.2022**



MIROSLAW RAKOCZY  
V-ce PREZES