

Manufacturer: **Spectra Lighting LLC**
Ostródzka st. 53
03-289 Warsaw

Product name: **CONTI 95 IP**

Product number: **in the attachment nr 041/95 IP**

We hereby declare, under the sole responsibility of the manufacturer, that the above product complies with the provisions of the following directives:

2009/125/WE	Ecodesign
2011/65/UE	Restriction of the use of certain hazardous substances
2014/30/UE	Electromagnetic Compatibility
2014/35/UE	Low Voltage

and the following standards:

PN-EN 55015:2013	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
PN-EN 60529:2003	Degrees of protection provided by enclosures (IP code)
PN-EN 60598-1:2015	Luminaires - Part 1: General requirements and tests
PN-EN 60598-2-2:2012	Luminaires - Part 2-2: Particular requirements - Recessed luminaires
PN-EN 61000-3-2:2014	Electromagnetic compatibility (EMC) -- Part 3-2: Limits -- Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
PN-EN 61000-3-3:2013	Electromagnetic compatibility (EMC) -- Part 3-3: Limits -- Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection
PN-EN 61547:2009	Equipment for general lighting purposes - EMC immunity requirements
PN-EN 62493:2015	Assessment of lighting equipment related to human exposure to electromagnetic fields

The product has been CE marked for the first time in the year:

2021

Place and date of issue of the document

Warszawa, 20.01.2022


MIROSLAW RAKOCZY
V-ce PREZES

ATTACHMENT

Code	Name
02.041.1001.01.930.250	Conti 95 IP Recessed LED/930, 18° 250mA IP65/IP20 RAL9016
02.041.1001.01.930.250.DALI	Conti 95 IP Recessed LED/930, 18° DALI 250mA IP65/IP20 RAL9016
02.041.1001.01.930.350	Conti 95 IP Recessed LED/930, 18° 350mA IP65/IP20 RAL9016
02.041.1001.01.930.350.DALI	Conti 95 IP Recessed LED/930, 18° DALI 350mA IP65/IP20 RAL9016
02.041.1001.01.930.450	Conti 95 IP Recessed LED/930, 18° 450mA IP65/IP20 RAL9016
02.041.1001.01.930.450.DALI	Conti 95 IP Recessed LED/930, 18° DALI 450mA IP65/IP20 RAL9016
02.041.1001.01.930.500	Conti 95 IP Recessed LED/930, 18° 500mA IP65/IP20 RAL9016
02.041.1001.01.930.500.DALI	Conti 95 IP Recessed LED/930, 18° DALI 500mA IP65/IP20 RAL9016
02.041.1001.01.940.250	Conti 95 IP Recessed LED/940, 18° 250mA IP65/IP20 RAL9016
02.041.1001.01.940.250.DALI	Conti 95 IP Recessed LED/940, 18° DALI 250mA IP65/IP20 RAL9016
02.041.1001.01.940.350	Conti 95 IP Recessed LED/940, 18° 350mA IP65/IP20 RAL9016
02.041.1001.01.940.350.DALI	Conti 95 IP Recessed LED/940, 18° DALI 350mA IP65/IP20 RAL9016
02.041.1001.01.940.450	Conti 95 IP Recessed LED/940, 18° 450mA IP65/IP20 RAL9016
02.041.1001.01.940.450.DALI	Conti 95 IP Recessed LED/940, 18° DALI 450mA IP65/IP20 RAL9016
02.041.1001.01.940.500	Conti 95 IP Recessed LED/940, 18° 500mA IP65/IP20 RAL9016
02.041.1001.01.940.500.DALI	Conti 95 IP Recessed LED/940, 18° DALI 500mA IP65/IP20 RAL9016
02.041.1001.02.930.250	Conti 95 IP Recessed LED/930, 18° 250mA IP65/IP20 RAL9006
02.041.1001.02.930.250.DALI	Conti 95 IP Recessed LED/930, 18° DALI 250mA IP65/IP20 RAL9006
02.041.1001.02.930.350	Conti 95 IP Recessed LED/930, 18° 350mA IP65/IP20 RAL9006
02.041.1001.02.930.350.DALI	Conti 95 IP Recessed LED/930, 18° DALI 350mA IP65/IP20 RAL9006
02.041.1001.02.930.450	Conti 95 IP Recessed LED/930, 18° 450mA IP65/IP20 RAL9006
02.041.1001.02.930.450.DALI	Conti 95 IP Recessed LED/930, 18° DALI 450mA IP65/IP20 RAL9006
02.041.1001.02.930.500	Conti 95 IP Recessed LED/930, 18° 500mA IP65/IP20 RAL9006
02.041.1001.02.930.500.DALI	Conti 95 IP Recessed LED/930, 18° DALI 500mA IP65/IP20 RAL9006
02.041.1001.02.940.250	Conti 95 IP Recessed LED/940, 18° 250mA IP65/IP20 RAL9006
02.041.1001.02.940.250.DALI	Conti 95 IP Recessed LED/940, 18° DALI 250mA IP65/IP20 RAL9006
02.041.1001.02.940.350	Conti 95 IP Recessed LED/940, 18° 350mA IP65/IP20 RAL9006
02.041.1001.02.940.350.DALI	Conti 95 IP Recessed LED/940, 18° DALI 350mA IP65/IP20 RAL9006
02.041.1001.02.940.450	Conti 95 IP Recessed LED/940, 18° 450mA IP65/IP20 RAL9006
02.041.1001.02.940.450.DALI	Conti 95 IP Recessed LED/940, 18° DALI 450mA IP65/IP20 RAL9006
02.041.1001.02.940.500	Conti 95 IP Recessed LED/940, 18° 500mA IP65/IP20 RAL9006
02.041.1001.02.940.500.DALI	Conti 95 IP Recessed LED/940, 18° DALI 500mA IP65/IP20 RAL9006
02.041.1001.03.930.250	Conti 95 IP Recessed LED/930, 18° 250mA IP65/IP20 RAL9005
02.041.1001.03.930.250.DALI	Conti 95 IP Recessed LED/930, 18° DALI 250mA IP65/IP20 RAL9005
02.041.1001.03.930.350	Conti 95 IP Recessed LED/930, 18° 350mA IP65/IP20 RAL9005
02.041.1001.03.930.350.DALI	Conti 95 IP Recessed LED/930, 18° DALI 350mA IP65/IP20 RAL9005
02.041.1001.03.930.450	Conti 95 IP Recessed LED/930, 18° 450mA IP65/IP20 RAL9005
02.041.1001.03.930.450.DALI	Conti 95 IP Recessed LED/930, 18° DALI 450mA IP65/IP20 RAL9005
02.041.1001.03.930.500	Conti 95 IP Recessed LED/930, 18° 500mA IP65/IP20 RAL9005
02.041.1001.03.930.500.DALI	Conti 95 IP Recessed LED/930, 18° DALI 500mA IP65/IP20 RAL9005
02.041.1001.03.940.250	Conti 95 IP Recessed LED/940, 18° 250mA IP65/IP20 RAL9005
02.041.1001.03.940.250.DALI	Conti 95 IP Recessed LED/940, 18° DALI 250mA IP65/IP20 RAL9005

Place and date of issue of the document

Warszawa, 20.01.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
02.041.1001.03.940.350	Conti 95 IP Recessed LED/940, 18° 350mA IP65/IP20 RAL9005
02.041.1001.03.940.350.DALI	Conti 95 IP Recessed LED/940, 18° DALI 350mA IP65/IP20 RAL9005
02.041.1001.03.940.450	Conti 95 IP Recessed LED/940, 18° 450mA IP65/IP20 RAL9005
02.041.1001.03.940.450.DALI	Conti 95 IP Recessed LED/940, 18° DALI 450mA IP65/IP20 RAL9005
02.041.1001.03.940.500	Conti 95 IP Recessed LED/940, 18° 500mA IP65/IP20 RAL9005
02.041.1001.03.940.500.DALI	Conti 95 IP Recessed LED/940, 18° DALI 500mA IP65/IP20 RAL9005
02.041.1002.01.930.250	Conti 95 IP Recessed LED/930, 29° 250mA IP65/IP20 RAL9016
02.041.1002.01.930.250.DALI	Conti 95 IP Recessed LED/930, 29° DALI 250mA IP65/IP20 RAL9016
02.041.1002.01.930.350	Conti 95 IP Recessed LED/930, 29° 350mA IP65/IP20 RAL9016
02.041.1002.01.930.350.DALI	Conti 95 IP Recessed LED/930, 29° DALI 350mA IP65/IP20 RAL9016
02.041.1002.01.930.450	Conti 95 IP Recessed LED/930, 29° 450mA IP65/IP20 RAL9016
02.041.1002.01.930.450.DALI	Conti 95 IP Recessed LED/930, 29° DALI 450mA IP65/IP20 RAL9016
02.041.1002.01.930.500	Conti 95 IP Recessed LED/930, 29° 500mA IP65/IP20 RAL9016
02.041.1002.01.930.500.DALI	Conti 95 IP Recessed LED/930, 29° DALI 500mA IP65/IP20 RAL9016
02.041.1002.01.940.250	Conti 95 IP Recessed LED/940, 29° 250mA IP65/IP20 RAL9016
02.041.1002.01.940.250.DALI	Conti 95 IP Recessed LED/940, 29° DALI 250mA IP65/IP20 RAL9016
02.041.1002.01.940.350	Conti 95 IP Recessed LED/940, 29° 350mA IP65/IP20 RAL9016
02.041.1002.01.940.350.DALI	Conti 95 IP Recessed LED/940, 29° DALI 350mA IP65/IP20 RAL9016
02.041.1002.01.940.450	Conti 95 IP Recessed LED/940, 29° 450mA IP65/IP20 RAL9016
02.041.1002.01.940.450.DALI	Conti 95 IP Recessed LED/940, 29° DALI 450mA IP65/IP20 RAL9016
02.041.1002.01.940.500	Conti 95 IP Recessed LED/940, 29° 500mA IP65/IP20 RAL9016
02.041.1002.01.940.500.DALI	Conti 95 IP Recessed LED/940, 29° DALI 500mA IP65/IP20 RAL9016
02.041.1002.02.930.250	Conti 95 IP Recessed LED/930, 29° 250mA IP65/IP20 RAL9006
02.041.1002.02.930.250.DALI	Conti 95 IP Recessed LED/930, 29° DALI 250mA IP65/IP20 RAL9006
02.041.1002.02.930.350	Conti 95 IP Recessed LED/930, 29° 350mA IP65/IP20 RAL9006
02.041.1002.02.930.350.DALI	Conti 95 IP Recessed LED/930, 29° DALI 350mA IP65/IP20 RAL9006
02.041.1002.02.930.450	Conti 95 IP Recessed LED/930, 29° 450mA IP65/IP20 RAL9006
02.041.1002.02.930.450.DALI	Conti 95 IP Recessed LED/930, 29° DALI 450mA IP65/IP20 RAL9006
02.041.1002.02.930.500	Conti 95 IP Recessed LED/930, 29° 500mA IP65/IP20 RAL9006
02.041.1002.02.930.500.DALI	Conti 95 IP Recessed LED/930, 29° DALI 500mA IP65/IP20 RAL9006
02.041.1002.02.940.250	Conti 95 IP Recessed LED/940, 29° 250mA IP65/IP20 RAL9006
02.041.1002.02.940.250.DALI	Conti 95 IP Recessed LED/940, 29° DALI 250mA IP65/IP20 RAL9006
02.041.1002.02.940.350	Conti 95 IP Recessed LED/940, 29° 350mA IP65/IP20 RAL9006
02.041.1002.02.940.350.DALI	Conti 95 IP Recessed LED/940, 29° DALI 350mA IP65/IP20 RAL9006
02.041.1002.02.940.450	Conti 95 IP Recessed LED/940, 29° 450mA IP65/IP20 RAL9006
02.041.1002.02.940.450.DALI	Conti 95 IP Recessed LED/940, 29° DALI 450mA IP65/IP20 RAL9006
02.041.1002.02.940.500	Conti 95 IP Recessed LED/940, 29° 500mA IP65/IP20 RAL9006
02.041.1002.02.940.500.DALI	Conti 95 IP Recessed LED/940, 29° DALI 500mA IP65/IP20 RAL9006
02.041.1002.03.930.250	Conti 95 IP Recessed LED/930, 29° 250mA IP65/IP20 RAL9005
02.041.1002.03.930.250.DALI	Conti 95 IP Recessed LED/930, 29° DALI 250mA IP65/IP20 RAL9005
02.041.1002.03.930.350	Conti 95 IP Recessed LED/930, 29° 350mA IP65/IP20 RAL9005
02.041.1002.03.930.350.DALI	Conti 95 IP Recessed LED/930, 29° DALI 350mA IP65/IP20 RAL9005
02.041.1002.03.930.450	Conti 95 IP Recessed LED/930, 29° 450mA IP65/IP20 RAL9005
02.041.1002.03.930.450.DALI	Conti 95 IP Recessed LED/930, 29° DALI 450mA IP65/IP20 RAL9005

Place and date of issue of the document

Warszawa, 20.01.2022



MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
02.041.1002.03.930.500	Conti 95 IP Recessed LED/930, 29° 500mA IP65/IP20 RAL9005
02.041.1002.03.930.500.DALI	Conti 95 IP Recessed LED/930, 29° DALI 500mA IP65/IP20 RAL9005
02.041.1002.03.940.250	Conti 95 IP Recessed LED/940, 29° 250mA IP65/IP20 RAL9005
02.041.1002.03.940.250.DALI	Conti 95 IP Recessed LED/940, 29° DALI 250mA IP65/IP20 RAL9005
02.041.1002.03.940.350	Conti 95 IP Recessed LED/940, 29° 350mA IP65/IP20 RAL9005
02.041.1002.03.940.350.DALI	Conti 95 IP Recessed LED/940, 29° DALI 350mA IP65/IP20 RAL9005
02.041.1002.03.940.450	Conti 95 IP Recessed LED/940, 29° 450mA IP65/IP20 RAL9005
02.041.1002.03.940.450.DALI	Conti 95 IP Recessed LED/940, 29° DALI 450mA IP65/IP20 RAL9005
02.041.1002.03.940.500	Conti 95 IP Recessed LED/940, 29° 500mA IP65/IP20 RAL9005
02.041.1002.03.940.500.DALI	Conti 95 IP Recessed LED/940, 29° DALI 500mA IP65/IP20 RAL9005
02.041.1003.01.930.250	Conti 95 IP Recessed LED/930, 41° 250mA IP65/IP20 RAL9016
02.041.1003.01.930.250.DALI	Conti 95 IP Recessed LED/930, 41° DALI 250mA IP65/IP20 RAL9016
02.041.1003.01.930.350	Conti 95 IP Recessed LED/930, 41° 350mA IP65/IP20 RAL9016
02.041.1003.01.930.350.DALI	Conti 95 IP Recessed LED/930, 41° DALI 350mA IP65/IP20 RAL9016
02.041.1003.01.930.450	Conti 95 IP Recessed LED/930, 41° 450mA IP65/IP20 RAL9016
02.041.1003.01.930.450.DALI	Conti 95 IP Recessed LED/930, 41° DALI 450mA IP65/IP20 RAL9016
02.041.1003.01.930.500	Conti 95 IP Recessed LED/930, 41° 500mA IP65/IP20 RAL9016
02.041.1003.01.930.500.DALI	Conti 95 IP Recessed LED/930, 41° DALI 500mA IP65/IP20 RAL9016
02.041.1003.01.940.250	Conti 95 IP Recessed LED/940, 41° 250mA IP65/IP20 RAL9016
02.041.1003.01.940.250.DALI	Conti 95 IP Recessed LED/940, 41° DALI 250mA IP65/IP20 RAL9016
02.041.1003.01.940.350	Conti 95 IP Recessed LED/940, 41° 350mA IP65/IP20 RAL9016
02.041.1003.01.940.350.DALI	Conti 95 IP Recessed LED/940, 41° DALI 350mA IP65/IP20 RAL9016
02.041.1003.01.940.450	Conti 95 IP Recessed LED/940, 41° 450mA IP65/IP20 RAL9016
02.041.1003.01.940.450.DALI	Conti 95 IP Recessed LED/940, 41° DALI 450mA IP65/IP20 RAL9016
02.041.1003.01.940.500	Conti 95 IP Recessed LED/940, 41° 500mA IP65/IP20 RAL9016
02.041.1003.01.940.500.DALI	Conti 95 IP Recessed LED/940, 41° DALI 500mA IP65/IP20 RAL9016
02.041.1003.02.930.250	Conti 95 IP Recessed LED/930, 41° 250mA IP65/IP20 RAL9006
02.041.1003.02.930.250.DALI	Conti 95 IP Recessed LED/930, 41° DALI 250mA IP65/IP20 RAL9006
02.041.1003.02.930.350	Conti 95 IP Recessed LED/930, 41° 350mA IP65/IP20 RAL9006
02.041.1003.02.930.350.DALI	Conti 95 IP Recessed LED/930, 41° DALI 350mA IP65/IP20 RAL9006
02.041.1003.02.930.450	Conti 95 IP Recessed LED/930, 41° 450mA IP65/IP20 RAL9006
02.041.1003.02.930.450.DALI	Conti 95 IP Recessed LED/930, 41° DALI 450mA IP65/IP20 RAL9006
02.041.1003.02.930.500	Conti 95 IP Recessed LED/930, 41° 500mA IP65/IP20 RAL9006
02.041.1003.02.930.500.DALI	Conti 95 IP Recessed LED/930, 41° DALI 500mA IP65/IP20 RAL9006
02.041.1003.02.940.250	Conti 95 IP Recessed LED/940, 41° 250mA IP65/IP20 RAL9006
02.041.1003.02.940.250.DALI	Conti 95 IP Recessed LED/940, 41° DALI 250mA IP65/IP20 RAL9006
02.041.1003.02.940.350	Conti 95 IP Recessed LED/940, 41° 350mA IP65/IP20 RAL9006
02.041.1003.02.940.350.DALI	Conti 95 IP Recessed LED/940, 41° DALI 350mA IP65/IP20 RAL9006
02.041.1003.02.940.450	Conti 95 IP Recessed LED/940, 41° 450mA IP65/IP20 RAL9006
02.041.1003.02.940.450.DALI	Conti 95 IP Recessed LED/940, 41° DALI 450mA IP65/IP20 RAL9006
02.041.1003.02.940.500	Conti 95 IP Recessed LED/940, 41° 500mA IP65/IP20 RAL9006
02.041.1003.02.940.500.DALI	Conti 95 IP Recessed LED/940, 41° DALI 500mA IP65/IP20 RAL9006
02.041.1003.03.930.250	Conti 95 IP Recessed LED/930, 41° 250mA IP65/IP20 RAL9005
02.041.1003.03.930.250.DALI	Conti 95 IP Recessed LED/930, 41° DALI 250mA IP65/IP20 RAL9005

Place and date of issue of the document

Warszawa, 20.01.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
02.041.1003.03.930.350	Conti 95 IP Recessed LED/930, 41° 350mA IP65/IP20 RAL9005
02.041.1003.03.930.350.DALI	Conti 95 IP Recessed LED/930, 41° DALI 350mA IP65/IP20 RAL9005
02.041.1003.03.930.450	Conti 95 IP Recessed LED/930, 41° 450mA IP65/IP20 RAL9005
02.041.1003.03.930.450.DALI	Conti 95 IP Recessed LED/930, 41° DALI 450mA IP65/IP20 RAL9005
02.041.1003.03.930.500	Conti 95 IP Recessed LED/930, 41° 500mA IP65/IP20 RAL9005
02.041.1003.03.930.500.DALI	Conti 95 IP Recessed LED/930, 41° DALI 500mA IP65/IP20 RAL9005
02.041.1003.03.940.250	Conti 95 IP Recessed LED/940, 41° 250mA IP65/IP20 RAL9005
02.041.1003.03.940.250.DALI	Conti 95 IP Recessed LED/940, 41° DALI 250mA IP65/IP20 RAL9005
02.041.1003.03.940.350	Conti 95 IP Recessed LED/940, 41° 350mA IP65/IP20 RAL9005
02.041.1003.03.940.350.DALI	Conti 95 IP Recessed LED/940, 41° DALI 350mA IP65/IP20 RAL9005
02.041.1003.03.940.450	Conti 95 IP Recessed LED/940, 41° 450mA IP65/IP20 RAL9005
02.041.1003.03.940.450.DALI	Conti 95 IP Recessed LED/940, 41° DALI 450mA IP65/IP20 RAL9005
02.041.1003.03.940.500	Conti 95 IP Recessed LED/940, 41° 500mA IP65/IP20 RAL9005
02.041.1003.03.940.500.DALI	Conti 95 IP Recessed LED/940, 41° DALI 500mA IP65/IP20 RAL9005
02.041.1101.01.930.250.DALI.DP	Conti 95 IP Recessed LED/930, 18° DALI 250mA IP65/IP66 RAL9016
02.041.1101.01.930.250.DP	Conti 95 IP Recessed LED/930, 18° 250mA IP65/IP66 RAL9016
02.041.1101.01.930.350.DALI.DP	Conti 95 IP Recessed LED/930, 18° DALI 350mA IP65/IP66 RAL9016
02.041.1101.01.930.350.DP	Conti 95 IP Recessed LED/930, 18° 350mA IP65/IP66 RAL9016
02.041.1101.01.930.450.DALI.DP	Conti 95 IP Recessed LED/930, 18° DALI 450mA IP65/IP66 RAL9016
02.041.1101.01.930.450.DP	Conti 95 IP Recessed LED/930, 18° 450mA IP65/IP66 RAL9016
02.041.1101.01.930.500.DALI.DP	Conti 95 IP Recessed LED/930, 18° DALI 500mA IP65/IP66 RAL9016
02.041.1101.01.930.500.DP	Conti 95 IP Recessed LED/930, 18° 500mA IP65/IP66 RAL9016
02.041.1101.01.940.250.DALI.DP	Conti 95 IP Recessed LED/940, 18° DALI 250mA IP65/IP66 RAL9016
02.041.1101.01.940.250.DP	Conti 95 IP Recessed LED/940, 18° 250mA IP65/IP66 RAL9016
02.041.1101.01.940.350.DALI.DP	Conti 95 IP Recessed LED/940, 18° DALI 350mA IP65/IP66 RAL9016
02.041.1101.01.940.350.DP	Conti 95 IP Recessed LED/940, 18° 350mA IP65/IP66 RAL9016
02.041.1101.01.940.450.DALI.DP	Conti 95 IP Recessed LED/940, 18° DALI 450mA IP65/IP66 RAL9016
02.041.1101.01.940.450.DP	Conti 95 IP Recessed LED/940, 18° 450mA IP65/IP66 RAL9016
02.041.1101.01.940.500.DALI.DP	Conti 95 IP Recessed LED/940, 18° DALI 500mA IP65/IP66 RAL9016
02.041.1101.01.940.500.DP	Conti 95 IP Recessed LED/940, 18° 500mA IP65/IP66 RAL9016
02.041.1101.02.930.250.DALI.DP	Conti 95 IP Recessed LED/930, 18° DALI 250mA IP65/IP66 RAL9006
02.041.1101.02.930.250.DP	Conti 95 IP Recessed LED/930, 18° 250mA IP65/IP66 RAL9006
02.041.1101.02.930.350.DALI.DP	Conti 95 IP Recessed LED/930, 18° DALI 350mA IP65/IP66 RAL9006
02.041.1101.02.930.350.DP	Conti 95 IP Recessed LED/930, 18° 350mA IP65/IP66 RAL9006
02.041.1101.02.930.450.DALI.DP	Conti 95 IP Recessed LED/930, 18° DALI 450mA IP65/IP66 RAL9006
02.041.1101.02.930.450.DP	Conti 95 IP Recessed LED/930, 18° 450mA IP65/IP66 RAL9006
02.041.1101.02.930.500.DALI.DP	Conti 95 IP Recessed LED/930, 18° DALI 500mA IP65/IP66 RAL9006
02.041.1101.02.930.500.DP	Conti 95 IP Recessed LED/930, 18° 500mA IP65/IP66 RAL9006
02.041.1101.02.940.250.DALI.DP	Conti 95 IP Recessed LED/940, 18° DALI 250mA IP65/IP66 RAL9006
02.041.1101.02.940.250.DP	Conti 95 IP Recessed LED/940, 18° 250mA IP65/IP66 RAL9006
02.041.1101.02.940.350.DALI.DP	Conti 95 IP Recessed LED/940, 18° DALI 350mA IP65/IP66 RAL9006
02.041.1101.02.940.350.DP	Conti 95 IP Recessed LED/940, 18° 350mA IP65/IP66 RAL9006
02.041.1101.02.940.450.DALI.DP	Conti 95 IP Recessed LED/940, 18° DALI 450mA IP65/IP66 RAL9006
02.041.1101.02.940.450.DP	Conti 95 IP Recessed LED/940, 18° 450mA IP65/IP66 RAL9006

Place and date of issue of the document

Warszawa, 20.01.2022



MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
02.041.1101.02.940.500.DALI.DP	Conti 95 IP Recessed LED/940, 18° DALI 500mA IP65/IP66 RAL9006
02.041.1101.02.940.500.DP	Conti 95 IP Recessed LED/940, 18° 500mA IP65/IP66 RAL9006
02.041.1101.03.930.250.DALI.DP	Conti 95 IP Recessed LED/930, 18° DALI 250mA IP65/IP66 RAL9005
02.041.1101.03.930.250.DP	Conti 95 IP Recessed LED/930, 18° 250mA IP65/IP66 RAL9005
02.041.1101.03.930.350.DALI.DP	Conti 95 IP Recessed LED/930, 18° DALI 350mA IP65/IP66 RAL9005
02.041.1101.03.930.350.DP	Conti 95 IP Recessed LED/930, 18° 350mA IP65/IP66 RAL9005
02.041.1101.03.930.450.DALI.DP	Conti 95 IP Recessed LED/930, 18° DALI 450mA IP65/IP66 RAL9005
02.041.1101.03.930.450.DP	Conti 95 IP Recessed LED/930, 18° 450mA IP65/IP66 RAL9005
02.041.1101.03.930.500.DALI.DP	Conti 95 IP Recessed LED/930, 18° DALI 500mA IP65/IP66 RAL9005
02.041.1101.03.930.500.DP	Conti 95 IP Recessed LED/930, 18° 500mA IP65/IP66 RAL9005
02.041.1101.03.940.250.DALI.DP	Conti 95 IP Recessed LED/940, 18° DALI 250mA IP65/IP66 RAL9005
02.041.1101.03.940.250.DP	Conti 95 IP Recessed LED/940, 18° 250mA IP65/IP66 RAL9005
02.041.1101.03.940.350.DALI.DP	Conti 95 IP Recessed LED/940, 18° DALI 350mA IP65/IP66 RAL9005
02.041.1101.03.940.350.DP	Conti 95 IP Recessed LED/940, 18° 350mA IP65/IP66 RAL9005
02.041.1101.03.940.450.DALI.DP	Conti 95 IP Recessed LED/940, 18° DALI 450mA IP65/IP66 RAL9005
02.041.1101.03.940.450.DP	Conti 95 IP Recessed LED/940, 18° 450mA IP65/IP66 RAL9005
02.041.1101.03.940.500.DALI.DP	Conti 95 IP Recessed LED/940, 18° DALI 500mA IP65/IP66 RAL9005
02.041.1101.03.940.500.DP	Conti 95 IP Recessed LED/940, 18° 500mA IP65/IP66 RAL9005
02.041.1102.01.930.250.DALI.DP	Conti 95 IP Recessed LED/930, 29° DALI 250mA IP65/IP66 RAL9016
02.041.1102.01.930.250.DP	Conti 95 IP Recessed LED/930, 29° 250mA IP65/IP66 RAL9016
02.041.1102.01.930.350.DALI.DP	Conti 95 IP Recessed LED/930, 29° DALI 350mA IP65/IP66 RAL9016
02.041.1102.01.930.350.DP	Conti 95 IP Recessed LED/930, 29° 350mA IP65/IP66 RAL9016
02.041.1102.01.930.450.DALI.DP	Conti 95 IP Recessed LED/930, 29° DALI 450mA IP65/IP66 RAL9016
02.041.1102.01.930.450.DP	Conti 95 IP Recessed LED/930, 29° 450mA IP65/IP66 RAL9016
02.041.1102.01.930.500.DALI.DP	Conti 95 IP Recessed LED/930, 29° DALI 500mA IP65/IP66 RAL9016
02.041.1102.01.930.500.DP	Conti 95 IP Recessed LED/930, 29° 500mA IP65/IP66 RAL9016
02.041.1102.01.940.250.DALI.DP	Conti 95 IP Recessed LED/940, 29° DALI 250mA IP65/IP66 RAL9016
02.041.1102.01.940.250.DP	Conti 95 IP Recessed LED/940, 29° 250mA IP65/IP66 RAL9016
02.041.1102.01.940.350.DALI.DP	Conti 95 IP Recessed LED/940, 29° DALI 350mA IP65/IP66 RAL9016
02.041.1102.01.940.350.DP	Conti 95 IP Recessed LED/940, 29° 350mA IP65/IP66 RAL9016
02.041.1102.01.940.450.DALI.DP	Conti 95 IP Recessed LED/940, 29° DALI 450mA IP65/IP66 RAL9016
02.041.1102.01.940.450.DP	Conti 95 IP Recessed LED/940, 29° 450mA IP65/IP66 RAL9016
02.041.1102.01.940.500.DALI.DP	Conti 95 IP Recessed LED/940, 29° DALI 500mA IP65/IP66 RAL9016
02.041.1102.01.940.500.DP	Conti 95 IP Recessed LED/940, 29° 500mA IP65/IP66 RAL9016
02.041.1102.02.930.250.DALI.DP	Conti 95 IP Recessed LED/930, 29° DALI 250mA IP65/IP66 RAL9006
02.041.1102.02.930.250.DP	Conti 95 IP Recessed LED/930, 29° 250mA IP65/IP66 RAL9006
02.041.1102.02.930.350.DALI.DP	Conti 95 IP Recessed LED/930, 29° DALI 350mA IP65/IP66 RAL9006
02.041.1102.02.930.350.DP	Conti 95 IP Recessed LED/930, 29° 350mA IP65/IP66 RAL9006
02.041.1102.02.930.450.DALI.DP	Conti 95 IP Recessed LED/930, 29° DALI 450mA IP65/IP66 RAL9006
02.041.1102.02.930.450.DP	Conti 95 IP Recessed LED/930, 29° 450mA IP65/IP66 RAL9006
02.041.1102.02.930.500.DALI.DP	Conti 95 IP Recessed LED/930, 29° DALI 500mA IP65/IP66 RAL9006
02.041.1102.02.930.500.DP	Conti 95 IP Recessed LED/930, 29° 500mA IP65/IP66 RAL9006
02.041.1102.02.940.250.DALI.DP	Conti 95 IP Recessed LED/940, 29° DALI 250mA IP65/IP66 RAL9006
02.041.1102.02.940.250.DP	Conti 95 IP Recessed LED/940, 29° 250mA IP65/IP66 RAL9006

Place and date of issue of the document

Warszawa, 20.01.2022



MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
02.041.1102.02.940.350.DALI.DP	Conti 95 IP Recessed LED/940, 29° DALI 350mA IP65/IP66 RAL9006
02.041.1102.02.940.350.DP	Conti 95 IP Recessed LED/940, 29° 350mA IP65/IP66 RAL9006
02.041.1102.02.940.450.DALI.DP	Conti 95 IP Recessed LED/940, 29° DALI 450mA IP65/IP66 RAL9006
02.041.1102.02.940.450.DP	Conti 95 IP Recessed LED/940, 29° 450mA IP65/IP66 RAL9006
02.041.1102.02.940.500.DALI.DP	Conti 95 IP Recessed LED/940, 29° DALI 500mA IP65/IP66 RAL9006
02.041.1102.02.940.500.DP	Conti 95 IP Recessed LED/940, 29° 500mA IP65/IP66 RAL9006
02.041.1102.03.930.250.DALI.DP	Conti 95 IP Recessed LED/930, 29° DALI 250mA IP65/IP66 RAL9005
02.041.1102.03.930.250.DP	Conti 95 IP Recessed LED/930, 29° 250mA IP65/IP66 RAL9005
02.041.1102.03.930.350.DALI.DP	Conti 95 IP Recessed LED/930, 29° DALI 350mA IP65/IP66 RAL9005
02.041.1102.03.930.350.DP	Conti 95 IP Recessed LED/930, 29° 350mA IP65/IP66 RAL9005
02.041.1102.03.930.450.DALI.DP	Conti 95 IP Recessed LED/930, 29° DALI 450mA IP65/IP66 RAL9005
02.041.1102.03.930.450.DP	Conti 95 IP Recessed LED/930, 29° 450mA IP65/IP66 RAL9005
02.041.1102.03.930.500.DALI.DP	Conti 95 IP Recessed LED/930, 29° DALI 500mA IP65/IP66 RAL9005
02.041.1102.03.930.500.DP	Conti 95 IP Recessed LED/930, 29° 500mA IP65/IP66 RAL9005
02.041.1102.03.940.250.DALI.DP	Conti 95 IP Recessed LED/940, 29° DALI 250mA IP65/IP66 RAL9005
02.041.1102.03.940.250.DP	Conti 95 IP Recessed LED/940, 29° 250mA IP65/IP66 RAL9005
02.041.1102.03.940.350.DALI.DP	Conti 95 IP Recessed LED/940, 29° DALI 350mA IP65/IP66 RAL9005
02.041.1102.03.940.350.DP	Conti 95 IP Recessed LED/940, 29° 350mA IP65/IP66 RAL9005
02.041.1102.03.940.450.DALI.DP	Conti 95 IP Recessed LED/940, 29° DALI 450mA IP65/IP66 RAL9005
02.041.1102.03.940.450.DP	Conti 95 IP Recessed LED/940, 29° 450mA IP65/IP66 RAL9005
02.041.1102.03.940.500.DALI.DP	Conti 95 IP Recessed LED/940, 29° DALI 500mA IP65/IP66 RAL9005
02.041.1102.03.940.500.DP	Conti 95 IP Recessed LED/940, 29° 500mA IP65/IP66 RAL9005
02.041.1103.01.930.250.DALI.DP	Conti 95 IP Recessed LED/930, 41° DALI 250mA IP65/IP66 RAL9016
02.041.1103.01.930.250.DP	Conti 95 IP Recessed LED/930, 41° 250mA IP65/IP66 RAL9016
02.041.1103.01.930.350.DALI.DP	Conti 95 IP Recessed LED/930, 41° DALI 350mA IP65/IP66 RAL9016
02.041.1103.01.930.350.DP	Conti 95 IP Recessed LED/930, 41° 350mA IP65/IP66 RAL9016
02.041.1103.01.930.450.DALI.DP	Conti 95 IP Recessed LED/930, 41° DALI 450mA IP65/IP66 RAL9016
02.041.1103.01.930.450.DP	Conti 95 IP Recessed LED/930, 41° 450mA IP65/IP66 RAL9016
02.041.1103.01.930.500.DALI.DP	Conti 95 IP Recessed LED/930, 41° DALI 500mA IP65/IP66 RAL9016
02.041.1103.01.930.500.DP	Conti 95 IP Recessed LED/930, 41° 500mA IP65/IP66 RAL9016
02.041.1103.01.940.250.DALI.DP	Conti 95 IP Recessed LED/940, 41° DALI 250mA IP65/IP66 RAL9016
02.041.1103.01.940.250.DP	Conti 95 IP Recessed LED/940, 41° 250mA IP65/IP66 RAL9016
02.041.1103.01.940.350.DALI.DP	Conti 95 IP Recessed LED/940, 41° DALI 350mA IP65/IP66 RAL9016
02.041.1103.01.940.350.DP	Conti 95 IP Recessed LED/940, 41° 350mA IP65/IP66 RAL9016
02.041.1103.01.940.450.DALI.DP	Conti 95 IP Recessed LED/940, 41° DALI 450mA IP65/IP66 RAL9016
02.041.1103.01.940.450.DP	Conti 95 IP Recessed LED/940, 41° 450mA IP65/IP66 RAL9016
02.041.1103.01.940.500.DALI.DP	Conti 95 IP Recessed LED/940, 41° DALI 500mA IP65/IP66 RAL9016
02.041.1103.01.940.500.DP	Conti 95 IP Recessed LED/940, 41° 500mA IP65/IP66 RAL9016
02.041.1103.02.930.250.DALI.DP	Conti 95 IP Recessed LED/930, 41° DALI 250mA IP65/IP66 RAL9006
02.041.1103.02.930.250.DP	Conti 95 IP Recessed LED/930, 41° 250mA IP65/IP66 RAL9006
02.041.1103.02.930.350.DALI.DP	Conti 95 IP Recessed LED/930, 41° DALI 350mA IP65/IP66 RAL9006
02.041.1103.02.930.350.DP	Conti 95 IP Recessed LED/930, 41° 350mA IP65/IP66 RAL9006
02.041.1103.02.930.450.DALI.DP	Conti 95 IP Recessed LED/930, 41° DALI 450mA IP65/IP66 RAL9006
02.041.1103.02.930.450.DP	Conti 95 IP Recessed LED/930, 41° 450mA IP65/IP66 RAL9006

Place and date of issue of the document

Warszawa, 20.01.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
02.041.1103.02.930.500.DALI.DP	Conti 95 IP Recessed LED/930, 41° DALI 500mA IP65/IP66 RAL9006
02.041.1103.02.930.500.DP	Conti 95 IP Recessed LED/930, 41° 500mA IP65/IP66 RAL9006
02.041.1103.02.940.250.DALI.DP	Conti 95 IP Recessed LED/940, 41° DALI 250mA IP65/IP66 RAL9006
02.041.1103.02.940.250.DP	Conti 95 IP Recessed LED/940, 41° 250mA IP65/IP66 RAL9006
02.041.1103.02.940.350.DALI.DP	Conti 95 IP Recessed LED/940, 41° DALI 350mA IP65/IP66 RAL9006
02.041.1103.02.940.350.DP	Conti 95 IP Recessed LED/940, 41° 350mA IP65/IP66 RAL9006
02.041.1103.02.940.450.DALI.DP	Conti 95 IP Recessed LED/940, 41° DALI 450mA IP65/IP66 RAL9006
02.041.1103.02.940.450.DP	Conti 95 IP Recessed LED/940, 41° 450mA IP65/IP66 RAL9006
02.041.1103.02.940.500.DALI.DP	Conti 95 IP Recessed LED/940, 41° DALI 500mA IP65/IP66 RAL9006
02.041.1103.02.940.500.DP	Conti 95 IP Recessed LED/940, 41° 500mA IP65/IP66 RAL9006
02.041.1103.03.930.250.DALI.DP	Conti 95 IP Recessed LED/930, 41° DALI 250mA IP65/IP66 RAL9005
02.041.1103.03.930.250.DP	Conti 95 IP Recessed LED/930, 41° 250mA IP65/IP66 RAL9005
02.041.1103.03.930.350.DALI.DP	Conti 95 IP Recessed LED/930, 41° DALI 350mA IP65/IP66 RAL9005
02.041.1103.03.930.350.DP	Conti 95 IP Recessed LED/930, 41° 350mA IP65/IP66 RAL9005
02.041.1103.03.930.450.DALI.DP	Conti 95 IP Recessed LED/930, 41° DALI 450mA IP65/IP66 RAL9005
02.041.1103.03.930.450.DP	Conti 95 IP Recessed LED/930, 41° 450mA IP65/IP66 RAL9005
02.041.1103.03.930.500.DALI.DP	Conti 95 IP Recessed LED/930, 41° DALI 500mA IP65/IP66 RAL9005
02.041.1103.03.930.500.DP	Conti 95 IP Recessed LED/930, 41° 500mA IP65/IP66 RAL9005
02.041.1103.03.940.250.DALI.DP	Conti 95 IP Recessed LED/940, 41° DALI 250mA IP65/IP66 RAL9005
02.041.1103.03.940.250.DP	Conti 95 IP Recessed LED/940, 41° 250mA IP65/IP66 RAL9005
02.041.1103.03.940.350.DALI.DP	Conti 95 IP Recessed LED/940, 41° DALI 350mA IP65/IP66 RAL9005
02.041.1103.03.940.350.DP	Conti 95 IP Recessed LED/940, 41° 350mA IP65/IP66 RAL9005
02.041.1103.03.940.450.DALI.DP	Conti 95 IP Recessed LED/940, 41° DALI 450mA IP65/IP66 RAL9005
02.041.1103.03.940.450.DP	Conti 95 IP Recessed LED/940, 41° 450mA IP65/IP66 RAL9005
02.041.1103.03.940.500.DALI.DP	Conti 95 IP Recessed LED/940, 41° DALI 500mA IP65/IP66 RAL9005
02.041.1103.03.940.500.DP	Conti 95 IP Recessed LED/940, 41° 500mA IP65/IP66 RAL9005

Place and date of issue of the document

Warszawa, 20.01.2022



MIROSLAW RAKOCZY
V-ce PREZES