

Manufacturer: **Spectra Lighting LLC**  
**Ostródzka st. 53**  
**03-289 Warsaw**

Product name: **NOVUS 60**

Product number: **in the attachment nr 04/022**

We hereby declare, under the sole responsibility of the manufacturer, that the above product complies with the provisions of the following directives:

<b>2009/125/WE</b>	Ecodesign
<b>2011/65/UE</b>	Restriction of the use of certain hazardous substances
<b>2014/30/UE</b>	Electromagnetic Compatibility
<b>2014/35/UE</b>	Low Voltage

and the following standards:

<b>PN-EN 55015:2013</b>	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
<b>PN-EN 60529:2003</b>	Degrees of protection provided by enclosures (IP code)
<b>PN-EN 60598-1:2015</b>	Luminaires - Part 1: General requirements and tests
<b>PN-EN 61000-3-2:2014</b>	Electromagnetic compatibility (EMC) -- Part 3-2: Limits -- Limits for harmonic current emissions (equipment input current $\leq 16$ A per phase)
<b>PN-EN 61000-3-3:2013</b>	Electromagnetic compatibility (EMC) -- Part 3-3: Limits -- Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current $\leq 16$ A per phase and not subject to conditional connection
<b>PN-EN 61547:2009</b>	Equipment for general lighting purposes - EMC immunity requirements
<b>PN-EN 62493:2015</b>	Assessment of lighting equipment related to human exposure to electromagnetic fields

The product has been CE marked for the first time in the year:

**2021**

Place and date of issue of the document

**Warszawa, 28.09.2021**

  
**MIROSLAW RAKOCZY**  
**V-ce PREZES**

### ATTACHMENT

Code	Name
04.022.4100.01	Novus 60 Spot 3-phase track IN GU10 RAL9016/RAL9016
04.022.4100.03	Novus 60 Spot 3-phase track IN GU10 RAL9005/RAL9005
04.022.4100.31	Novus 60 Spot 3-phase track IN GU10 RAL9005/RAL9016
04.022.4111.01.930	Novus 60 Spot 3-phase track IN ST/930 15° 300mA RAL9016/RAL9016
04.022.4111.01.930.DALI	Novus 60 Spot 3-phase track IN ST/930 15° 300mA DALI RAL9016/RAL9016
04.022.4111.01.940	Novus 60 Spot 3-phase track IN ST/940 15° 300mA RAL9016/RAL9016
04.022.4111.01.940.DALI	Novus 60 Spot 3-phase track IN ST/940 15° 300mA DALI RAL9016/RAL9016
04.022.4111.03.930	Novus 60 Spot 3-phase track IN ST/930 15° 300mA RAL9005/RAL9005
04.022.4111.03.930.DALI	Novus 60 Spot 3-phase track IN ST/930 15° 300mA DALI RAL9005/RAL9005
04.022.4111.03.940	Novus 60 Spot 3-phase track IN ST/940 15° 300mA RAL9005/RAL9005
04.022.4111.03.940.DALI	Novus 60 Spot 3-phase track IN ST/940 15° 300mA DALI RAL9005/RAL9005
04.022.4111.31.930	Novus 60 Spot 3-phase track IN ST/930 15° 300mA RAL9005/RAL9016
04.022.4111.31.930.DALI	Novus 60 Spot 3-phase track IN ST/930 15° 300mA DALI RAL9005/RAL9016
04.022.4111.31.940	Novus 60 Spot 3-phase track IN ST/940 15° 300mA RAL9005/RAL9016
04.022.4111.31.940.DALI	Novus 60 Spot 3-phase track IN ST/940 15° 300mA DALI RAL9005/RAL9016
04.022.4112.01.930	Novus 60 Spot 3-phase track IN ST/930 22° 300mA RAL9016/RAL9016
04.022.4112.01.940	Novus 60 Spot 3-phase track IN ST/940 22° 300mA RAL9016/RAL9016
04.022.4112.01.940.DALI	Novus 60 Spot 3-phase track IN ST/940 22° 300mA DALI RAL9016/RAL9016
04.022.4112.03.930	Novus 60 Spot 3-phase track IN ST/930 22° 300mA RAL9005/RAL9005
04.022.4112.03.930.DALI	Novus 60 Spot 3-phase track IN ST/930 22° 300mA DALI RAL9005/RAL9005
04.022.4112.03.940	Novus 60 Spot 3-phase track IN ST/940 22° 300mA RAL9005/RAL9005
04.022.4112.03.940.DALI	Novus 60 Spot 3-phase track IN ST/940 22° 300mA DALI RAL9005/RAL9005
04.022.4112.31.930	Novus 60 Spot 3-phase track IN ST/930 22° 300mA RAL9005/RAL9016
04.022.4112.31.930.DALI	Novus 60 Spot 3-phase track IN ST/930 22° 300mA DALI RAL9005/RAL9016
04.022.4112.31.940	Novus 60 Spot 3-phase track IN ST/940 22° 300mA RAL9005/RAL9016
04.022.4112.31.940.DALI	Novus 60 Spot 3-phase track IN ST/940 22° 300mA DALI RAL9005/RAL9016
04.022.4113.01.930	Novus 60 Spot 3-phase track IN ST/930 44° 300mA RAL9016/RAL9016
04.022.4113.01.930.DALI	Novus 60 Spot 3-phase track IN ST/930 44° 300mA DALI RAL9016/RAL9016
04.022.4113.01.940	Novus 60 Spot 3-phase track IN ST/940 44° 300mA RAL9016/RAL9016
04.022.4113.01.940.DALI	Novus 60 Spot 3-phase track IN ST/940 44° 300mA DALI RAL9016/RAL9016
04.022.4113.03.930	Novus 60 Spot 3-phase track IN ST/930 44° 300mA RAL9005/RAL9005
04.022.4113.03.930.DALI	Novus 60 Spot 3-phase track IN ST/930 44° 300mA DALI RAL9005/RAL9005
04.022.4113.03.940	Novus 60 Spot 3-phase track IN ST/940 44° 300mA RAL9005/RAL9005
04.022.4113.03.940.DALI	Novus 60 Spot 3-phase track IN ST/940 44° 300mA DALI RAL9005/RAL9005
04.022.4113.31.930	Novus 60 Spot 3-phase track IN ST/930 44° 300mA RAL9005/RAL9016
04.022.4113.31.930.DALI	Novus 60 Spot 3-phase track IN ST/930 44° 300mA DALI RAL9005/RAL9016
04.022.4113.31.940	Novus 60 Spot 3-phase track IN ST/940 44° 300mA RAL9005/RAL9016
04.022.4113.31.940.DALI	Novus 60 Spot 3-phase track IN ST/940 44° 300mA DALI RAL9005/RAL9016
04.022.4114.01.930	Novus 60 Spot 3-phase track IN ST/930 51° 300mA RAL9016/RAL9016
04.022.4114.01.930.DALI	Novus 60 Spot 3-phase track IN ST/930 51° 300mA DALI RAL9016/RAL9016
04.022.4114.01.940	Novus 60 Spot 3-phase track IN ST/940 51° 300mA RAL9016/RAL9016
04.022.4114.01.940.DALI	Novus 60 Spot 3-phase track IN ST/940 51° 300mA DALI RAL9016/RAL9016

Place and date of issue of the document

**Warszawa, 28.09.2021**



MIROSLAW RAKOCZY  
V-ce PREZES

Code	Name
04.022.4114.03.930	Novus 60 Spot 3-phase track IN ST/930 51° 300mA RAL9005/RAL9005
04.022.4114.03.930.DALI	Novus 60 Spot 3-phase track IN ST/930 51° 300mA DALI RAL9005/RAL9005
04.022.4114.03.940	Novus 60 Spot 3-phase track IN ST/940 51° 300mA RAL9005/RAL9005
04.022.4114.03.940.DALI	Novus 60 Spot 3-phase track IN ST/940 51° 300mA DALI RAL9005/RAL9005
04.022.4114.31.930	Novus 60 Spot 3-phase track IN ST/930 51° 300mA RAL9005/RAL9016
04.022.4114.31.930.DALI	Novus 60 Spot 3-phase track IN ST/930 51° 300mA DALI RAL9005/RAL9016
04.022.4114.31.940	Novus 60 Spot 3-phase track IN ST/940 51° 300mA RAL9005/RAL9016
04.022.4114.31.940.DALI	Novus 60 Spot 3-phase track IN ST/940 51° 300mA DALI RAL9005/RAL9016
04.022.4121.01.930	Novus 60 Spot 3-phase track IN HO/930 15° 400mA RAL9016/RAL9016
04.022.4121.01.930.DALI	Novus 60 Spot 3-phase track IN HO/930 15° 400mA DALI RAL9016/RAL9016
04.022.4121.01.940	Novus 60 Spot 3-phase track IN HO/940 15° 400mA RAL9016/RAL9016
04.022.4121.01.940.DALI	Novus 60 Spot 3-phase track IN HO/940 15° 400mA DALI RAL9016/RAL9016
04.022.4121.03.930	Novus 60 Spot 3-phase track IN HO/930 15° 400mA RAL9005/RAL9005
04.022.4121.03.930.DALI	Novus 60 Spot 3-phase track IN HO/930 15° 400mA DALI RAL9005/RAL9005
04.022.4121.03.940	Novus 60 Spot 3-phase track IN HO/940 15° 400mA RAL9005/RAL9005
04.022.4121.03.940.DALI	Novus 60 Spot 3-phase track IN HO/940 15° 400mA DALI RAL9005/RAL9005
04.022.4121.31.930	Novus 60 Spot 3-phase track IN HO/930 15° 400mA RAL9005/RAL9016
04.022.4121.31.930.DALI	Novus 60 Spot 3-phase track IN HO/930 15° 400mA DALI RAL9005/RAL9016
04.022.4121.31.940	Novus 60 Spot 3-phase track IN HO/940 15° 400mA RAL9005/RAL9016
04.022.4121.31.940.DALI	Novus 60 Spot 3-phase track IN HO/940 15° 400mA DALI RAL9005/RAL9016
04.022.4122.01.930	Novus 60 Spot 3-phase track IN HO/930 22° 400mA RAL9016/RAL9016
04.022.4122.01.930.DALI	Novus 60 Spot 3-phase track IN HO/930 22° 400mA DALI RAL9016/RAL9016
04.022.4122.01.940	Novus 60 Spot 3-phase track IN HO/940 22° 400mA RAL9016/RAL9016
04.022.4122.01.940.DALI	Novus 60 Spot 3-phase track IN HO/940 22° 400mA DALI RAL9016/RAL9016
04.022.4122.03.930	Novus 60 Spot 3-phase track IN HO/930 22° 400mA RAL9005/RAL9005
04.022.4122.03.930.DALI	Novus 60 Spot 3-phase track IN HO/930 22° 400mA DALI RAL9005/RAL9005
04.022.4122.03.940	Novus 60 Spot 3-phase track IN HO/940 22° 400mA RAL9005/RAL9005
04.022.4122.03.940.DALI	Novus 60 Spot 3-phase track IN HO/940 22° 400mA DALI RAL9005/RAL9005
04.022.4122.31.930	Novus 60 Spot 3-phase track IN HO/930 22° 400mA RAL9005/RAL9016
04.022.4122.31.930.DALI	Novus 60 Spot 3-phase track IN HO/930 22° 400mA DALI RAL9005/RAL9016
04.022.4122.31.940	Novus 60 Spot 3-phase track IN HO/940 22° 400mA RAL9005/RAL9016
04.022.4122.31.940.DALI	Novus 60 Spot 3-phase track IN HO/940 22° 400mA DALI RAL9005/RAL9016
04.022.4123.01.930	Novus 60 Spot 3-phase track IN HO/930 44° 400mA RAL9016/RAL9016
04.022.4123.01.930.DALI	Novus 60 Spot 3-phase track IN HO/930 44° 400mA DALI RAL9016/RAL9016
04.022.4123.01.940	Novus 60 Spot 3-phase track IN HO/940 44° 400mA RAL9016/RAL9016
04.022.4123.01.940.DALI	Novus 60 Spot 3-phase track IN HO/940 44° 400mA DALI RAL9016/RAL9016
04.022.4123.03.930	Novus 60 Spot 3-phase track IN HO/930 44° 400mA RAL9005/RAL9005
04.022.4123.03.930.DALI	Novus 60 Spot 3-phase track IN HO/930 44° 400mA DALI RAL9005/RAL9005
04.022.4123.03.940	Novus 60 Spot 3-phase track IN HO/940 44° 400mA RAL9005/RAL9005
04.022.4123.03.940.DALI	Novus 60 Spot 3-phase track IN HO/940 44° 400mA DALI RAL9005/RAL9005
04.022.4123.31.930	Novus 60 Spot 3-phase track IN HO/930 44° 400mA RAL9005/RAL9016
04.022.4123.31.930.DALI	Novus 60 Spot 3-phase track IN HO/930 44° 400mA DALI RAL9005/RAL9016
04.022.4123.31.940	Novus 60 Spot 3-phase track IN HO/940 44° 400mA RAL9005/RAL9016
04.022.4123.31.940.DALI	Novus 60 Spot 3-phase track IN HO/940 44° 400mA DALI RAL9005/RAL9016

Place and date of issue of the document

**Warszawa, 28.09.2021**



MIROSLAW RAKOCZY  
V-ce PREZES

Code	Name
04.022.4124.01.930	Novus 60 Spot 3-phase track IN HO/930 51° 400mA RAL9016/RAL9016
04.022.4124.01.930.DALI	Novus 60 Spot 3-phase track IN HO/930 51° 400mA DALI RAL9016/RAL9016
04.022.4124.01.940	Novus 60 Spot 3-phase track IN HO/940 51° 400mA RAL9016/RAL9016
04.022.4124.01.940.DALI	Novus 60 Spot 3-phase track IN HO/940 51° 400mA DALI RAL9016/RAL9016
04.022.4124.03.930	Novus 60 Spot 3-phase track IN HO/930 51° 400mA RAL9005/RAL9005
04.022.4124.03.930.DALI	Novus 60 Spot 3-phase track IN HO/930 51° 400mA DALI RAL9005/RAL9005
04.022.4124.03.940	Novus 60 Spot 3-phase track IN HO/940 51° 400mA RAL9005/RAL9005
04.022.4124.03.940.DALI	Novus 60 Spot 3-phase track IN HO/940 51° 400mA DALI RAL9005/RAL9005
04.022.4124.31.930	Novus 60 Spot 3-phase track IN HO/930 51° 400mA RAL9005/RAL9016
04.022.4124.31.930.DALI	Novus 60 Spot 3-phase track IN HO/930 51° 400mA DALI RAL9005/RAL9016
04.022.4124.31.940	Novus 60 Spot 3-phase track IN HO/940 51° 400mA RAL9005/RAL9016
04.022.4124.31.940.DALI	Novus 60 Spot 3-phase track IN HO/940 51° 400mA DALI RAL9005/RAL9016
04.022.4150.01	Novus 60 Base Surface-mounted IN GU10 RAL9016/RAL9016
04.022.4150.03	Novus 60 Base Surface-mounted IN GU10 RAL9005/RAL9005
04.022.4150.31	Novus 60 Base Surface-mounted IN GU10 RAL9005/RAL9016
04.022.4161.01.930	Novus 60 Base Surface-mounted IN ST/930 15° 300mA RAL9016/RAL9016
04.022.4161.01.930.DALI	Novus 60 Base Surface-mounted IN ST/930 15° 300mA DALI RAL9016/RAL9016
04.022.4161.01.940	Novus 60 Base Surface-mounted IN ST/940 15° 300mA RAL9016/RAL9016
04.022.4161.01.940.DALI	Novus 60 Base Surface-mounted IN ST/940 15° 300mA DALI RAL9016/RAL9016
04.022.4161.03.930	Novus 60 Base Surface-mounted IN ST/930 15° 300mA RAL9005/RAL9005
04.022.4161.03.930.DALI	Novus 60 Base Surface-mounted IN ST/930 15° 300mA DALI RAL9005/RAL9005
04.022.4161.03.940	Novus 60 Base Surface-mounted IN ST/940 15° 300mA RAL9005/RAL9005
04.022.4161.03.940.DALI	Novus 60 Base Surface-mounted IN ST/940 15° 300mA DALI RAL9005/RAL9005
04.022.4161.31.930	Novus 60 Base Surface-mounted IN ST/930 15° 300mA RAL9005/RAL9016
04.022.4161.31.930.DALI	Novus 60 Base Surface-mounted IN ST/930 15° 300mA DALI RAL9005/RAL9016
04.022.4161.31.940	Novus 60 Base Surface-mounted IN ST/940 15° 300mA RAL9005/RAL9016
04.022.4161.31.940.DALI	Novus 60 Base Surface-mounted IN ST/940 15° 300mA DALI RAL9005/RAL9016
04.022.4162.01.930	Novus 60 Base Surface-mounted IN ST/930 22° 300mA RAL9016/RAL9016
04.022.4162.01.930.DALI	Novus 60 Base Surface-mounted IN ST/930 22° 300mA DALI RAL9016/RAL9016
04.022.4162.01.940	Novus 60 Base Surface-mounted IN ST/940 22° 300mA RAL9016/RAL9016
04.022.4162.01.940.DALI	Novus 60 Base Surface-mounted IN ST/940 22° 300mA DALI RAL9016/RAL9016
04.022.4162.03.930	Novus 60 Base Surface-mounted IN ST/930 22° 300mA RAL9005/RAL9005
04.022.4162.03.930.DALI	Novus 60 Base Surface-mounted IN ST/930 22° 300mA DALI RAL9005/RAL9005
04.022.4162.03.940	Novus 60 Base Surface-mounted IN ST/940 22° 300mA RAL9005/RAL9005
04.022.4162.03.940.DALI	Novus 60 Base Surface-mounted IN ST/940 22° 300mA DALI RAL9005/RAL9005
04.022.4162.31.930	Novus 60 Base Surface-mounted IN ST/930 22° 300mA RAL9005/RAL9016
04.022.4162.31.930.DALI	Novus 60 Base Surface-mounted IN ST/930 22° 300mA DALI RAL9005/RAL9016
04.022.4162.31.940	Novus 60 Base Surface-mounted IN ST/940 22° 300mA RAL9005/RAL9016
04.022.4162.31.940.DALI	Novus 60 Base Surface-mounted IN ST/940 22° 300mA DALI RAL9005/RAL9016
04.022.4163.01.930	Novus 60 Base Surface-mounted IN ST/930 44° 300mA RAL9016/RAL9016
04.022.4163.01.930.DALI	Novus 60 Base Surface-mounted IN ST/930 44° 300mA DALI RAL9016/RAL9016
04.022.4163.01.940	Novus 60 Base Surface-mounted IN ST/940 44° 300mA RAL9016/RAL9016
04.022.4163.01.940.DALI	Novus 60 Base Surface-mounted IN ST/940 44° 300mA DALI RAL9016/RAL9016
04.022.4163.03.930	Novus 60 Base Surface-mounted IN ST/930 44° 300mA RAL9005/RAL9005

Place and date of issue of the document

**Warszawa, 28.09.2021**



MIROSLAW-RAKOCZY  
V-ce PREZES

Code	Name
04.022.4163.03.930.DALI	Novus 60 Base Surface-mounted IN ST/930 44° 300mA DALI RAL9005/RAL9005
04.022.4163.03.940	Novus 60 Base Surface-mounted IN ST/940 44° 300mA RAL9005/RAL9005
04.022.4163.03.940.DALI	Novus 60 Base Surface-mounted IN ST/940 44° 300mA DALI RAL9005/RAL9005
04.022.4163.31.930	Novus 60 Base Surface-mounted IN ST/930 44° 300mA RAL9005/RAL9016
04.022.4163.31.930.DALI	Novus 60 Base Surface-mounted IN ST/930 44° 300mA DALI RAL9005/RAL9016
04.022.4163.31.940	Novus 60 Base Surface-mounted IN ST/940 44° 300mA RAL9005/RAL9016
04.022.4163.31.940.DALI	Novus 60 Base Surface-mounted IN ST/940 44° 300mA DALI RAL9005/RAL9016
04.022.4164.01.930	Novus 60 Base Surface-mounted IN ST/930 51° 300mA RAL9016/RAL9016
04.022.4164.01.930.DALI	Novus 60 Base Surface-mounted IN ST/930 51° 300mA DALI RAL9016/RAL9016
04.022.4164.01.940	Novus 60 Base Surface-mounted IN ST/940 51° 300mA RAL9016/RAL9016
04.022.4164.01.940.DALI	Novus 60 Base Surface-mounted IN ST/940 51° 300mA DALI RAL9016/RAL9016
04.022.4164.03.930	Novus 60 Base Surface-mounted IN ST/930 51° 300mA RAL9005/RAL9005
04.022.4164.03.930.DALI	Novus 60 Base Surface-mounted IN ST/930 51° 300mA DALI RAL9005/RAL9005
04.022.4164.03.940	Novus 60 Base Surface-mounted IN ST/940 51° 300mA RAL9005/RAL9005
04.022.4164.03.940.DALI	Novus 60 Base Surface-mounted IN ST/940 51° 300mA DALI RAL9005/RAL9005
04.022.4164.31.930	Novus 60 Base Surface-mounted IN ST/930 51° 300mA RAL9005/RAL9016
04.022.4164.31.930.DALI	Novus 60 Base Surface-mounted IN ST/930 51° 300mA DALI RAL9005/RAL9016
04.022.4164.31.940	Novus 60 Base Surface-mounted IN ST/940 51° 300mA RAL9005/RAL9016
04.022.4164.31.940.DALI	Novus 60 Base Surface-mounted IN ST/940 51° 300mA DALI RAL9005/RAL9016
04.022.4171.01.930	Novus 60 Base Surface-mounted IN HO/930 15° 400mA RAL9016/RAL9016
04.022.4171.01.930.DALI	Novus 60 Base Surface-mounted IN HO/930 15° 400mA DALI RAL9016/RAL9016
04.022.4171.01.940	Novus 60 Base Surface-mounted IN HO/940 15° 400mA RAL9016/RAL9016
04.022.4171.01.940.DALI	Novus 60 Base Surface-mounted IN HO/940 15° 400mA DALI RAL9016/RAL9016
04.022.4171.03.930	Novus 60 Base Surface-mounted IN HO/930 15° 400mA RAL9005/RAL9005
04.022.4171.03.930.DALI	Novus 60 Base Surface-mounted IN HO/930 15° 400mA DALI RAL9005/RAL9005
04.022.4171.03.940	Novus 60 Base Surface-mounted IN HO/940 15° 400mA RAL9005/RAL9005
04.022.4171.03.940.DALI	Novus 60 Base Surface-mounted IN HO/940 15° 400mA DALI RAL9005/RAL9005
04.022.4171.31.930	Novus 60 Base Surface-mounted IN HO/930 15° 400mA RAL9005/RAL9016
04.022.4171.31.930.DALI	Novus 60 Base Surface-mounted IN HO/930 15° 400mA DALI RAL9005/RAL9016
04.022.4171.31.940	Novus 60 Base Surface-mounted IN HO/940 15° 400mA RAL9005/RAL9016
04.022.4171.31.940.DALI	Novus 60 Base Surface-mounted IN HO/940 15° 400mA DALI RAL9005/RAL9016
04.022.4172.01.930	Novus 60 Base Surface-mounted IN HO/930 22° 400mA RAL9016/RAL9016
04.022.4172.01.930.DALI	Novus 60 Base Surface-mounted IN HO/930 22° 400mA DALI RAL9016/RAL9016
04.022.4172.01.940	Novus 60 Base Surface-mounted IN HO/940 22° 400mA RAL9016/RAL9016
04.022.4172.01.940.DALI	Novus 60 Base Surface-mounted IN HO/940 22° 400mA DALI RAL9016/RAL9016
04.022.4172.03.930	Novus 60 Base Surface-mounted IN HO/930 22° 400mA RAL9005/RAL9005
04.022.4172.03.930.DALI	Novus 60 Base Surface-mounted IN HO/930 22° 400mA DALI RAL9005/RAL9005
04.022.4172.03.940	Novus 60 Base Surface-mounted IN HO/940 22° 400mA RAL9005/RAL9005
04.022.4172.03.940.DALI	Novus 60 Base Surface-mounted IN HO/940 22° 400mA DALI RAL9005/RAL9005
04.022.4172.31.930	Novus 60 Base Surface-mounted IN HO/930 22° 400mA RAL9005/RAL9016
04.022.4172.31.930.DALI	Novus 60 Base Surface-mounted IN HO/930 22° 400mA DALI RAL9005/RAL9016
04.022.4172.31.940	Novus 60 Base Surface-mounted IN HO/940 22° 400mA RAL9005/RAL9016
04.022.4172.31.940.DALI	Novus 60 Base Surface-mounted IN HO/940 22° 400mA DALI RAL9005/RAL9016
04.022.4173.01.930	Novus 60 Base Surface-mounted IN HO/930 44° 400mA RAL9016/RAL9016

Place and date of issue of the document

**Warszawa, 28.09.2021**




MIROSLAW RAKOCZY  
V-ce PREZES



Code	Name
04.022.4173.01.930.DALI	Novus 60 Base Surface-mounted IN HO/930 44° 400mA DALI RAL9016/RAL9016
04.022.4173.01.940	Novus 60 Base Surface-mounted IN HO/940 44° 400mA RAL9016/RAL9016
04.022.4173.01.940.DALI	Novus 60 Base Surface-mounted IN HO/940 44° 400mA DALI RAL9016/RAL9016
04.022.4173.03.930	Novus 60 Base Surface-mounted IN HO/930 44° 400mA RAL9005/RAL9005
04.022.4173.03.930.DALI	Novus 60 Base Surface-mounted IN HO/930 44° 400mA DALI RAL9005/RAL9005
04.022.4173.03.940	Novus 60 Base Surface-mounted IN HO/940 44° 400mA RAL9005/RAL9005
04.022.4173.03.940.DALI	Novus 60 Base Surface-mounted IN HO/940 44° 400mA DALI RAL9005/RAL9005
04.022.4173.31.930	Novus 60 Base Surface-mounted IN HO/930 44° 400mA RAL9005/RAL9016
04.022.4173.31.930.DALI	Novus 60 Base Surface-mounted IN HO/930 44° 400mA DALI RAL9005/RAL9016
04.022.4173.31.940	Novus 60 Base Surface-mounted IN HO/940 44° 400mA RAL9005/RAL9016
04.022.4173.31.940.DALI	Novus 60 Base Surface-mounted IN HO/940 44° 400mA DALI RAL9005/RAL9016
04.022.4174.01.930	Novus 60 Base Surface-mounted IN HO/930 51° 400mA RAL9016/RAL9016
04.022.4174.01.930.DALI	Novus 60 Base Surface-mounted IN HO/930 51° 400mA DALI RAL9016/RAL9016
04.022.4174.01.940	Novus 60 Base Surface-mounted IN HO/940 51° 400mA RAL9016/RAL9016
04.022.4174.01.940.DALI	Novus 60 Base Surface-mounted IN HO/940 51° 400mA DALI RAL9016/RAL9016
04.022.4174.03.930	Novus 60 Base Surface-mounted IN HO/930 51° 400mA RAL9005/RAL9005
04.022.4174.03.930.DALI	Novus 60 Base Surface-mounted IN HO/930 51° 400mA DALI RAL9005/RAL9005
04.022.4174.03.940	Novus 60 Base Surface-mounted IN HO/940 51° 400mA RAL9005/RAL9005
04.022.4174.03.940.DALI	Novus 60 Base Surface-mounted IN HO/940 51° 400mA DALI RAL9005/RAL9005
04.022.4174.31.930	Novus 60 Base Surface-mounted IN HO/930 51° 400mA RAL9005/RAL9016
04.022.4174.31.930.DALI	Novus 60 Base Surface-mounted IN HO/930 51° 400mA DALI RAL9005/RAL9016
04.022.4174.31.940	Novus 60 Base Surface-mounted IN HO/940 51° 400mA RAL9005/RAL9016
04.022.4174.31.940.DALI	Novus 60 Base Surface-mounted IN HO/940 51° 400mA DALI RAL9005/RAL9016
04.022.4200.01	Novus 60 Spot 3-phase track OUT GU10 RAL9016/RAL9016
04.022.4200.03	Novus 60 Spot 3-phase track OUT GU10 RAL9005/RAL9005
04.022.4200.31	Novus 60 Spot 3-phase track OUT GU10 RAL9005/RAL9016
04.022.4211.01.930	Novus 60 Spot 3-phase track OUT ST/930 15° 300mA RAL9016/RAL9016
04.022.4211.01.930.DALI	Novus 60 Spot 3-phase track OUT ST/930 15° 300mA DALI RAL9016/RAL9016
04.022.4211.01.940	Novus 60 Spot 3-phase track OUT ST/940 15° 300mA RAL9016/RAL9016
04.022.4211.01.940.DALI	Novus 60 Spot 3-phase track OUT ST/940 15° 300mA DALI RAL9016/RAL9016
04.022.4211.03.930	Novus 60 Spot 3-phase track OUT ST/930 15° 300mA RAL9005/RAL9005
04.022.4211.03.930.DALI	Novus 60 Spot 3-phase track OUT ST/930 15° 300mA DALI RAL9005/RAL9005
04.022.4211.03.940	Novus 60 Spot 3-phase track OUT ST/940 15° 300mA RAL9005/RAL9005
04.022.4211.03.940.DALI	Novus 60 Spot 3-phase track OUT ST/940 15° 300mA DALI RAL9005/RAL9005
04.022.4211.31.930	Novus 60 Spot 3-phase track OUT ST/930 15° 300mA RAL9005/RAL9016
04.022.4211.31.930.DALI	Novus 60 Spot 3-phase track OUT ST/930 15° 300mA DALI RAL9005/RAL9016
04.022.4211.31.940	Novus 60 Spot 3-phase track OUT ST/940 15° 300mA RAL9005/RAL9016
04.022.4211.31.940.DALI	Novus 60 Spot 3-phase track OUT ST/940 15° 300mA DALI RAL9005/RAL9016
04.022.4212.01.930	Novus 60 Spot 3-phase track OUT ST/930 22° 300mA RAL9016/RAL9016
04.022.4212.01.930.DALI	Novus 60 Spot 3-phase track OUT ST/930 22° 300mA DALI RAL9016/RAL9016
04.022.4212.01.940	Novus 60 Spot 3-phase track OUT ST/940 22° 300mA RAL9016/RAL9016
04.022.4212.01.940.DALI	Novus 60 Spot 3-phase track OUT ST/940 22° 300mA DALI RAL9016/RAL9016
04.022.4212.03.930	Novus 60 Spot 3-phase track OUT ST/930 22° 300mA RAL9005/RAL9005
04.022.4212.03.930.DALI	Novus 60 Spot 3-phase track OUT ST/930 22° 300mA DALI RAL9005/RAL9005

Place and date of issue of the document

**Warszawa, 28.09.2021**



MIROSLAW RAKOCZY  
V-ce PREZES

**Code****Name**

04.022.4212.03.940	Novus 60 Spot 3-phase track OUT ST/940 22° 300mA RAL9005/RAL9005
04.022.4212.03.940.DALI	Novus 60 Spot 3-phase track OUT ST/940 22° 300mA DALI RAL9005/RAL9005
04.022.4212.31.930	Novus 60 Spot 3-phase track OUT ST/930 22° 300mA RAL9005/RAL9016
04.022.4212.31.930.DALI	Novus 60 Spot 3-phase track OUT ST/930 22° 300mA DALI RAL9005/RAL9016
04.022.4212.31.940	Novus 60 Spot 3-phase track OUT ST/940 22° 300mA RAL9005/RAL9016
04.022.4212.31.940.DALI	Novus 60 Spot 3-phase track OUT ST/940 22° 300mA DALI RAL9005/RAL9016
04.022.4213.01.930	Novus 60 Spot 3-phase track OUT ST/930 44° 300mA RAL9016/RAL9016
04.022.4213.01.930.DALI	Novus 60 Spot 3-phase track OUT ST/930 44° 300mA DALI RAL9016/RAL9016
04.022.4213.01.940	Novus 60 Spot 3-phase track OUT ST/940 44° 300mA RAL9016/RAL9016
04.022.4213.01.940.DALI	Novus 60 Spot 3-phase track OUT ST/940 44° 300mA DALI RAL9016/RAL9016
04.022.4213.03.930	Novus 60 Spot 3-phase track OUT ST/930 44° 300mA RAL9005/RAL9005
04.022.4213.03.930.DALI	Novus 60 Spot 3-phase track OUT ST/930 44° 300mA DALI RAL9005/RAL9005
04.022.4213.03.940	Novus 60 Spot 3-phase track OUT ST/940 44° 300mA RAL9005/RAL9005
04.022.4213.03.940.DALI	Novus 60 Spot 3-phase track OUT ST/940 44° 300mA DALI RAL9005/RAL9005
04.022.4213.31.930	Novus 60 Spot 3-phase track OUT ST/930 44° 300mA RAL9005/RAL9016
04.022.4213.31.930.DALI	Novus 60 Spot 3-phase track OUT ST/930 44° 300mA DALI RAL9005/RAL9016
04.022.4213.31.940	Novus 60 Spot 3-phase track OUT ST/940 44° 300mA RAL9005/RAL9016
04.022.4213.31.940.DALI	Novus 60 Spot 3-phase track OUT ST/940 44° 300mA DALI RAL9005/RAL9016
04.022.4214.01.930	Novus 60 Spot 3-phase track OUT ST/930 48° 300mA RAL9016/RAL9016
04.022.4214.01.930.DALI	Novus 60 Spot 3-phase track OUT ST/930 48° 300mA DALI RAL9016/RAL9016
04.022.4214.01.940	Novus 60 Spot 3-phase track OUT ST/940 48° 300mA RAL9016/RAL9016
04.022.4214.01.940.DALI	Novus 60 Spot 3-phase track OUT ST/940 48° 300mA DALI RAL9016/RAL9016
04.022.4214.03.930	Novus 60 Spot 3-phase track OUT ST/930 48° 300mA RAL9005/RAL9005
04.022.4214.03.930.DALI	Novus 60 Spot 3-phase track OUT ST/930 48° 300mA DALI RAL9005/RAL9005
04.022.4214.03.940	Novus 60 Spot 3-phase track OUT ST/940 48° 300mA RAL9005/RAL9005
04.022.4214.03.940.DALI	Novus 60 Spot 3-phase track OUT ST/940 48° 300mA DALI RAL9005/RAL9005
04.022.4214.31.930	Novus 60 Spot 3-phase track OUT ST/930 48° 300mA RAL9005/RAL9016
04.022.4214.31.930.DALI	Novus 60 Spot 3-phase track OUT ST/930 48° 300mA DALI RAL9005/RAL9016
04.022.4214.31.940	Novus 60 Spot 3-phase track OUT ST/940 48° 300mA RAL9005/RAL9016
04.022.4214.31.940.DALI	Novus 60 Spot 3-phase track OUT ST/940 48° 300mA DALI RAL9005/RAL9016
04.022.4221.01.930	Novus 60 Spot 3-phase track OUT HO/930 15° 400mA RAL9016/RAL9016
04.022.4221.01.930.DALI	Novus 60 Spot 3-phase track OUT HO/930 15° 400mA DALI RAL9016/RAL9016
04.022.4221.01.940	Novus 60 Spot 3-phase track OUT HO/940 15° 400mA RAL9016/RAL9016
04.022.4221.01.940.DALI	Novus 60 Spot 3-phase track OUT HO/940 15° 400mA DALI RAL9016/RAL9016
04.022.4221.03.930	Novus 60 Spot 3-phase track OUT HO/930 15° 400mA RAL9005/RAL9005
04.022.4221.03.930.DALI	Novus 60 Spot 3-phase track OUT HO/930 15° 400mA DALI RAL9005/RAL9005
04.022.4221.03.940	Novus 60 Spot 3-phase track OUT HO/940 15° 400mA RAL9005/RAL9005
04.022.4221.03.940.DALI	Novus 60 Spot 3-phase track OUT HO/940 15° 400mA DALI RAL9005/RAL9005
04.022.4221.31.930	Novus 60 Spot 3-phase track OUT HO/930 15° 400mA RAL9005/RAL9016
04.022.4221.31.930.DALI	Novus 60 Spot 3-phase track OUT HO/930 15° 400mA DALI RAL9005/RAL9016
04.022.4221.31.940	Novus 60 Spot 3-phase track OUT HO/940 15° 400mA RAL9005/RAL9016
04.022.4221.31.940.DALI	Novus 60 Spot 3-phase track OUT HO/940 15° 400mA DALI RAL9005/RAL9016
04.022.4222.01.930	Novus 60 Spot 3-phase track OUT HO/930 22° 400mA RAL9016/RAL9016
04.022.4222.01.930.DALI	Novus 60 Spot 3-phase track OUT HO/930 22° 400mA DALI RAL9016/RAL9016

Place and date of issue of the document

**Warszawa, 28.09.2021**  
MIROSLAW-RAKOCZY  
V-ce PREZES

Code	Name
04.022.4222.01.940	Novus 60 Spot 3-phase track OUT HO/940 22° 400mA RAL9016/RAL9016
04.022.4222.01.940.DALI	Novus 60 Spot 3-phase track OUT HO/940 22° 400mA DALI RAL9016/RAL9016
04.022.4222.03.930	Novus 60 Spot 3-phase track OUT HO/930 22° 400mA RAL9005/RAL9005
04.022.4222.03.930.DALI	Novus 60 Spot 3-phase track OUT HO/930 22° 400mA DALI RAL9005/RAL9005
04.022.4222.03.940	Novus 60 Spot 3-phase track OUT HO/940 22° 400mA RAL9005/RAL9005
04.022.4222.03.940.DALI	Novus 60 Spot 3-phase track OUT HO/940 22° 400mA DALI RAL9005/RAL9005
04.022.4222.31.930	Novus 60 Spot 3-phase track OUT HO/930 22° 400mA RAL9005/RAL9016
04.022.4222.31.930.DALI	Novus 60 Spot 3-phase track OUT HO/930 22° 400mA DALI RAL9005/RAL9016
04.022.4222.31.940	Novus 60 Spot 3-phase track OUT HO/940 22° 400mA RAL9005/RAL9016
04.022.4222.31.940.DALI	Novus 60 Spot 3-phase track OUT HO/940 22° 400mA DALI RAL9005/RAL9016
04.022.4223.01.930	Novus 60 Spot 3-phase track OUT HO/930 44° 400mA RAL9016/RAL9016
04.022.4223.01.930.DALI	Novus 60 Spot 3-phase track OUT HO/930 44° 400mA DALI RAL9016/RAL9016
04.022.4223.01.940	Novus 60 Spot 3-phase track OUT HO/940 44° 400mA RAL9016/RAL9016
04.022.4223.01.940.DALI	Novus 60 Spot 3-phase track OUT HO/940 44° 400mA DALI RAL9016/RAL9016
04.022.4223.03.930	Novus 60 Spot 3-phase track OUT HO/930 44° 400mA RAL9005/RAL9005
04.022.4223.03.930.DALI	Novus 60 Spot 3-phase track OUT HO/930 44° 400mA DALI RAL9005/RAL9005
04.022.4223.03.940	Novus 60 Spot 3-phase track OUT HO/940 44° 400mA RAL9005/RAL9005
04.022.4223.03.940.DALI	Novus 60 Spot 3-phase track OUT HO/940 44° 400mA DALI RAL9005/RAL9005
04.022.4223.31.930	Novus 60 Spot 3-phase track OUT HO/930 44° 400mA RAL9005/RAL9016
04.022.4223.31.930.DALI	Novus 60 Spot 3-phase track OUT HO/930 44° 400mA DALI RAL9005/RAL9016
04.022.4223.31.940	Novus 60 Spot 3-phase track OUT HO/940 44° 400mA RAL9005/RAL9016
04.022.4223.31.940.DALI	Novus 60 Spot 3-phase track OUT HO/940 44° 400mA DALI RAL9005/RAL9016
04.022.4224.01.930	Novus 60 Spot 3-phase track OUT HO/930 48° 400mA RAL9016/RAL9016
04.022.4224.01.930.DALI	Novus 60 Spot 3-phase track OUT HO/930 48° 400mA DALI RAL9016/RAL9016
04.022.4224.01.940	Novus 60 Spot 3-phase track OUT HO/940 48° 400mA RAL9016/RAL9016
04.022.4224.01.940.DALI	Novus 60 Spot 3-phase track OUT HO/940 48° 400mA DALI RAL9016/RAL9016
04.022.4224.03.930	Novus 60 Spot 3-phase track OUT HO/930 48° 400mA RAL9005/RAL9005
04.022.4224.03.930.DALI	Novus 60 Spot 3-phase track OUT HO/930 48° 400mA DALI RAL9005/RAL9005
04.022.4224.03.940	Novus 60 Spot 3-phase track OUT HO/940 48° 400mA RAL9005/RAL9005
04.022.4224.03.940.DALI	Novus 60 Spot 3-phase track OUT HO/940 48° 400mA DALI RAL9005/RAL9005
04.022.4224.31.930	Novus 60 Spot 3-phase track OUT HO/930 48° 400mA RAL9005/RAL9016
04.022.4224.31.930.DALI	Novus 60 Spot 3-phase track OUT HO/930 48° 400mA DALI RAL9005/RAL9016
04.022.4224.31.940	Novus 60 Spot 3-phase track OUT HO/940 48° 400mA RAL9005/RAL9016
04.022.4224.31.940.DALI	Novus 60 Spot 3-phase track OUT HO/940 48° 400mA DALI RAL9005/RAL9016
04.022.4250.01	Novus 60 Base Surface-mounted OUT GU10 RAL9016/RAL9016
04.022.4250.03	Novus 60 Base Surface-mounted OUT GU10 RAL9005/RAL9005
04.022.4250.31	Novus 60 Base Surface-mounted OUT GU10 RAL9005/RAL9016
04.022.4261.01.930	Novus 60 Base Surface-mounted OUT ST/930 15° 300mA RAL9016/RAL9016
04.022.4261.01.930.DALI	Novus 60 Base Surface-mounted OUT ST/930 15° 300mA DALI RAL9016/RAL9016
04.022.4261.01.940	Novus 60 Base Surface-mounted OUT ST/940 15° 300mA RAL9016/RAL9016
04.022.4261.01.940.DALI	Novus 60 Base Surface-mounted OUT ST/940 15° 300mA DALI RAL9016/RAL9016
04.022.4261.03.930	Novus 60 Base Surface-mounted OUT ST/930 15° 300mA RAL9005/RAL9005
04.022.4261.03.930.DALI	Novus 60 Base Surface-mounted OUT ST/930 15° 300mA DALI RAL9005/RAL9005
04.022.4261.03.940	Novus 60 Base Surface-mounted OUT ST/940 15° 300mA RAL9005/RAL9005

Place and date of issue of the document

**Warszawa, 28.09.2021**



MIROSLAW RAKOCZY  
V-ce PREZES



Code	Name
04.022.4261.03.940.DALI	Novus 60 Base Surface-mounted OUT ST/940 15° 300mA DALI RAL9005/RAL9005
04.022.4261.31.930	Novus 60 Base Surface-mounted OUT ST/930 15° 300mA RAL9005/RAL9016
04.022.4261.31.930.DALI	Novus 60 Base Surface-mounted OUT ST/930 15° 300mA DALI RAL9005/RAL9016
04.022.4261.31.940	Novus 60 Base Surface-mounted OUT ST/940 15° 300mA RAL9005/RAL9016
04.022.4261.31.940.DALI	Novus 60 Base Surface-mounted OUT ST/940 15° 300mA DALI RAL9005/RAL9016
04.022.4262.01.930	Novus 60 Base Surface-mounted OUT ST/930 22° 300mA RAL9016/RAL9016
04.022.4262.01.930.DALI	Novus 60 Base Surface-mounted OUT ST/930 22° 300mA DALI RAL9016/RAL9016
04.022.4262.01.940	Novus 60 Base Surface-mounted OUT ST/940 22° 300mA RAL9016/RAL9016
04.022.4262.01.940.DALI	Novus 60 Base Surface-mounted OUT ST/940 22° 300mA DALI RAL9016/RAL9016
04.022.4262.03.930	Novus 60 Base Surface-mounted OUT ST/930 22° 300mA RAL9005/RAL9005
04.022.4262.03.930.DALI	Novus 60 Base Surface-mounted OUT ST/930 22° 300mA DALI RAL9005/RAL9005
04.022.4262.03.940	Novus 60 Base Surface-mounted OUT ST/940 22° 300mA RAL9005/RAL9005
04.022.4262.03.940.DALI	Novus 60 Base Surface-mounted OUT ST/940 22° 300mA DALI RAL9005/RAL9005
04.022.4262.31.930	Novus 60 Base Surface-mounted OUT ST/930 22° 300mA RAL9005/RAL9016
04.022.4262.31.930.DALI	Novus 60 Base Surface-mounted OUT ST/930 22° 300mA DALI RAL9005/RAL9016
04.022.4262.31.940	Novus 60 Base Surface-mounted OUT ST/940 22° 300mA RAL9005/RAL9016
04.022.4262.31.940.DALI	Novus 60 Base Surface-mounted OUT ST/940 22° 300mA DALI RAL9005/RAL9016
04.022.4263.01.930	Novus 60 Base Surface-mounted OUT ST/930 44° 300mA RAL9016/RAL9016
04.022.4263.01.930.DALI	Novus 60 Base Surface-mounted OUT ST/930 44° 300mA DALI RAL9016/RAL9016
04.022.4263.01.940	Novus 60 Base Surface-mounted OUT ST/940 44° 300mA RAL9016/RAL9016
04.022.4263.01.940.DALI	Novus 60 Base Surface-mounted OUT ST/940 44° 300mA DALI RAL9016/RAL9016
04.022.4263.03.930	Novus 60 Base Surface-mounted OUT ST/930 44° 300mA RAL9005/RAL9005
04.022.4263.03.930.DALI	Novus 60 Base Surface-mounted OUT ST/930 44° 300mA DALI RAL9005/RAL9005
04.022.4263.03.940	Novus 60 Base Surface-mounted OUT ST/940 44° 300mA RAL9005/RAL9005
04.022.4263.03.940.DALI	Novus 60 Base Surface-mounted OUT ST/940 44° 300mA DALI RAL9005/RAL9005
04.022.4263.31.930	Novus 60 Base Surface-mounted OUT ST/930 44° 300mA RAL9005/RAL9016
04.022.4263.31.930.DALI	Novus 60 Base Surface-mounted OUT ST/930 44° 300mA DALI RAL9005/RAL9016
04.022.4263.31.940	Novus 60 Base Surface-mounted OUT ST/940 44° 300mA RAL9005/RAL9016
04.022.4263.31.940.DALI	Novus 60 Base Surface-mounted OUT ST/940 44° 300mA DALI RAL9005/RAL9016
04.022.4264.01.930	Novus 60 Base Surface-mounted OUT ST/930 48° 300mA RAL9016/RAL9016
04.022.4264.01.930.DALI	Novus 60 Base Surface-mounted OUT ST/930 48° 300mA DALI RAL9016/RAL9016
04.022.4264.01.940	Novus 60 Base Surface-mounted OUT ST/940 48° 300mA RAL9016/RAL9016
04.022.4264.01.940.DALI	Novus 60 Base Surface-mounted OUT ST/940 48° 300mA DALI RAL9016/RAL9016
04.022.4264.03.930	Novus 60 Base Surface-mounted OUT ST/930 48° 300mA RAL9005/RAL9005
04.022.4264.03.930.DALI	Novus 60 Base Surface-mounted OUT ST/930 48° 300mA DALI RAL9005/RAL9005
04.022.4264.03.940	Novus 60 Base Surface-mounted OUT ST/940 48° 300mA RAL9005/RAL9005
04.022.4264.03.940.DALI	Novus 60 Base Surface-mounted OUT ST/940 48° 300mA DALI RAL9005/RAL9005
04.022.4264.31.930	Novus 60 Base Surface-mounted OUT ST/930 48° 300mA RAL9005/RAL9016
04.022.4264.31.930.DALI	Novus 60 Base Surface-mounted OUT ST/930 48° 300mA DALI RAL9005/RAL9016
04.022.4264.31.940	Novus 60 Base Surface-mounted OUT ST/940 48° 300mA RAL9005/RAL9016
04.022.4264.31.940.DALI	Novus 60 Base Surface-mounted OUT ST/940 48° 300mA DALI RAL9005/RAL9016
04.022.4271.01.930	Novus 60 Base Surface-mounted OUT HO/930 15° 400mA RAL9016/RAL9016
04.022.4271.01.930.DALI	Novus 60 Base Surface-mounted OUT HO/930 15° 400mA DALI RAL9016/RAL9016
04.022.4271.01.940	Novus 60 Base Surface-mounted OUT HO/940 15° 400mA RAL9016/RAL9016

Place and date of issue of the document

**Warszawa, 28.09.2021**



MIROSLAW RAKOCZY  
V-ce PREZES

Code	Name
04.022.4271.01.940.DALI	Novus 60 Base Surface-mounted OUT HO/940 15° 400mA DALI RAL9016/RAL9016
04.022.4271.03.930	Novus 60 Base Surface-mounted OUT HO/930 15° 400mA RAL9005/RAL9005
04.022.4271.03.930.DALI	Novus 60 Base Surface-mounted OUT HO/930 15° 400mA DALI RAL9005/RAL9005
04.022.4271.03.940	Novus 60 Base Surface-mounted OUT HO/940 15° 400mA RAL9005/RAL9005
04.022.4271.03.940.DALI	Novus 60 Base Surface-mounted OUT HO/940 15° 400mA DALI RAL9005/RAL9005
04.022.4271.31.930	Novus 60 Base Surface-mounted OUT HO/930 15° 400mA RAL9005/RAL9016
04.022.4271.31.930.DALI	Novus 60 Base Surface-mounted OUT HO/930 15° 400mA DALI RAL9005/RAL9016
04.022.4271.31.940	Novus 60 Base Surface-mounted OUT HO/940 15° 400mA RAL9005/RAL9016
04.022.4271.31.940.DALI	Novus 60 Base Surface-mounted OUT HO/940 15° 400mA DALI RAL9005/RAL9016
04.022.4272.01.930	Novus 60 Base Surface-mounted OUT HO/930 22° 400mA RAL9016/RAL9016
04.022.4272.01.930.DALI	Novus 60 Base Surface-mounted OUT HO/930 22° 400mA DALI RAL9016/RAL9016
04.022.4272.01.940	Novus 60 Base Surface-mounted OUT HO/940 22° 400mA RAL9016/RAL9016
04.022.4272.01.940.DALI	Novus 60 Base Surface-mounted OUT HO/940 22° 400mA DALI RAL9016/RAL9016
04.022.4272.03.930	Novus 60 Base Surface-mounted OUT HO/930 22° 400mA RAL9005/RAL9005
04.022.4272.03.930.DALI	Novus 60 Base Surface-mounted OUT HO/930 22° 400mA DALI RAL9005/RAL9005
04.022.4272.03.940	Novus 60 Base Surface-mounted OUT HO/940 22° 400mA RAL9005/RAL9005
04.022.4272.03.940.DALI	Novus 60 Base Surface-mounted OUT HO/940 22° 400mA DALI RAL9005/RAL9005
04.022.4272.31.930	Novus 60 Base Surface-mounted OUT HO/930 22° 400mA RAL9005/RAL9016
04.022.4272.31.930.DALI	Novus 60 Base Surface-mounted OUT HO/930 22° 400mA DALI RAL9005/RAL9016
04.022.4272.31.940	Novus 60 Base Surface-mounted OUT HO/940 22° 400mA RAL9005/RAL9016
04.022.4272.31.940.DALI	Novus 60 Base Surface-mounted OUT HO/940 22° 400mA DALI RAL9005/RAL9016
04.022.4273.01.930	Novus 60 Base Surface-mounted OUT HO/930 44° 400mA RAL9016/RAL9016
04.022.4273.01.930.DALI	Novus 60 Base Surface-mounted OUT HO/930 44° 400mA DALI RAL9016/RAL9016
04.022.4273.01.940	Novus 60 Base Surface-mounted OUT HO/940 44° 400mA RAL9016/RAL9016
04.022.4273.01.940.DALI	Novus 60 Base Surface-mounted OUT HO/940 44° 400mA DALI RAL9016/RAL9016
04.022.4273.03.930	Novus 60 Base Surface-mounted OUT HO/930 44° 400mA RAL9005/RAL9005
04.022.4273.03.930.DALI	Novus 60 Base Surface-mounted OUT HO/930 44° 400mA DALI RAL9005/RAL9005
04.022.4273.03.940	Novus 60 Base Surface-mounted OUT HO/940 44° 400mA RAL9005/RAL9005
04.022.4273.03.940.DALI	Novus 60 Base Surface-mounted OUT HO/940 44° 400mA DALI RAL9005/RAL9005
04.022.4273.31.930	Novus 60 Base Surface-mounted OUT HO/930 44° 400mA RAL9005/RAL9016
04.022.4273.31.930.DALI	Novus 60 Base Surface-mounted OUT HO/930 44° 400mA DALI RAL9005/RAL9016
04.022.4273.31.940	Novus 60 Base Surface-mounted OUT HO/940 44° 400mA RAL9005/RAL9016
04.022.4273.31.940.DALI	Novus 60 Base Surface-mounted OUT HO/940 44° 400mA DALI RAL9005/RAL9016
04.022.4274.01.930	Novus 60 Base Surface-mounted OUT HO/930 48° 400mA RAL9016/RAL9016
04.022.4274.01.930.DALI	Novus 60 Base Surface-mounted OUT HO/930 48° 400mA DALI RAL9016/RAL9016
04.022.4274.01.940	Novus 60 Base Surface-mounted OUT HO/940 48° 400mA RAL9016/RAL9016
04.022.4274.01.940.DALI	Novus 60 Base Surface-mounted OUT HO/940 48° 400mA DALI RAL9016/RAL9016
04.022.4274.03.930	Novus 60 Base Surface-mounted OUT HO/930 48° 400mA RAL9005/RAL9005
04.022.4274.03.930.DALI	Novus 60 Base Surface-mounted OUT HO/930 48° 400mA DALI RAL9005/RAL9005
04.022.4274.03.940	Novus 60 Base Surface-mounted OUT HO/940 48° 400mA RAL9005/RAL9005
04.022.4274.03.940.DALI	Novus 60 Base Surface-mounted OUT HO/940 48° 400mA DALI RAL9005/RAL9005
04.022.4274.31.930	Novus 60 Base Surface-mounted OUT HO/930 48° 400mA RAL9005/RAL9016
04.022.4274.31.930.DALI	Novus 60 Base Surface-mounted OUT HO/930 48° 400mA DALI RAL9005/RAL9016
04.022.4274.31.940	Novus 60 Base Surface-mounted OUT HO/940 48° 400mA RAL9005/RAL9016

Place and date of issue of the document

**Warszawa, 28.09.2021**



MIROSLAW RAKOCZY  
V-ce PREZES

Code	Name
04.022.4274.31.940.DALI	Novus 60 Base Surface-mounted OUT HO/940 48° 400mA DALI RAL9005/RAL9016
04.022.4300.01	Novus 60 Surface-mounted IN GU10 RAL9016/RAL9016
04.022.4300.03	Novus 60 Surface-mounted IN GU10 RAL9005/RAL9005
04.022.4300.31	Novus 60 Surface-mounted IN GU10 RAL9005/RAL9016
04.022.4311.01.930	Novus 60 Surface-mounted IN ST/930 15° 300mA RAL9016/RAL9016
04.022.4311.01.930.DALI	Novus 60 Surface-mounted IN ST/930 15° 300mA DALI RAL9016/RAL9016
04.022.4311.01.940	Novus 60 Surface-mounted IN ST/940 15° 300mA RAL9016/RAL9016
04.022.4311.01.940.DALI	Novus 60 Surface-mounted IN ST/940 15° 300mA DALI RAL9016/RAL9016
04.022.4311.03.930	Novus 60 Surface-mounted IN ST/930 15° 300mA RAL9005/RAL9005
04.022.4311.03.930.DALI	Novus 60 Surface-mounted IN ST/930 15° 300mA DALI RAL9005/RAL9005
04.022.4311.03.940	Novus 60 Surface-mounted IN ST/940 15° 300mA RAL9005/RAL9005
04.022.4311.03.940.DALI	Novus 60 Surface-mounted IN ST/940 15° 300mA DALI RAL9005/RAL9005
04.022.4311.31.930	Novus 60 Surface-mounted IN ST/930 15° 300mA RAL9005/RAL9016
04.022.4311.31.930.DALI	Novus 60 Surface-mounted IN ST/930 15° 300mA DALI RAL9005/RAL9016
04.022.4311.31.940	Novus 60 Surface-mounted IN ST/940 15° 300mA RAL9005/RAL9016
04.022.4311.31.940.DALI	Novus 60 Surface-mounted IN ST/940 15° 300mA DALI RAL9005/RAL9016
04.022.4312.01.930	Novus 60 Surface-mounted IN ST/930 22° 300mA RAL9016/RAL9016
04.022.4312.01.930.DALI	Novus 60 Surface-mounted IN ST/930 22° 300mA DALI RAL9016/RAL9016
04.022.4312.01.940	Novus 60 Surface-mounted IN ST/940 22° 300mA RAL9016/RAL9016
04.022.4312.01.940.DALI	Novus 60 Surface-mounted IN ST/940 22° 300mA DALI RAL9016/RAL9016
04.022.4312.03.930	Novus 60 Surface-mounted IN ST/930 22° 300mA RAL9005/RAL9005
04.022.4312.03.930.DALI	Novus 60 Surface-mounted IN ST/930 22° 300mA DALI RAL9005/RAL9005
04.022.4312.03.940	Novus 60 Surface-mounted IN ST/940 22° 300mA RAL9005/RAL9005
04.022.4312.03.940.DALI	Novus 60 Surface-mounted IN ST/940 22° 300mA DALI RAL9005/RAL9005
04.022.4312.31.930	Novus 60 Surface-mounted IN ST/930 22° 300mA RAL9005/RAL9016
04.022.4312.31.930.DALI	Novus 60 Surface-mounted IN ST/930 22° 300mA DALI RAL9005/RAL9016
04.022.4312.31.940	Novus 60 Surface-mounted IN ST/940 22° 300mA RAL9005/RAL9016
04.022.4312.31.940.DALI	Novus 60 Surface-mounted IN ST/940 22° 300mA DALI RAL9005/RAL9016
04.022.4313.01.930	Novus 60 Surface-mounted IN ST/930 44° 300mA RAL9016/RAL9016
04.022.4313.01.930.DALI	Novus 60 Surface-mounted IN ST/930 44° 300mA DALI RAL9016/RAL9016
04.022.4313.01.940	Novus 60 Surface-mounted IN ST/940 44° 300mA RAL9016/RAL9016
04.022.4313.01.940.DALI	Novus 60 Surface-mounted IN ST/940 44° 300mA DALI RAL9016/RAL9016
04.022.4313.03.930	Novus 60 Surface-mounted IN ST/930 44° 300mA RAL9005/RAL9005
04.022.4313.03.930.DALI	Novus 60 Surface-mounted IN ST/930 44° 300mA DALI RAL9005/RAL9005
04.022.4313.03.940	Novus 60 Surface-mounted IN ST/940 44° 300mA RAL9005/RAL9005
04.022.4313.03.940.DALI	Novus 60 Surface-mounted IN ST/940 44° 300mA DALI RAL9005/RAL9005
04.022.4313.31.930	Novus 60 Surface-mounted IN ST/930 44° 300mA RAL9005/RAL9016
04.022.4313.31.930.DALI	Novus 60 Surface-mounted IN ST/930 44° 300mA DALI RAL9005/RAL9016
04.022.4313.31.940	Novus 60 Surface-mounted IN ST/940 44° 300mA RAL9005/RAL9016
04.022.4313.31.940.DALI	Novus 60 Surface-mounted IN ST/940 44° 300mA DALI RAL9005/RAL9016
04.022.4314.01.930	Novus 60 Surface-mounted IN ST/930 51° 300mA RAL9016/RAL9016
04.022.4314.01.930.DALI	Novus 60 Surface-mounted IN ST/930 51° 300mA DALI RAL9016/RAL9016
04.022.4314.01.940	Novus 60 Surface-mounted IN ST/940 51° 300mA RAL9016/RAL9016
04.022.4314.01.940.DALI	Novus 60 Surface-mounted IN ST/940 51° 300mA DALI RAL9016/RAL9016

Place and date of issue of the document

**Warszawa, 28.09.2021**



MIROSLAW RAKOCZY  
V-ce PREZES

Code	Name
04.022.4314.03.930	Novus 60 Surface-mounted IN ST/930 51° 300mA RAL9005/RAL9005
04.022.4314.03.930.DALI	Novus 60 Surface-mounted IN ST/930 51° 300mA DALI RAL9005/RAL9005
04.022.4314.03.940	Novus 60 Surface-mounted IN ST/940 51° 300mA RAL9005/RAL9005
04.022.4314.03.940.DALI	Novus 60 Surface-mounted IN ST/940 51° 300mA DALI RAL9005/RAL9005
04.022.4314.31.930	Novus 60 Surface-mounted IN ST/930 51° 300mA RAL9005/RAL9016
04.022.4314.31.930.DALI	Novus 60 Surface-mounted IN ST/930 51° 300mA DALI RAL9005/RAL9016
04.022.4314.31.940	Novus 60 Surface-mounted IN ST/940 51° 300mA RAL9005/RAL9016
04.022.4314.31.940.DALI	Novus 60 Surface-mounted IN ST/940 51° 300mA DALI RAL9005/RAL9016
04.022.4321.01.930	Novus 60 Surface-mounted IN HO/930 15° 400mA RAL9016/RAL9016
04.022.4321.01.930.DALI	Novus 60 Surface-mounted IN HO/930 15° 400mA DALI RAL9016/RAL9016
04.022.4321.01.940	Novus 60 Surface-mounted IN HO/940 15° 400mA RAL9016/RAL9016
04.022.4321.01.940.DALI	Novus 60 Surface-mounted IN HO/940 15° 400mA DALI RAL9016/RAL9016
04.022.4321.03.930	Novus 60 Surface-mounted IN HO/930 15° 400mA RAL9005/RAL9005
04.022.4321.03.930.DALI	Novus 60 Surface-mounted IN HO/930 15° 400mA DALI RAL9005/RAL9005
04.022.4321.03.940	Novus 60 Surface-mounted IN HO/940 15° 400mA RAL9005/RAL9005
04.022.4321.03.940.DALI	Novus 60 Surface-mounted IN HO/940 15° 400mA DALI RAL9005/RAL9005
04.022.4321.31.930	Novus 60 Surface-mounted IN HO/930 15° 400mA RAL9005/RAL9016
04.022.4321.31.930.DALI	Novus 60 Surface-mounted IN HO/930 15° 400mA DALI RAL9005/RAL9016
04.022.4321.31.940	Novus 60 Surface-mounted IN HO/940 15° 400mA RAL9005/RAL9016
04.022.4321.31.940.DALI	Novus 60 Surface-mounted IN HO/940 15° 400mA DALI RAL9005/RAL9016
04.022.4322.01.930	Novus 60 Surface-mounted IN HO/930 22° 400mA RAL9016/RAL9016
04.022.4322.01.930.DALI	Novus 60 Surface-mounted IN HO/930 22° 400mA DALI RAL9016/RAL9016
04.022.4322.01.940	Novus 60 Surface-mounted IN HO/940 22° 400mA RAL9016/RAL9016
04.022.4322.01.940.DALI	Novus 60 Surface-mounted IN HO/940 22° 400mA DALI RAL9016/RAL9016
04.022.4322.03.930	Novus 60 Surface-mounted IN HO/930 22° 400mA RAL9005/RAL9005
04.022.4322.03.930.DALI	Novus 60 Surface-mounted IN HO/930 22° 400mA DALI RAL9005/RAL9005
04.022.4322.03.940	Novus 60 Surface-mounted IN HO/940 22° 400mA RAL9005/RAL9005
04.022.4322.03.940.DALI	Novus 60 Surface-mounted IN HO/940 22° 400mA DALI RAL9005/RAL9005
04.022.4322.31.930	Novus 60 Surface-mounted IN HO/930 22° 400mA RAL9005/RAL9016
04.022.4322.31.930.DALI	Novus 60 Surface-mounted IN HO/930 22° 400mA DALI RAL9005/RAL9016
04.022.4322.31.940	Novus 60 Surface-mounted IN HO/940 22° 400mA RAL9005/RAL9016
04.022.4322.31.940.DALI	Novus 60 Surface-mounted IN HO/940 22° 400mA DALI RAL9005/RAL9016
04.022.4323.01.930	Novus 60 Surface-mounted IN HO/930 44° 400mA RAL9016/RAL9016
04.022.4323.01.930.DALI	Novus 60 Surface-mounted IN HO/930 44° 400mA DALI RAL9016/RAL9016
04.022.4323.01.940	Novus 60 Surface-mounted IN HO/940 44° 400mA RAL9016/RAL9016
04.022.4323.01.940.DALI	Novus 60 Surface-mounted IN HO/940 44° 400mA DALI RAL9016/RAL9016
04.022.4323.03.930	Novus 60 Surface-mounted IN HO/930 44° 400mA RAL9005/RAL9005
04.022.4323.03.930.DALI	Novus 60 Surface-mounted IN HO/930 44° 400mA DALI RAL9005/RAL9005
04.022.4323.03.940	Novus 60 Surface-mounted IN HO/940 44° 400mA RAL9005/RAL9005
04.022.4323.03.940.DALI	Novus 60 Surface-mounted IN HO/940 44° 400mA DALI RAL9005/RAL9005
04.022.4323.31.930	Novus 60 Surface-mounted IN HO/930 44° 400mA RAL9005/RAL9016
04.022.4323.31.930.DALI	Novus 60 Surface-mounted IN HO/930 44° 400mA DALI RAL9005/RAL9016
04.022.4323.31.940	Novus 60 Surface-mounted IN HO/940 44° 400mA RAL9005/RAL9016
04.022.4323.31.940.DALI	Novus 60 Surface-mounted IN HO/940 44° 400mA DALI RAL9005/RAL9016

Place and date of issue of the document

**Warszawa, 28.09.2021**



MIROSLAW RAKOCZY  
V-ce PREZES



Code	Name
04.022.4324.01.930	Novus 60 Surface-mounted IN HO/930 51° 400mA RAL9016/RAL9016
04.022.4324.01.930.DALI	Novus 60 Surface-mounted IN HO/930 51° 400mA DALI RAL9016/RAL9016
04.022.4324.01.940	Novus 60 Surface-mounted IN HO/940 51° 400mA RAL9016/RAL9016
04.022.4324.01.940.DALI	Novus 60 Surface-mounted IN HO/940 51° 400mA DALI RAL9016/RAL9016
04.022.4324.03.930	Novus 60 Surface-mounted IN HO/930 51° 400mA RAL9005/RAL9005
04.022.4324.03.930.DALI	Novus 60 Surface-mounted IN HO/930 51° 400mA DALI RAL9005/RAL9005
04.022.4324.03.940	Novus 60 Surface-mounted IN HO/940 51° 400mA RAL9005/RAL9005
04.022.4324.03.940.DALI	Novus 60 Surface-mounted IN HO/940 51° 400mA DALI RAL9005/RAL9005
04.022.4324.31.930	Novus 60 Surface-mounted IN HO/930 51° 400mA RAL9005/RAL9016
04.022.4324.31.930.DALI	Novus 60 Surface-mounted IN HO/930 51° 400mA DALI RAL9005/RAL9016
04.022.4324.31.940	Novus 60 Surface-mounted IN HO/940 51° 400mA RAL9005/RAL9016
04.022.4324.31.940.DALI	Novus 60 Surface-mounted IN HO/940 51° 400mA DALI RAL9005/RAL9016
04.022.4400.01	Novus 60 Surface-mounted OUT GU10 RAL9016/RAL9016
04.022.4400.03	Novus 60 Surface-mounted OUT GU10 RAL9005/RAL9005
04.022.4400.31	Novus 60 Surface-mounted OUT GU10 RAL9005/RAL9016
04.022.4411.01.930	Novus 60 Surface-mounted OUT ST/930 15° 300mA RAL9016/RAL9016
04.022.4411.01.930.DALI	Novus 60 Surface-mounted OUT ST/930 15° 300mA DALI RAL9016/RAL9016
04.022.4411.01.940	Novus 60 Surface-mounted OUT ST/940 15° 300mA RAL9016/RAL9016
04.022.4411.01.940.DALI	Novus 60 Surface-mounted OUT ST/940 15° 300mA DALI RAL9016/RAL9016
04.022.4411.03.930	Novus 60 Surface-mounted OUT ST/930 15° 300mA RAL9005/RAL9005
04.022.4411.03.930.DALI	Novus 60 Surface-mounted OUT ST/930 15° 300mA DALI RAL9005/RAL9005
04.022.4411.03.940	Novus 60 Surface-mounted OUT ST/940 15° 300mA RAL9005/RAL9005
04.022.4411.03.940.DALI	Novus 60 Surface-mounted OUT ST/940 15° 300mA DALI RAL9005/RAL9005
04.022.4411.31.930	Novus 60 Surface-mounted OUT ST/930 15° 300mA RAL9005/RAL9016
04.022.4411.31.930.DALI	Novus 60 Surface-mounted OUT ST/930 15° 300mA DALI RAL9005/RAL9016
04.022.4411.31.940	Novus 60 Surface-mounted OUT ST/940 15° 300mA RAL9005/RAL9016
04.022.4411.31.940.DALI	Novus 60 Surface-mounted OUT ST/940 15° 300mA DALI RAL9005/RAL9016
04.022.4412.01.930	Novus 60 Surface-mounted OUT ST/930 22° 300mA RAL9016/RAL9016
04.022.4412.01.930.DALI	Novus 60 Surface-mounted OUT ST/930 22° 300mA DALI RAL9016/RAL9016
04.022.4412.01.940	Novus 60 Surface-mounted OUT ST/940 22° 300mA RAL9016/RAL9016
04.022.4412.01.940.DALI	Novus 60 Surface-mounted OUT ST/940 22° 300mA DALI RAL9016/RAL9016
04.022.4412.03.930	Novus 60 Surface-mounted OUT ST/930 22° 300mA RAL9005/RAL9005
04.022.4412.03.930.DALI	Novus 60 Surface-mounted OUT ST/930 22° 300mA DALI RAL9005/RAL9005
04.022.4412.03.940	Novus 60 Surface-mounted OUT ST/940 22° 300mA RAL9005/RAL9005
04.022.4412.03.940.DALI	Novus 60 Surface-mounted OUT ST/940 22° 300mA DALI RAL9005/RAL9005
04.022.4412.31.930	Novus 60 Surface-mounted OUT ST/930 22° 300mA RAL9005/RAL9016
04.022.4412.31.930.DALI	Novus 60 Surface-mounted OUT ST/930 22° 300mA DALI RAL9005/RAL9016
04.022.4412.31.940	Novus 60 Surface-mounted OUT ST/940 22° 300mA RAL9005/RAL9016
04.022.4412.31.940.DALI	Novus 60 Surface-mounted OUT ST/940 22° 300mA DALI RAL9005/RAL9016
04.022.4413.01.930	Novus 60 Surface-mounted OUT ST/930 44° 300mA RAL9016/RAL9016
04.022.4413.01.930.DALI	Novus 60 Surface-mounted OUT ST/930 44° 300mA DALI RAL9016/RAL9016
04.022.4413.01.940	Novus 60 Surface-mounted OUT ST/940 44° 300mA RAL9016/RAL9016
04.022.4413.01.940.DALI	Novus 60 Surface-mounted OUT ST/940 44° 300mA DALI RAL9016/RAL9016
04.022.4413.03.930	Novus 60 Surface-mounted OUT ST/930 44° 300mA RAL9005/RAL9005

Place and date of issue of the document

**Warszawa, 28.09.2021**



MIROSLAW RAKOCZY  
V-ce PREZES



Code	Name
04.022.4413.03.930.DALI	Novus 60 Surface-mounted OUT ST/930 44° 300mA DALI RAL9005/RAL9005
04.022.4413.03.940	Novus 60 Surface-mounted OUT ST/940 44° 300mA RAL9005/RAL9005
04.022.4413.03.940.DALI	Novus 60 Surface-mounted OUT ST/940 44° 300mA DALI RAL9005/RAL9005
04.022.4413.31.930	Novus 60 Surface-mounted OUT ST/930 44° 300mA RAL9005/RAL9016
04.022.4413.31.930.DALI	Novus 60 Surface-mounted OUT ST/930 44° 300mA DALI RAL9005/RAL9016
04.022.4413.31.940	Novus 60 Surface-mounted OUT ST/940 44° 300mA RAL9005/RAL9016
04.022.4413.31.940.DALI	Novus 60 Surface-mounted OUT ST/940 44° 300mA DALI RAL9005/RAL9016
04.022.4414.01.930	Novus 60 Surface-mounted OUT ST/930 48° 300mA RAL9016/RAL9016
04.022.4414.01.930.DALI	Novus 60 Surface-mounted OUT ST/930 48° 300mA DALI RAL9016/RAL9016
04.022.4414.01.940	Novus 60 Surface-mounted OUT ST/940 48° 300mA RAL9016/RAL9016
04.022.4414.01.940.DALI	Novus 60 Surface-mounted OUT ST/940 48° 300mA DALI RAL9016/RAL9016
04.022.4414.03.930	Novus 60 Surface-mounted OUT ST/930 48° 300mA RAL9005/RAL9005
04.022.4414.03.930.DALI	Novus 60 Surface-mounted OUT ST/930 48° 300mA DALI RAL9005/RAL9005
04.022.4414.03.940	Novus 60 Surface-mounted OUT ST/940 48° 300mA RAL9005/RAL9005
04.022.4414.03.940.DALI	Novus 60 Surface-mounted OUT ST/940 48° 300mA DALI RAL9005/RAL9005
04.022.4414.31.930	Novus 60 Surface-mounted OUT ST/930 48° 300mA RAL9005/RAL9016
04.022.4414.31.930.DALI	Novus 60 Surface-mounted OUT ST/930 48° 300mA DALI RAL9005/RAL9016
04.022.4414.31.940	Novus 60 Surface-mounted OUT ST/940 48° 300mA RAL9005/RAL9016
04.022.4414.31.940.DALI	Novus 60 Surface-mounted OUT ST/940 48° 300mA DALI RAL9005/RAL9016
04.022.4421.01.930	Novus 60 Surface-mounted OUT HO/930 15° 400mA RAL9016/RAL9016
04.022.4421.01.930.DALI	Novus 60 Surface-mounted OUT HO/930 15° 400mA DALI RAL9016/RAL9016
04.022.4421.01.940	Novus 60 Surface-mounted OUT HO/940 15° 400mA RAL9016/RAL9016
04.022.4421.01.940.DALI	Novus 60 Surface-mounted OUT HO/940 15° 400mA DALI RAL9016/RAL9016
04.022.4421.03.930	Novus 60 Surface-mounted OUT HO/930 15° 400mA RAL9005/RAL9005
04.022.4421.03.930.DALI	Novus 60 Surface-mounted OUT HO/930 15° 400mA DALI RAL9005/RAL9005
04.022.4421.03.940	Novus 60 Surface-mounted OUT HO/940 15° 400mA RAL9005/RAL9005
04.022.4421.03.940.DALI	Novus 60 Surface-mounted OUT HO/940 15° 400mA DALI RAL9005/RAL9005
04.022.4421.31.930	Novus 60 Surface-mounted OUT HO/930 15° 400mA RAL9005/RAL9016
04.022.4421.31.930.DALI	Novus 60 Surface-mounted OUT HO/930 15° 400mA DALI RAL9005/RAL9016
04.022.4421.31.940	Novus 60 Surface-mounted OUT HO/940 15° 400mA RAL9005/RAL9016
04.022.4421.31.940.DALI	Novus 60 Surface-mounted OUT HO/940 15° 400mA DALI RAL9005/RAL9016
04.022.4422.01.930	Novus 60 Surface-mounted OUT HO/930 22° 400mA RAL9016/RAL9016
04.022.4422.01.930.DALI	Novus 60 Surface-mounted OUT HO/930 22° 400mA DALI RAL9016/RAL9016
04.022.4422.01.940	Novus 60 Surface-mounted OUT HO/940 22° 400mA RAL9016/RAL9016
04.022.4422.01.940.DALI	Novus 60 Surface-mounted OUT HO/940 22° 400mA DALI RAL9016/RAL9016
04.022.4422.03.930	Novus 60 Surface-mounted OUT HO/930 22° 400mA RAL9005/RAL9005
04.022.4422.03.930.DALI	Novus 60 Surface-mounted OUT HO/930 22° 400mA DALI RAL9005/RAL9005
04.022.4422.03.940	Novus 60 Surface-mounted OUT HO/940 22° 400mA RAL9005/RAL9005
04.022.4422.03.940.DALI	Novus 60 Surface-mounted OUT HO/940 22° 400mA DALI RAL9005/RAL9005
04.022.4422.31.930	Novus 60 Surface-mounted OUT HO/930 22° 400mA RAL9005/RAL9016
04.022.4422.31.930.DALI	Novus 60 Surface-mounted OUT HO/930 22° 400mA DALI RAL9005/RAL9016
04.022.4422.31.940	Novus 60 Surface-mounted OUT HO/940 22° 400mA RAL9005/RAL9016
04.022.4422.31.940.DALI	Novus 60 Surface-mounted OUT HO/940 22° 400mA DALI RAL9005/RAL9016
04.022.4423.01.930	Novus 60 Surface-mounted OUT HO/930 44° 400mA RAL9016/RAL9016

Place and date of issue of the document

**Warszawa, 28.09.2021**



MIROSLAW RAKOCZY  
V-ce PREZES

### Code

### Name

04.022.4423.01.930.DALI	Novus 60 Surface-mounted OUT HO/930 44° 400mA DALI RAL9016/RAL9016
04.022.4423.01.940	Novus 60 Surface-mounted OUT HO/940 44° 400mA RAL9016/RAL9016
04.022.4423.01.940.DALI	Novus 60 Surface-mounted OUT HO/940 44° 400mA DALI RAL9016/RAL9016
04.022.4423.03.930	Novus 60 Surface-mounted OUT HO/930 44° 400mA RAL9005/RAL9005
04.022.4423.03.930.DALI	Novus 60 Surface-mounted OUT HO/930 44° 400mA DALI RAL9005/RAL9005
04.022.4423.03.940	Novus 60 Surface-mounted OUT HO/940 44° 400mA RAL9005/RAL9005
04.022.4423.03.940.DALI	Novus 60 Surface-mounted OUT HO/940 44° 400mA DALI RAL9005/RAL9005
04.022.4423.31.930	Novus 60 Surface-mounted OUT HO/930 44° 400mA RAL9005/RAL9016
04.022.4423.31.930.DALI	Novus 60 Surface-mounted OUT HO/930 44° 400mA DALI RAL9005/RAL9016
04.022.4423.31.940	Novus 60 Surface-mounted OUT HO/940 44° 400mA RAL9005/RAL9016
04.022.4423.31.940.DALI	Novus 60 Surface-mounted OUT HO/940 44° 400mA DALI RAL9005/RAL9016
04.022.4424.01.930	Novus 60 Surface-mounted OUT HO/930 48° 400mA RAL9016/RAL9016
04.022.4424.01.930.DALI	Novus 60 Surface-mounted OUT HO/930 48° 400mA DALI RAL9016/RAL9016
04.022.4424.01.940	Novus 60 Surface-mounted OUT HO/940 48° 400mA RAL9016/RAL9016
04.022.4424.01.940.DALI	Novus 60 Surface-mounted OUT HO/940 48° 400mA DALI RAL9016/RAL9016
04.022.4424.03.930	Novus 60 Surface-mounted OUT HO/930 48° 400mA RAL9005/RAL9005
04.022.4424.03.930.DALI	Novus 60 Surface-mounted OUT HO/930 48° 400mA DALI RAL9005/RAL9005
04.022.4424.03.940	Novus 60 Surface-mounted OUT HO/940 48° 400mA RAL9005/RAL9005
04.022.4424.03.940.DALI	Novus 60 Surface-mounted OUT HO/940 48° 400mA DALI RAL9005/RAL9005
04.022.4424.31.930	Novus 60 Surface-mounted OUT HO/930 48° 400mA RAL9005/RAL9016
04.022.4424.31.930.DALI	Novus 60 Surface-mounted OUT HO/930 48° 400mA DALI RAL9005/RAL9016
04.022.4424.31.940	Novus 60 Surface-mounted OUT HO/940 48° 400mA RAL9005/RAL9016
04.022.4424.31.940.DALI	Novus 60 Surface-mounted OUT HO/940 48° 400mA DALI RAL9005/RAL9016
04.022.4500.01	Novus 60 Suspended IN GU10 RAL9016/RAL9016
04.022.4500.03	Novus 60 Suspended IN GU10 RAL9005/RAL9005
04.022.4500.31	Novus 60 Suspended IN GU10 RAL9005/RAL9016
04.022.4511.01.930	Novus 60 Suspended IN ST/930 15° 300mA RAL9016/RAL9016
04.022.4511.01.930.DALI	Novus 60 Suspended IN ST/930 15° 300mA DALI RAL9016/RAL9016
04.022.4511.01.940	Novus 60 Suspended IN ST/940 15° 300mA RAL9016/RAL9016
04.022.4511.01.940.DALI	Novus 60 Suspended IN ST/940 15° 300mA DALI RAL9016/RAL9016
04.022.4511.03.930	Novus 60 Suspended IN ST/930 15° 300mA RAL9005/RAL9005
04.022.4511.03.930.DALI	Novus 60 Suspended IN ST/930 15° 300mA DALI RAL9005/RAL9005
04.022.4511.03.940	Novus 60 Suspended IN ST/940 15° 300mA RAL9005/RAL9005
04.022.4511.03.940.DALI	Novus 60 Suspended IN ST/940 15° 300mA DALI RAL9005/RAL9005
04.022.4511.31.930	Novus 60 Suspended IN ST/930 15° 300mA RAL9005/RAL9016
04.022.4511.31.930.DALI	Novus 60 Suspended IN ST/930 15° 300mA DALI RAL9005/RAL9016
04.022.4511.31.940	Novus 60 Suspended IN ST/940 15° 300mA RAL9005/RAL9016
04.022.4511.31.940.DALI	Novus 60 Suspended IN ST/940 15° 300mA DALI RAL9005/RAL9016
04.022.4512.01.930	Novus 60 Suspended IN ST/930 22° 300mA RAL9016/RAL9016
04.022.4512.01.930.DALI	Novus 60 Suspended IN ST/930 22° 300mA DALI RAL9016/RAL9016
04.022.4512.01.940	Novus 60 Suspended IN ST/940 22° 300mA RAL9016/RAL9016
04.022.4512.01.940.DALI	Novus 60 Suspended IN ST/940 22° 300mA DALI RAL9016/RAL9016
04.022.4512.03.930	Novus 60 Suspended IN ST/930 22° 300mA RAL9005/RAL9005
04.022.4512.03.930.DALI	Novus 60 Suspended IN ST/930 22° 300mA DALI RAL9005/RAL9005

Place and date of issue of the document

**Warszawa, 28.09.2021**



MIROSLAW RAKOCZY  
V-ce PREZES

Code	Name
04.022.4512.03.940	Novus 60 Suspended IN ST/940 22° 300mA RAL9005/RAL9005
04.022.4512.03.940.DALI	Novus 60 Suspended IN ST/940 22° 300mA DALI RAL9005/RAL9005
04.022.4512.31.930	Novus 60 Suspended IN ST/930 22° 300mA RAL9005/RAL9016
04.022.4512.31.930.DALI	Novus 60 Suspended IN ST/930 22° 300mA DALI RAL9005/RAL9016
04.022.4512.31.940	Novus 60 Suspended IN ST/940 22° 300mA RAL9005/RAL9016
04.022.4512.31.940.DALI	Novus 60 Suspended IN ST/940 22° 300mA DALI RAL9005/RAL9016
04.022.4513.01.930	Novus 60 Suspended IN ST/930 44° 300mA RAL9016/RAL9016
04.022.4513.01.930.DALI	Novus 60 Suspended IN ST/930 44° 300mA DALI RAL9016/RAL9016
04.022.4513.01.940	Novus 60 Suspended IN ST/940 44° 300mA RAL9016/RAL9016
04.022.4513.01.940.DALI	Novus 60 Suspended IN ST/940 44° 300mA DALI RAL9016/RAL9016
04.022.4513.03.930	Novus 60 Suspended IN ST/930 44° 300mA RAL9005/RAL9005
04.022.4513.03.930.DALI	Novus 60 Suspended IN ST/930 44° 300mA DALI RAL9005/RAL9005
04.022.4513.03.940	Novus 60 Suspended IN ST/940 44° 300mA RAL9005/RAL9005
04.022.4513.03.940.DALI	Novus 60 Suspended IN ST/940 44° 300mA DALI RAL9005/RAL9005
04.022.4513.31.930	Novus 60 Suspended IN ST/930 44° 300mA RAL9005/RAL9016
04.022.4513.31.930.DALI	Novus 60 Suspended IN ST/930 44° 300mA DALI RAL9005/RAL9016
04.022.4513.31.940	Novus 60 Suspended IN ST/940 44° 300mA RAL9005/RAL9016
04.022.4513.31.940.DALI	Novus 60 Suspended IN ST/940 44° 300mA DALI RAL9005/RAL9016
04.022.4514.01.930	Novus 60 Suspended IN ST/930 51° 300mA RAL9016/RAL9016
04.022.4514.01.930.DALI	Novus 60 Suspended IN ST/930 51° 300mA DALI RAL9016/RAL9016
04.022.4514.01.940	Novus 60 Suspended IN ST/940 51° 300mA RAL9016/RAL9016
04.022.4514.01.940.DALI	Novus 60 Suspended IN ST/940 51° 300mA DALI RAL9016/RAL9016
04.022.4514.03.930	Novus 60 Suspended IN ST/930 51° 300mA RAL9005/RAL9005
04.022.4514.03.930.DALI	Novus 60 Suspended IN ST/930 51° 300mA DALI RAL9005/RAL9005
04.022.4514.03.940	Novus 60 Suspended IN ST/940 51° 300mA RAL9005/RAL9005
04.022.4514.03.940.DALI	Novus 60 Suspended IN ST/940 51° 300mA DALI RAL9005/RAL9005
04.022.4514.31.930	Novus 60 Suspended IN ST/930 51° 300mA RAL9005/RAL9016
04.022.4514.31.930.DALI	Novus 60 Suspended IN ST/930 51° 300mA DALI RAL9005/RAL9016
04.022.4514.31.940	Novus 60 Suspended IN ST/940 51° 300mA RAL9005/RAL9016
04.022.4514.31.940.DALI	Novus 60 Suspended IN ST/940 51° 300mA DALI RAL9005/RAL9016
04.022.4521.01.930	Novus 60 Suspended IN HO/930 15° 400mA RAL9016/RAL9016
04.022.4521.01.930.DALI	Novus 60 Suspended IN HO/930 15° 400mA DALI RAL9016/RAL9016
04.022.4521.01.940	Novus 60 Suspended IN HO/940 15° 400mA RAL9016/RAL9016
04.022.4521.01.940.DALI	Novus 60 Suspended IN HO/940 15° 400mA DALI RAL9016/RAL9016
04.022.4521.03.930	Novus 60 Suspended IN HO/930 15° 400mA RAL9005/RAL9005
04.022.4521.03.930.DALI	Novus 60 Suspended IN HO/930 15° 400mA DALI RAL9005/RAL9005
04.022.4521.03.940	Novus 60 Suspended IN HO/940 15° 400mA RAL9005/RAL9005
04.022.4521.03.940.DALI	Novus 60 Suspended IN HO/940 15° 400mA DALI RAL9005/RAL9005
04.022.4521.31.930	Novus 60 Suspended IN HO/930 15° 400mA RAL9005/RAL9016
04.022.4521.31.930.DALI	Novus 60 Suspended IN HO/930 15° 400mA DALI RAL9005/RAL9016
04.022.4521.31.940	Novus 60 Suspended IN HO/940 15° 400mA RAL9005/RAL9016
04.022.4521.31.940.DALI	Novus 60 Suspended IN HO/940 15° 400mA DALI RAL9005/RAL9016
04.022.4522.01.930	Novus 60 Suspended IN HO/930 22° 400mA RAL9016/RAL9016
04.022.4522.01.930.DALI	Novus 60 Suspended IN HO/930 22° 400mA DALI RAL9016/RAL9016

Place and date of issue of the document

**Warszawa, 28.09.2021**



MIROSLAW RAKOCZY  
V-ce PREZES

Code	Name
04.022.4522.01.940	Novus 60 Suspended IN HO/940 22° 400mA RAL9016/RAL9016
04.022.4522.01.940.DALI	Novus 60 Suspended IN HO/940 22° 400mA DALI RAL9016/RAL9016
04.022.4522.03.930	Novus 60 Suspended IN HO/930 22° 400mA RAL9005/RAL9005
04.022.4522.03.930.DALI	Novus 60 Suspended IN HO/930 22° 400mA DALI RAL9005/RAL9005
04.022.4522.03.940	Novus 60 Suspended IN HO/940 22° 400mA RAL9005/RAL9005
04.022.4522.03.940.DALI	Novus 60 Suspended IN HO/940 22° 400mA DALI RAL9005/RAL9005
04.022.4522.31.930	Novus 60 Suspended IN HO/930 22° 400mA RAL9005/RAL9016
04.022.4522.31.930.DALI	Novus 60 Suspended IN HO/930 22° 400mA DALI RAL9005/RAL9016
04.022.4522.31.940	Novus 60 Suspended IN HO/940 22° 400mA RAL9005/RAL9016
04.022.4522.31.940.DALI	Novus 60 Suspended IN HO/940 22° 400mA DALI RAL9005/RAL9016
04.022.4523.01.930	Novus 60 Suspended IN HO/930 44° 400mA RAL9016/RAL9016
04.022.4523.01.930.DALI	Novus 60 Suspended IN HO/930 44° 400mA DALI RAL9016/RAL9016
04.022.4523.01.940	Novus 60 Suspended IN HO/940 44° 400mA RAL9016/RAL9016
04.022.4523.01.940.DALI	Novus 60 Suspended IN HO/940 44° 400mA DALI RAL9016/RAL9016
04.022.4523.03.930	Novus 60 Suspended IN HO/930 44° 400mA RAL9005/RAL9005
04.022.4523.03.930.DALI	Novus 60 Suspended IN HO/930 44° 400mA DALI RAL9005/RAL9005
04.022.4523.03.940	Novus 60 Suspended IN HO/940 44° 400mA RAL9005/RAL9005
04.022.4523.03.940.DALI	Novus 60 Suspended IN HO/940 44° 400mA DALI RAL9005/RAL9005
04.022.4523.31.930	Novus 60 Suspended IN HO/930 44° 400mA RAL9005/RAL9016
04.022.4523.31.930.DALI	Novus 60 Suspended IN HO/930 44° 400mA DALI RAL9005/RAL9016
04.022.4523.31.940	Novus 60 Suspended IN HO/940 44° 400mA RAL9005/RAL9016
04.022.4523.31.940.DALI	Novus 60 Suspended IN HO/940 44° 400mA DALI RAL9005/RAL9016
04.022.4524.01.930	Novus 60 Suspended IN HO/930 51° 400mA RAL9016/RAL9016
04.022.4524.01.930.DALI	Novus 60 Suspended IN HO/930 51° 400mA DALI RAL9016/RAL9016
04.022.4524.01.940	Novus 60 Suspended IN HO/940 51° 400mA RAL9016/RAL9016
04.022.4524.01.940.DALI	Novus 60 Suspended IN HO/940 51° 400mA DALI RAL9016/RAL9016
04.022.4524.03.930	Novus 60 Suspended IN HO/930 51° 400mA RAL9005/RAL9005
04.022.4524.03.930.DALI	Novus 60 Suspended IN HO/930 51° 400mA DALI RAL9005/RAL9005
04.022.4524.03.940	Novus 60 Suspended IN HO/940 51° 400mA RAL9005/RAL9005
04.022.4524.03.940.DALI	Novus 60 Suspended IN HO/940 51° 400mA DALI RAL9005/RAL9005
04.022.4524.31.930	Novus 60 Suspended IN HO/930 51° 400mA RAL9005/RAL9016
04.022.4524.31.930.DALI	Novus 60 Suspended IN HO/930 51° 400mA DALI RAL9005/RAL9016
04.022.4524.31.940	Novus 60 Suspended IN HO/940 51° 400mA RAL9005/RAL9016
04.022.4524.31.940.DALI	Novus 60 Suspended IN HO/940 51° 400mA DALI RAL9005/RAL9016
04.022.4600.01	Novus 60 Suspended OUT GU10 RAL9016/RAL9016
04.022.4600.03	Novus 60 Suspended OUT GU10 RAL9005/RAL9005
04.022.4600.31	Novus 60 Suspended OUT GU10 RAL9005/RAL9016
04.022.4611.01.930	Novus 60 Suspended OUT ST/930 15° 300mA RAL9016/RAL9016
04.022.4611.01.930.DALI	Novus 60 Suspended OUT ST/930 15° 300mA DALI RAL9016/RAL9016
04.022.4611.01.940	Novus 60 Suspended OUT ST/940 15° 300mA RAL9016/RAL9016
04.022.4611.01.940.DALI	Novus 60 Suspended OUT ST/940 15° 300mA DALI RAL9016/RAL9016
04.022.4611.03.930	Novus 60 Suspended OUT ST/930 15° 300mA RAL9005/RAL9005
04.022.4611.03.930.DALI	Novus 60 Suspended OUT ST/930 15° 300mA DALI RAL9005/RAL9005
04.022.4611.03.940	Novus 60 Suspended OUT ST/940 15° 300mA RAL9005/RAL9005

Place and date of issue of the document

**Warszawa, 28.09.2021**



MIROSLAW RAKOCZY  
V-ce PREZES



Code	Name
04.022.4611.03.940.DALI	Novus 60 Suspended OUT ST/940 15° 300mA DALI RAL9005/RAL9005
04.022.4611.31.930	Novus 60 Suspended OUT ST/930 15° 300mA RAL9005/RAL9016
04.022.4611.31.930.DALI	Novus 60 Suspended OUT ST/930 15° 300mA DALI RAL9005/RAL9016
04.022.4611.31.940	Novus 60 Suspended OUT ST/940 15° 300mA RAL9005/RAL9016
04.022.4611.31.940.DALI	Novus 60 Suspended OUT ST/940 15° 300mA DALI RAL9005/RAL9016
04.022.4612.01.930	Novus 60 Suspended OUT ST/930 22° 300mA RAL9016/RAL9016
04.022.4612.01.930.DALI	Novus 60 Suspended OUT ST/930 22° 300mA DALI RAL9016/RAL9016
04.022.4612.01.940	Novus 60 Suspended OUT ST/940 22° 300mA RAL9016/RAL9016
04.022.4612.01.940.DALI	Novus 60 Suspended OUT ST/940 22° 300mA DALI RAL9016/RAL9016
04.022.4612.03.930	Novus 60 Suspended OUT ST/930 22° 300mA RAL9005/RAL9005
04.022.4612.03.930.DALI	Novus 60 Suspended OUT ST/930 22° 300mA DALI RAL9005/RAL9005
04.022.4612.03.940	Novus 60 Suspended OUT ST/940 22° 300mA RAL9005/RAL9005
04.022.4612.03.940.DALI	Novus 60 Suspended OUT ST/940 22° 300mA DALI RAL9005/RAL9005
04.022.4612.31.930	Novus 60 Suspended OUT ST/930 22° 300mA RAL9005/RAL9016
04.022.4612.31.930.DALI	Novus 60 Suspended OUT ST/930 22° 300mA DALI RAL9005/RAL9016
04.022.4612.31.940	Novus 60 Suspended OUT ST/940 22° 300mA RAL9005/RAL9016
04.022.4612.31.940.DALI	Novus 60 Suspended OUT ST/940 22° 300mA DALI RAL9005/RAL9016
04.022.4613.01.930	Novus 60 Suspended OUT ST/930 44° 300mA RAL9016/RAL9016
04.022.4613.01.930.DALI	Novus 60 Suspended OUT ST/930 44° 300mA DALI RAL9016/RAL9016
04.022.4613.01.940	Novus 60 Suspended OUT ST/940 44° 300mA RAL9016/RAL9016
04.022.4613.01.940.DALI	Novus 60 Suspended OUT ST/940 44° 300mA DALI RAL9016/RAL9016
04.022.4613.03.930	Novus 60 Suspended OUT ST/930 44° 300mA RAL9005/RAL9005
04.022.4613.03.930.DALI	Novus 60 Suspended OUT ST/930 44° 300mA DALI RAL9005/RAL9005
04.022.4613.03.940	Novus 60 Suspended OUT ST/940 44° 300mA RAL9005/RAL9005
04.022.4613.03.940.DALI	Novus 60 Suspended OUT ST/940 44° 300mA DALI RAL9005/RAL9005
04.022.4613.31.930	Novus 60 Suspended OUT ST/930 44° 300mA RAL9005/RAL9016
04.022.4613.31.930.DALI	Novus 60 Suspended OUT ST/930 44° 300mA DALI RAL9005/RAL9016
04.022.4613.31.940	Novus 60 Suspended OUT ST/940 44° 300mA RAL9005/RAL9016
04.022.4613.31.940.DALI	Novus 60 Suspended OUT ST/940 44° 300mA DALI RAL9005/RAL9016
04.022.4614.01.930	Novus 60 Suspended OUT ST/930 48° 300mA RAL9016/RAL9016
04.022.4614.01.930.DALI	Novus 60 Suspended OUT ST/930 48° 300mA DALI RAL9016/RAL9016
04.022.4614.01.940	Novus 60 Suspended OUT ST/940 48° 300mA RAL9016/RAL9016
04.022.4614.01.940.DALI	Novus 60 Suspended OUT ST/940 48° 300mA DALI RAL9016/RAL9016
04.022.4614.03.930	Novus 60 Suspended OUT ST/930 48° 300mA RAL9005/RAL9005
04.022.4614.03.930.DALI	Novus 60 Suspended OUT ST/930 48° 300mA DALI RAL9005/RAL9005
04.022.4614.03.940	Novus 60 Suspended OUT ST/940 48° 300mA RAL9005/RAL9005
04.022.4614.03.940.DALI	Novus 60 Suspended OUT ST/940 48° 300mA DALI RAL9005/RAL9005
04.022.4614.31.930	Novus 60 Suspended OUT ST/930 48° 300mA RAL9005/RAL9016
04.022.4614.31.930.DALI	Novus 60 Suspended OUT ST/930 48° 300mA DALI RAL9005/RAL9016
04.022.4614.31.940	Novus 60 Suspended OUT ST/940 48° 300mA RAL9005/RAL9016
04.022.4614.31.940.DALI	Novus 60 Suspended OUT ST/940 48° 300mA DALI RAL9005/RAL9016
04.022.4621.01.930	Novus 60 Suspended OUT HO/930 15° 400mA RAL9016/RAL9016
04.022.4621.01.930.DALI	Novus 60 Suspended OUT HO/930 15° 400mA DALI RAL9016/RAL9016
04.022.4621.01.940	Novus 60 Suspended OUT HO/940 15° 400mA RAL9016/RAL9016

Place and date of issue of the document

**Warszawa, 28.09.2021**



MIROSLAW RAKOCZY  
V-ce PREZES



### Code

### Name

04.022.4621.01.940.DALI	Novus 60 Suspended OUT HO/940 15° 400mA DALI RAL9016/RAL9016
04.022.4621.03.930	Novus 60 Suspended OUT HO/930 15° 400mA RAL9005/RAL9005
04.022.4621.03.930.DALI	Novus 60 Suspended OUT HO/930 15° 400mA DALI RAL9005/RAL9005
04.022.4621.03.940	Novus 60 Suspended OUT HO/940 15° 400mA RAL9005/RAL9005
04.022.4621.03.940.DALI	Novus 60 Suspended OUT HO/940 15° 400mA DALI RAL9005/RAL9005
04.022.4621.31.930	Novus 60 Suspended OUT HO/930 15° 400mA RAL9005/RAL9016
04.022.4621.31.930.DALI	Novus 60 Suspended OUT HO/930 15° 400mA DALI RAL9005/RAL9016
04.022.4621.31.940	Novus 60 Suspended OUT HO/940 15° 400mA RAL9005/RAL9016
04.022.4621.31.940.DALI	Novus 60 Suspended OUT HO/940 15° 400mA DALI RAL9005/RAL9016
04.022.4622.01.930	Novus 60 Suspended OUT HO/930 22° 400mA RAL9016/RAL9016
04.022.4622.01.930.DALI	Novus 60 Suspended OUT HO/930 22° 400mA DALI RAL9016/RAL9016
04.022.4622.01.940	Novus 60 Suspended OUT HO/940 22° 400mA RAL9016/RAL9016
04.022.4622.01.940.DALI	Novus 60 Suspended OUT HO/940 22° 400mA DALI RAL9016/RAL9016
04.022.4622.03.930	Novus 60 Suspended OUT HO/930 22° 400mA RAL9005/RAL9005
04.022.4622.03.930.DALI	Novus 60 Suspended OUT HO/930 22° 400mA DALI RAL9005/RAL9005
04.022.4622.03.940	Novus 60 Suspended OUT HO/940 22° 400mA RAL9005/RAL9005
04.022.4622.03.940.DALI	Novus 60 Suspended OUT HO/940 22° 400mA DALI RAL9005/RAL9005
04.022.4622.31.930	Novus 60 Suspended OUT HO/930 22° 400mA RAL9005/RAL9016
04.022.4622.31.930.DALI	Novus 60 Suspended OUT HO/930 22° 400mA DALI RAL9005/RAL9016
04.022.4622.31.940	Novus 60 Suspended OUT HO/940 22° 400mA RAL9005/RAL9016
04.022.4622.31.940.DALI	Novus 60 Suspended OUT HO/940 22° 400mA DALI RAL9005/RAL9016
04.022.4623.01.930	Novus 60 Suspended OUT HO/930 44° 400mA RAL9016/RAL9016
04.022.4623.01.930.DALI	Novus 60 Suspended OUT HO/930 44° 400mA DALI RAL9016/RAL9016
04.022.4623.01.940	Novus 60 Suspended OUT HO/940 44° 400mA RAL9016/RAL9016
04.022.4623.01.940.DALI	Novus 60 Suspended OUT HO/940 44° 400mA DALI RAL9016/RAL9016
04.022.4623.03.930	Novus 60 Suspended OUT HO/930 44° 400mA RAL9005/RAL9005
04.022.4623.03.930.DALI	Novus 60 Suspended OUT HO/930 44° 400mA DALI RAL9005/RAL9005
04.022.4623.03.940	Novus 60 Suspended OUT HO/940 44° 400mA RAL9005/RAL9005
04.022.4623.03.940.DALI	Novus 60 Suspended OUT HO/940 44° 400mA DALI RAL9005/RAL9005
04.022.4623.31.930	Novus 60 Suspended OUT HO/930 44° 400mA RAL9005/RAL9016
04.022.4623.31.930.DALI	Novus 60 Suspended OUT HO/930 44° 400mA DALI RAL9005/RAL9016
04.022.4623.31.940	Novus 60 Suspended OUT HO/940 44° 400mA RAL9005/RAL9016
04.022.4623.31.940.DALI	Novus 60 Suspended OUT HO/940 44° 400mA DALI RAL9005/RAL9016
04.022.4624.01.930	Novus 60 Suspended OUT HO/930 48° 400mA RAL9016/RAL9016
04.022.4624.01.930.DALI	Novus 60 Suspended OUT HO/930 48° 400mA DALI RAL9016/RAL9016
04.022.4624.01.940	Novus 60 Suspended OUT HO/940 48° 400mA RAL9016/RAL9016
04.022.4624.01.940.DALI	Novus 60 Suspended OUT HO/940 48° 400mA DALI RAL9016/RAL9016
04.022.4624.03.930	Novus 60 Suspended OUT HO/930 48° 400mA RAL9005/RAL9005
04.022.4624.03.930.DALI	Novus 60 Suspended OUT HO/930 48° 400mA DALI RAL9005/RAL9005
04.022.4624.03.940	Novus 60 Suspended OUT HO/940 48° 400mA RAL9005/RAL9005
04.022.4624.03.940.DALI	Novus 60 Suspended OUT HO/940 48° 400mA DALI RAL9005/RAL9005
04.022.4624.31.930	Novus 60 Suspended OUT HO/930 48° 400mA RAL9005/RAL9016
04.022.4624.31.930.DALI	Novus 60 Suspended OUT HO/930 48° 400mA DALI RAL9005/RAL9016
04.022.4624.31.940	Novus 60 Suspended OUT HO/940 48° 400mA RAL9005/RAL9016

Place and date of issue of the document

**Warszawa, 28.09.2021**




MIROSLAW RAKOCZY  
V-ce PREZES

**Code****Name**

04.022.4624.31.940.DALI

Novus 60 Suspended OUT HO/940 48° 400mA DALI RAL9005/RAL9016

Place and date of issue of the document

**Warszawa, 28.09.2021**  
**MIROSLAW-RAKOCZY**  
**V-ce PREZES**