

Manufacturer: **Spectra Lighting LLC**
Ostródzka st. 53
03-289 Warsaw

Product name: **PUTTER**

Product number: **in the attachment nr 04/035**

We hereby declare, under the sole responsibility of the manufacturer, that the above product complies with the provisions of the following directives:

2009/125/WE	Ecodesign
2011/65/UE	Restriction of the use of certain hazardous substances
2014/30/UE	Electromagnetic Compatibility
2014/35/UE	Low Voltage

and the following standards:

PN-EN 55015:2013	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
PN-EN 60529:2003	Degrees of protection provided by enclosures (IP code)
PN-EN 60598-1:2015	Luminaires - Part 1: General requirements and tests
PN-EN 60598-2-2:2012	Luminaires - Part 2-2: Particular requirements - Recessed luminaires
PN-EN 61000-3-2:2014	Electromagnetic compatibility (EMC) -- Part 3-2: Limits -- Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
PN-EN 61000-3-3:2013	Electromagnetic compatibility (EMC) -- Part 3-3: Limits -- Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection
PN-EN 61547:2009	Equipment for general lighting purposes - EMC immunity requirements
PN-EN 62493:2015	Assessment of lighting equipment related to human exposure to electromagnetic fields

The product has been CE marked for the first time in the year:

2019

Place and date of issue of the document

Warszawa, 01.02.2022


MIROSLAW RAKOCZY
V-ce PREZES

ATTACHMENT

Code	Name
1.79400.01.930.1050	Putter LED/930, 19° 1050mA RAL9016
1.79400.01.930.1050.DALI	Putter LED/930, 19° DALI 1050mA RAL9016
1.79400.01.930.250	Putter LED/930, 19° 250mA RAL9016
1.79400.01.930.250.DALI	Putter LED/930, 19° DALI 250mA RAL9016
1.79400.01.930.350	Putter LED/930, 19° 350mA RAL9016
1.79400.01.930.350.DALI	Putter LED/930, 19° DALI 350mA RAL9016
1.79400.01.930.450	Putter LED/930, 19° 450mA RAL9016
1.79400.01.930.450.DALI	Putter LED/930, 19° DALI 450mA RAL9016
1.79400.01.930.500	Putter LED/930, 19° 500mA RAL9016
1.79400.01.930.500.DALI	Putter LED/930, 19° DALI 500mA RAL9016
1.79400.01.930.600	Putter LED/930, 19° 600mA RAL9016
1.79400.01.930.600.DALI	Putter LED/930, 19° DALI 600mA RAL9016
1.79400.01.930.650	Putter LED/930, 19° 650mA RAL9016
1.79400.01.930.650.DALI	Putter LED/930, 19° DALI 650mA RAL9016
1.79400.01.930.700	Putter LED/930, 19° 700mA RAL9016
1.79400.01.930.700.DALI	Putter LED/930, 19° DALI 700mA RAL9016
1.79400.01.930.800	Putter LED/930, 19° 800mA RAL9016
1.79400.01.930.800.DALI	Putter LED/930, 19° DALI 800mA RAL9016
1.79400.01.930.900	Putter LED/930, 19° 900mA RAL9016
1.79400.01.930.900.DALI	Putter LED/930, 19° DALI 900mA RAL9016
1.79400.01.930.950	Putter LED/930, 19° 950mA RAL9016
1.79400.01.930.950.DALI	Putter LED/930, 19° DALI 950mA RAL9016
1.79400.01.940.1050	Putter LED/940, 19° 1050mA RAL9016
1.79400.01.940.1050.DALI	Putter LED/940, 19° DALI 1050mA RAL9016
1.79400.01.940.250	Putter LED/940, 19° 250mA RAL9016
1.79400.01.940.250.DALI	Putter LED/940, 19° DALI 250mA RAL9016
1.79400.01.940.350	Putter LED/940, 19° 350mA RAL9016
1.79400.01.940.350.DALI	Putter LED/940, 19° DALI 350mA RAL9016
1.79400.01.940.450	Putter LED/940, 19° 450mA RAL9016
1.79400.01.940.450.DALI	Putter LED/940, 19° DALI 450mA RAL9016
1.79400.01.940.500	Putter LED/940, 19° 500mA RAL9016
1.79400.01.940.500.DALI	Putter LED/940, 19° DALI 500mA RAL9016
1.79400.01.940.600	Putter LED/940, 19° 600mA RAL9016
1.79400.01.940.600.DALI	Putter LED/940, 19° DALI 600mA RAL9016
1.79400.01.940.650	Putter LED/940, 19° 650mA RAL9016
1.79400.01.940.650.DALI	Putter LED/940, 19° DALI 650mA RAL9016
1.79400.01.940.700	Putter LED/940, 19° 700mA RAL9016
1.79400.01.940.700.DALI	Putter LED/940, 19° DALI 700mA RAL9016
1.79400.01.940.800	Putter LED/940, 19° 800mA RAL9016
1.79400.01.940.800.DALI	Putter LED/940, 19° DALI 800mA RAL9016
1.79400.01.940.900	Putter LED/940, 19° 900mA RAL9016
1.79400.01.940.900.DALI	Putter LED/940, 19° DALI 900mA RAL9016

Place and date of issue of the document

Warszawa, 01.02.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
1.79400.01.940.950	Putter LED/940, 19° 950mA RAL9016
1.79400.01.940.950.DALI	Putter LED/940, 19° DALI 950mA RAL9016
1.79400.02.930.1050	Putter LED/930, 19° 1050mA RAL9006
1.79400.02.930.1050.DALI	Putter LED/930, 19° DALI 1050mA RAL9006
1.79400.02.930.250	Putter LED/930, 19° 250mA RAL9006
1.79400.02.930.250.DALI	Putter LED/930, 19° DALI 250mA RAL9006
1.79400.02.930.350	Putter LED/930, 19° 350mA RAL9006
1.79400.02.930.350.DALI	Putter LED/930, 19° DALI 350mA RAL9006
1.79400.02.930.450	Putter LED/930, 19° 450mA RAL9006
1.79400.02.930.450.DALI	Putter LED/930, 19° DALI 450mA RAL9006
1.79400.02.930.500	Putter LED/930, 19° 500mA RAL9006
1.79400.02.930.500.DALI	Putter LED/930, 19° DALI 500mA RAL9006
1.79400.02.930.600	Putter LED/930, 19° 600mA RAL9006
1.79400.02.930.600.DALI	Putter LED/930, 19° DALI 600mA RAL9006
1.79400.02.930.650	Putter LED/930, 19° 650mA RAL9006
1.79400.02.930.650.DALI	Putter LED/930, 19° DALI 650mA RAL9006
1.79400.02.930.700	Putter LED/930, 19° 700mA RAL9006
1.79400.02.930.700.DALI	Putter LED/930, 19° DALI 700mA RAL9006
1.79400.02.930.800	Putter LED/930, 19° 800mA RAL9006
1.79400.02.930.800.DALI	Putter LED/930, 19° DALI 800mA RAL9006
1.79400.02.930.900	Putter LED/930, 19° 900mA RAL9006
1.79400.02.930.900.DALI	Putter LED/930, 19° DALI 900mA RAL9006
1.79400.02.930.950	Putter LED/930, 19° 950mA RAL9006
1.79400.02.930.950.DALI	Putter LED/930, 19° DALI 950mA RAL9006
1.79400.02.940.1050	Putter LED/940, 19° 1050mA RAL9006
1.79400.02.940.1050.DALI	Putter LED/940, 19° DALI 1050mA RAL9006
1.79400.02.940.250	Putter LED/940, 19° 250mA RAL9006
1.79400.02.940.250.DALI	Putter LED/940, 19° DALI 250mA RAL9006
1.79400.02.940.350	Putter LED/940, 19° 350mA RAL9006
1.79400.02.940.350.DALI	Putter LED/940, 19° DALI 350mA RAL9006
1.79400.02.940.450	Putter LED/940, 19° 450mA RAL9006
1.79400.02.940.450.DALI	Putter LED/940, 19° DALI 450mA RAL9006
1.79400.02.940.500	Putter LED/940, 19° 500mA RAL9006
1.79400.02.940.500.DALI	Putter LED/940, 19° DALI 500mA RAL9006
1.79400.02.940.600	Putter LED/940, 19° 600mA RAL9006
1.79400.02.940.600.DALI	Putter LED/940, 19° DALI 600mA RAL9006
1.79400.02.940.650	Putter LED/940, 19° 650mA RAL9006
1.79400.02.940.650.DALI	Putter LED/940, 19° DALI 650mA RAL9006
1.79400.02.940.700	Putter LED/940, 19° 700mA RAL9006
1.79400.02.940.700.DALI	Putter LED/940, 19° DALI 700mA RAL9006
1.79400.02.940.800	Putter LED/940, 19° 800mA RAL9006
1.79400.02.940.800.DALI	Putter LED/940, 19° DALI 800mA RAL9006
1.79400.02.940.900	Putter LED/940, 19° 900mA RAL9006
1.79400.02.940.900.DALI	Putter LED/940, 19° DALI 900mA RAL9006

Place and date of issue of the document

Warszawa, 01.02.2022



MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
1.79400.02.940.950	Putter LED/940, 19° 950mA RAL9006
1.79400.02.940.950.DALI	Putter LED/940, 19° DALI 950mA RAL9006
1.79400.03.930.1050	Putter LED/930, 19° 1050mA RAL9005
1.79400.03.930.1050.DALI	Putter LED/930, 19° DALI 1050mA RAL9005
1.79400.03.930.250	Putter LED/930, 19° 250mA RAL9005
1.79400.03.930.250.DALI	Putter LED/930, 19° DALI 250mA RAL9005
1.79400.03.930.350	Putter LED/930, 19° 350mA RAL9005
1.79400.03.930.350.DALI	Putter LED/930, 19° DALI 350mA RAL9005
1.79400.03.930.450	Putter LED/930, 19° 450mA RAL9005
1.79400.03.930.450.DALI	Putter LED/930, 19° DALI 450mA RAL9005
1.79400.03.930.500	Putter LED/930, 19° 500mA RAL9005
1.79400.03.930.500.DALI	Putter LED/930, 19° DALI 500mA RAL9005
1.79400.03.930.600	Putter LED/930, 19° 600mA RAL9005
1.79400.03.930.600.DALI	Putter LED/930, 19° DALI 600mA RAL9005
1.79400.03.930.650	Putter LED/930, 19° 650mA RAL9005
1.79400.03.930.650.DALI	Putter LED/930, 19° DALI 650mA RAL9005
1.79400.03.930.700	Putter LED/930, 19° 700mA RAL9005
1.79400.03.930.700.DALI	Putter LED/930, 19° DALI 700mA RAL9005
1.79400.03.930.800	Putter LED/930, 19° 800mA RAL9005
1.79400.03.930.800.DALI	Putter LED/930, 19° DALI 800mA RAL9005
1.79400.03.930.900	Putter LED/930, 19° 900mA RAL9005
1.79400.03.930.900.DALI	Putter LED/930, 19° DALI 900mA RAL9005
1.79400.03.930.950	Putter LED/930, 19° 950mA RAL9005
1.79400.03.930.950.DALI	Putter LED/930, 19° DALI 950mA RAL9005
1.79400.03.940.1050	Putter LED/940, 19° 1050mA RAL9005
1.79400.03.940.1050.DALI	Putter LED/940, 19° DALI 1050mA RAL9005
1.79400.03.940.250	Putter LED/940, 19° 250mA RAL9005
1.79400.03.940.250.DALI	Putter LED/940, 19° DALI 250mA RAL9005
1.79400.03.940.350	Putter LED/940, 19° 350mA RAL9005
1.79400.03.940.350.DALI	Putter LED/940, 19° DALI 350mA RAL9005
1.79400.03.940.450	Putter LED/940, 19° 450mA RAL9005
1.79400.03.940.450.DALI	Putter LED/940, 19° DALI 450mA RAL9005
1.79400.03.940.500	Putter LED/940, 19° 500mA RAL9005
1.79400.03.940.500.DALI	Putter LED/940, 19° DALI 500mA RAL9005
1.79400.03.940.600	Putter LED/940, 19° 600mA RAL9005
1.79400.03.940.600.DALI	Putter LED/940, 19° DALI 600mA RAL9005
1.79400.03.940.650	Putter LED/940, 19° 650mA RAL9005
1.79400.03.940.650.DALI	Putter LED/940, 19° DALI 650mA RAL9005
1.79400.03.940.700	Putter LED/940, 19° 700mA RAL9005
1.79400.03.940.700.DALI	Putter LED/940, 19° DALI 700mA RAL9005
1.79400.03.940.800	Putter LED/940, 19° 800mA RAL9005
1.79400.03.940.800.DALI	Putter LED/940, 19° DALI 800mA RAL9005
1.79400.03.940.900	Putter LED/940, 19° 900mA RAL9005
1.79400.03.940.900.DALI	Putter LED/940, 19° DALI 900mA RAL9005

Place and date of issue of the document

Warszawa, 01.02.2022




MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
1.79400.03.940.950	Putter LED/940, 19° 950mA RAL9005
1.79400.03.940.950.DALI	Putter LED/940, 19° DALI 950mA RAL9005
1.79430.01.930.1050	Putter LED/930, 26° 1050mA RAL9016
1.79430.01.930.1050.DALI	Putter LED/930, 26° DALI 1050mA RAL9016
1.79430.01.930.250	Putter LED/930, 26° 250mA RAL9016
1.79430.01.930.250.DALI	Putter LED/930, 26° DALI 250mA RAL9016
1.79430.01.930.350	Putter LED/930, 26° 350mA RAL9016
1.79430.01.930.350.DALI	Putter LED/930, 26° DALI 350mA RAL9016
1.79430.01.930.450	Putter LED/930, 26° 450mA RAL9016
1.79430.01.930.450.DALI	Putter LED/930, 26° DALI 450mA RAL9016
1.79430.01.930.500	Putter LED/930, 26° 500mA RAL9016
1.79430.01.930.500.DALI	Putter LED/930, 26° DALI 500mA RAL9016
1.79430.01.930.600	Putter LED/930, 26° 600mA RAL9016
1.79430.01.930.600.DALI	Putter LED/930, 26° DALI 600mA RAL9016
1.79430.01.930.650	Putter LED/930, 26° 650mA RAL9016
1.79430.01.930.650.DALI	Putter LED/930, 26° DALI 650mA RAL9016
1.79430.01.930.700	Putter LED/930, 26° 700mA RAL9016
1.79430.01.930.700.DALI	Putter LED/930, 26° DALI 700mA RAL9016
1.79430.01.930.800	Putter LED/930, 26° 800mA RAL9016
1.79430.01.930.800.DALI	Putter LED/930, 26° DALI 800mA RAL9016
1.79430.01.930.900	Putter LED/930, 26° 900mA RAL9016
1.79430.01.930.900.DALI	Putter LED/930, 26° DALI 900mA RAL9016
1.79430.01.930.950	Putter LED/930, 26° 950mA RAL9016
1.79430.01.930.950.DALI	Putter LED/930, 26° DALI 950mA RAL9016
1.79430.01.940.1050	Putter LED/940, 26° 1050mA RAL9016
1.79430.01.940.1050.DALI	Putter LED/940, 26° DALI 1050mA RAL9016
1.79430.01.940.250	Putter LED/940, 26° 250mA RAL9016
1.79430.01.940.250.DALI	Putter LED/940, 26° DALI 250mA RAL9016
1.79430.01.940.350	Putter LED/940, 26° 350mA RAL9016
1.79430.01.940.350.DALI	Putter LED/940, 26° DALI 350mA RAL9016
1.79430.01.940.450	Putter LED/940, 26° 450mA RAL9016
1.79430.01.940.450.DALI	Putter LED/940, 26° DALI 450mA RAL9016
1.79430.01.940.500	Putter LED/940, 26° 500mA RAL9016
1.79430.01.940.500.DALI	Putter LED/940, 26° DALI 500mA RAL9016
1.79430.01.940.600	Putter LED/940, 26° 600mA RAL9016
1.79430.01.940.600.DALI	Putter LED/940, 26° DALI 600mA RAL9016
1.79430.01.940.650	Putter LED/940, 26° 650mA RAL9016
1.79430.01.940.650.DALI	Putter LED/940, 26° DALI 650mA RAL9016
1.79430.01.940.700	Putter LED/940, 26° 700mA RAL9016
1.79430.01.940.700.DALI	Putter LED/940, 26° DALI 700mA RAL9016
1.79430.01.940.800	Putter LED/940, 26° 800mA RAL9016
1.79430.01.940.800.DALI	Putter LED/940, 26° DALI 800mA RAL9016
1.79430.01.940.900	Putter LED/940, 26° 900mA RAL9016
1.79430.01.940.900.DALI	Putter LED/940, 26° DALI 900mA RAL9016

Place and date of issue of the document

Warszawa, 01.02.2022




MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
1.79430.01.940.950	Putter LED/940, 26° 950mA RAL9016
1.79430.01.940.950.DALI	Putter LED/940, 26° DALI 950mA RAL9016
1.79430.02.930.1050	Putter LED/930, 26° 1050mA RAL9006
1.79430.02.930.1050.DALI	Putter LED/930, 26° DALI 1050mA RAL9006
1.79430.02.930.250	Putter LED/930, 26° 250mA RAL9006
1.79430.02.930.250.DALI	Putter LED/930, 26° DALI 250mA RAL9006
1.79430.02.930.350	Putter LED/930, 26° 350mA RAL9006
1.79430.02.930.350.DALI	Putter LED/930, 26° DALI 350mA RAL9006
1.79430.02.930.450	Putter LED/930, 26° 450mA RAL9006
1.79430.02.930.450.DALI	Putter LED/930, 26° DALI 450mA RAL9006
1.79430.02.930.500	Putter LED/930, 26° 500mA RAL9006
1.79430.02.930.500.DALI	Putter LED/930, 26° DALI 500mA RAL9006
1.79430.02.930.600	Putter LED/930, 26° 600mA RAL9006
1.79430.02.930.600.DALI	Putter LED/930, 26° DALI 600mA RAL9006
1.79430.02.930.650	Putter LED/930, 26° 650mA RAL9006
1.79430.02.930.650.DALI	Putter LED/930, 26° DALI 650mA RAL9006
1.79430.02.930.700	Putter LED/930, 26° 700mA RAL9006
1.79430.02.930.700.DALI	Putter LED/930, 26° DALI 700mA RAL9006
1.79430.02.930.800	Putter LED/930, 26° 800mA RAL9006
1.79430.02.930.800.DALI	Putter LED/930, 26° DALI 800mA RAL9006
1.79430.02.930.900	Putter LED/930, 26° 900mA RAL9006
1.79430.02.930.900.DALI	Putter LED/930, 26° DALI 900mA RAL9006
1.79430.02.930.950	Putter LED/930, 26° 950mA RAL9006
1.79430.02.930.950.DALI	Putter LED/930, 26° DALI 950mA RAL9006
1.79430.02.940.1050	Putter LED/940, 26° 1050mA RAL9006
1.79430.02.940.1050.DALI	Putter LED/940, 26° DALI 1050mA RAL9006
1.79430.02.940.250	Putter LED/940, 26° 250mA RAL9006
1.79430.02.940.250.DALI	Putter LED/940, 26° DALI 250mA RAL9006
1.79430.02.940.350	Putter LED/940, 26° 350mA RAL9006
1.79430.02.940.350.DALI	Putter LED/940, 26° DALI 350mA RAL9006
1.79430.02.940.450	Putter LED/940, 26° 450mA RAL9006
1.79430.02.940.450.DALI	Putter LED/940, 26° DALI 450mA RAL9006
1.79430.02.940.500	Putter LED/940, 26° 500mA RAL9006
1.79430.02.940.500.DALI	Putter LED/940, 26° DALI 500mA RAL9006
1.79430.02.940.600	Putter LED/940, 26° 600mA RAL9006
1.79430.02.940.600.DALI	Putter LED/940, 26° DALI 600mA RAL9006
1.79430.02.940.650	Putter LED/940, 26° 650mA RAL9006
1.79430.02.940.650.DALI	Putter LED/940, 26° DALI 650mA RAL9006
1.79430.02.940.700	Putter LED/940, 26° 700mA RAL9006
1.79430.02.940.700.DALI	Putter LED/940, 26° DALI 700mA RAL9006
1.79430.02.940.800	Putter LED/940, 26° 800mA RAL9006
1.79430.02.940.800.DALI	Putter LED/940, 26° DALI 800mA RAL9006
1.79430.02.940.900	Putter LED/940, 26° 900mA RAL9006
1.79430.02.940.900.DALI	Putter LED/940, 26° DALI 900mA RAL9006

Place and date of issue of the document

Warszawa, 01.02.2022




MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
1.79430.02.940.950	Putter LED/940, 26° 950mA RAL9006
1.79430.02.940.950.DALI	Putter LED/940, 26° DALI 950mA RAL9006
1.79430.03.930.1050	Putter LED/930, 26° 1050mA RAL9005
1.79430.03.930.1050.DALI	Putter LED/930, 26° DALI 1050mA RAL9005
1.79430.03.930.250	Putter LED/930, 26° 250mA RAL9005
1.79430.03.930.250.DALI	Putter LED/930, 26° DALI 250mA RAL9005
1.79430.03.930.350	Putter LED/930, 26° 350mA RAL9005
1.79430.03.930.350.DALI	Putter LED/930, 26° DALI 350mA RAL9005
1.79430.03.930.450	Putter LED/930, 26° 450mA RAL9005
1.79430.03.930.450.DALI	Putter LED/930, 26° DALI 450mA RAL9005
1.79430.03.930.500	Putter LED/930, 26° 500mA RAL9005
1.79430.03.930.500.DALI	Putter LED/930, 26° DALI 500mA RAL9005
1.79430.03.930.600	Putter LED/930, 26° 600mA RAL9005
1.79430.03.930.600.DALI	Putter LED/930, 26° DALI 600mA RAL9005
1.79430.03.930.650	Putter LED/930, 26° 650mA RAL9005
1.79430.03.930.650.DALI	Putter LED/930, 26° DALI 650mA RAL9005
1.79430.03.930.700	Putter LED/930, 26° 700mA RAL9005
1.79430.03.930.700.DALI	Putter LED/930, 26° DALI 700mA RAL9005
1.79430.03.930.800	Putter LED/930, 26° 800mA RAL9005
1.79430.03.930.800.DALI	Putter LED/930, 26° DALI 800mA RAL9005
1.79430.03.930.900	Putter LED/930, 26° 900mA RAL9005
1.79430.03.930.900.DALI	Putter LED/930, 26° DALI 900mA RAL9005
1.79430.03.930.950	Putter LED/930, 26° 950mA RAL9005
1.79430.03.930.950.DALI	Putter LED/930, 26° DALI 950mA RAL9005
1.79430.03.940.1050	Putter LED/940, 26° 1050mA RAL9005
1.79430.03.940.1050.DALI	Putter LED/940, 26° DALI 1050mA RAL9005
1.79430.03.940.250	Putter LED/940, 26° 250mA RAL9005
1.79430.03.940.250.DALI	Putter LED/940, 26° DALI 250mA RAL9005
1.79430.03.940.350	Putter LED/940, 26° 350mA RAL9005
1.79430.03.940.350.DALI	Putter LED/940, 26° DALI 350mA RAL9005
1.79430.03.940.450	Putter LED/940, 26° 450mA RAL9005
1.79430.03.940.450.DALI	Putter LED/940, 26° DALI 450mA RAL9005
1.79430.03.940.500	Putter LED/940, 26° 500mA RAL9005
1.79430.03.940.500.DALI	Putter LED/940, 26° DALI 500mA RAL9005
1.79430.03.940.600	Putter LED/940, 26° 600mA RAL9005
1.79430.03.940.600.DALI	Putter LED/940, 26° DALI 600mA RAL9005
1.79430.03.940.650	Putter LED/940, 26° 650mA RAL9005
1.79430.03.940.650.DALI	Putter LED/940, 26° DALI 650mA RAL9005
1.79430.03.940.700	Putter LED/940, 26° 700mA RAL9005
1.79430.03.940.700.DALI	Putter LED/940, 26° DALI 700mA RAL9005
1.79430.03.940.800	Putter LED/940, 26° 800mA RAL9005
1.79430.03.940.800.DALI	Putter LED/940, 26° DALI 800mA RAL9005
1.79430.03.940.900	Putter LED/940, 26° 900mA RAL9005
1.79430.03.940.900.DALI	Putter LED/940, 26° DALI 900mA RAL9005

Place and date of issue of the document

Warszawa, 01.02.2022



MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
1.79430.03.940.950	Putter LED/940, 26° 950mA RAL9005
1.79430.03.940.950.DALI	Putter LED/940, 26° DALI 950mA RAL9005
1.79460.01.930.1050	Putter LED/930, 34° 1050mA RAL9016
1.79460.01.930.1050.DALI	Putter LED/930, 34° DALI 1050mA RAL9016
1.79460.01.930.250	Putter LED/930, 34° 250mA RAL9016
1.79460.01.930.250.DALI	Putter LED/930, 34° DALI 250mA RAL9016
1.79460.01.930.350	Putter LED/930, 34° 350mA RAL9016
1.79460.01.930.350.DALI	Putter LED/930, 34° DALI 350mA RAL9016
1.79460.01.930.450	Putter LED/930, 34° 450mA RAL9016
1.79460.01.930.450.DALI	Putter LED/930, 34° DALI 450mA RAL9016
1.79460.01.930.500	Putter LED/930, 34° 500mA RAL9016
1.79460.01.930.500.DALI	Putter LED/930, 34° DALI 500mA RAL9016
1.79460.01.930.600	Putter LED/930, 34° 600mA RAL9016
1.79460.01.930.600.DALI	Putter LED/930, 34° DALI 600mA RAL9016
1.79460.01.930.650	Putter LED/930, 34° 650mA RAL9016
1.79460.01.930.650.DALI	Putter LED/930, 34° DALI 650mA RAL9016
1.79460.01.930.700	Putter LED/930, 34° 700mA RAL9016
1.79460.01.930.700.DALI	Putter LED/930, 34° DALI 700mA RAL9016
1.79460.01.930.800	Putter LED/930, 34° 800mA RAL9016
1.79460.01.930.800.DALI	Putter LED/930, 34° DALI 800mA RAL9016
1.79460.01.930.900	Putter LED/930, 34° 900mA RAL9016
1.79460.01.930.900.DALI	Putter LED/930, 34° DALI 900mA RAL9016
1.79460.01.930.950	Putter LED/930, 34° 950mA RAL9016
1.79460.01.930.950.DALI	Putter LED/930, 34° DALI 950mA RAL9016
1.79460.01.940.1050	Putter LED/940, 34° 1050mA RAL9016
1.79460.01.940.1050.DALI	Putter LED/940, 34° DALI 1050mA RAL9016
1.79460.01.940.250	Putter LED/940, 34° 250mA RAL9016
1.79460.01.940.250.DALI	Putter LED/940, 34° DALI 250mA RAL9016
1.79460.01.940.350	Putter LED/940, 34° 350mA RAL9016
1.79460.01.940.350.DALI	Putter LED/940, 34° DALI 350mA RAL9016
1.79460.01.940.450	Putter LED/940, 34° 450mA RAL9016
1.79460.01.940.450.DALI	Putter LED/940, 34° DALI 450mA RAL9016
1.79460.01.940.500	Putter LED/940, 34° 500mA RAL9016
1.79460.01.940.500.DALI	Putter LED/940, 34° DALI 500mA RAL9016
1.79460.01.940.600	Putter LED/940, 34° 600mA RAL9016
1.79460.01.940.600.DALI	Putter LED/940, 34° DALI 600mA RAL9016
1.79460.01.940.650	Putter LED/940, 34° 650mA RAL9016
1.79460.01.940.650.DALI	Putter LED/940, 34° DALI 650mA RAL9016
1.79460.01.940.700	Putter LED/940, 34° 700mA RAL9016
1.79460.01.940.700.DALI	Putter LED/940, 34° DALI 700mA RAL9016
1.79460.01.940.800	Putter LED/940, 34° 800mA RAL9016
1.79460.01.940.800.DALI	Putter LED/940, 34° DALI 800mA RAL9016
1.79460.01.940.900	Putter LED/940, 34° 900mA RAL9016
1.79460.01.940.900.DALI	Putter LED/940, 34° DALI 900mA RAL9016

Place and date of issue of the document

Warszawa, 01.02.2022




MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
1.79460.01.940.950	Putter LED/940, 34° 950mA RAL9016
1.79460.01.940.950.DALI	Putter LED/940, 34° DALI 950mA RAL9016
1.79460.02.930.1050	Putter LED/930, 34° 1050mA RAL9006
1.79460.02.930.1050.DALI	Putter LED/930, 34° DALI 1050mA RAL9006
1.79460.02.930.250	Putter LED/930, 34° 250mA RAL9006
1.79460.02.930.250.DALI	Putter LED/930, 34° DALI 250mA RAL9006
1.79460.02.930.350	Putter LED/930, 34° 350mA RAL9006
1.79460.02.930.350.DALI	Putter LED/930, 34° DALI 350mA RAL9006
1.79460.02.930.450	Putter LED/930, 34° 450mA RAL9006
1.79460.02.930.450.DALI	Putter LED/930, 34° DALI 450mA RAL9006
1.79460.02.930.500	Putter LED/930, 34° 500mA RAL9006
1.79460.02.930.500.DALI	Putter LED/930, 34° DALI 500mA RAL9006
1.79460.02.930.600	Putter LED/930, 34° 600mA RAL9006
1.79460.02.930.600.DALI	Putter LED/930, 34° DALI 600mA RAL9006
1.79460.02.930.650	Putter LED/930, 34° 650mA RAL9006
1.79460.02.930.650.DALI	Putter LED/930, 34° DALI 650mA RAL9006
1.79460.02.930.700	Putter LED/930, 34° 700mA RAL9006
1.79460.02.930.700.DALI	Putter LED/930, 34° DALI 700mA RAL9006
1.79460.02.930.800	Putter LED/930, 34° 800mA RAL9006
1.79460.02.930.800.DALI	Putter LED/930, 34° DALI 800mA RAL9006
1.79460.02.930.900	Putter LED/930, 34° 900mA RAL9006
1.79460.02.930.900.DALI	Putter LED/930, 34° DALI 900mA RAL9006
1.79460.02.930.950	Putter LED/930, 34° 950mA RAL9006
1.79460.02.930.950.DALI	Putter LED/930, 34° DALI 950mA RAL9006
1.79460.02.940.1050	Putter LED/940, 34° 1050mA RAL9006
1.79460.02.940.1050.DALI	Putter LED/940, 34° DALI 1050mA RAL9006
1.79460.02.940.250	Putter LED/940, 34° 250mA RAL9006
1.79460.02.940.250.DALI	Putter LED/940, 34° DALI 250mA RAL9006
1.79460.02.940.350	Putter LED/940, 34° 350mA RAL9006
1.79460.02.940.350.DALI	Putter LED/940, 34° DALI 350mA RAL9006
1.79460.02.940.450	Putter LED/940, 34° 450mA RAL9006
1.79460.02.940.450.DALI	Putter LED/940, 34° DALI 450mA RAL9006
1.79460.02.940.500	Putter LED/940, 34° 500mA RAL9006
1.79460.02.940.500.DALI	Putter LED/940, 34° DALI 500mA RAL9006
1.79460.02.940.600	Putter LED/940, 34° 600mA RAL9006
1.79460.02.940.600.DALI	Putter LED/940, 34° DALI 600mA RAL9006
1.79460.02.940.650	Putter LED/940, 34° 650mA RAL9006
1.79460.02.940.650.DALI	Putter LED/940, 34° DALI 650mA RAL9006
1.79460.02.940.700	Putter LED/940, 34° 700mA RAL9006
1.79460.02.940.700.DALI	Putter LED/940, 34° DALI 700mA RAL9006
1.79460.02.940.800	Putter LED/940, 34° 800mA RAL9006
1.79460.02.940.800.DALI	Putter LED/940, 34° DALI 800mA RAL9006
1.79460.02.940.900	Putter LED/940, 34° 900mA RAL9006
1.79460.02.940.900.DALI	Putter LED/940, 34° DALI 900mA RAL9006

Place and date of issue of the document

Warszawa, 01.02.2022




MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
1.79460.02.940.950	Putter LED/940, 34° 950mA RAL9006
1.79460.02.940.950.DALI	Putter LED/940, 34° DALI 950mA RAL9006
1.79460.03.930.1050	Putter LED/930, 34° 1050mA RAL9005
1.79460.03.930.1050.DALI	Putter LED/930, 34° DALI 1050mA RAL9005
1.79460.03.930.250	Putter LED/930, 34° 250mA RAL9005
1.79460.03.930.250.DALI	Putter LED/930, 34° DALI 250mA RAL9005
1.79460.03.930.350	Putter LED/930, 34° 350mA RAL9005
1.79460.03.930.350.DALI	Putter LED/930, 34° DALI 350mA RAL9005
1.79460.03.930.450	Putter LED/930, 34° 450mA RAL9005
1.79460.03.930.450.DALI	Putter LED/930, 34° DALI 450mA RAL9005
1.79460.03.930.500	Putter LED/930, 34° 500mA RAL9005
1.79460.03.930.500.DALI	Putter LED/930, 34° DALI 500mA RAL9005
1.79460.03.930.600	Putter LED/930, 34° 600mA RAL9005
1.79460.03.930.600.DALI	Putter LED/930, 34° DALI 600mA RAL9005
1.79460.03.930.650	Putter LED/930, 34° 650mA RAL9005
1.79460.03.930.650.DALI	Putter LED/930, 34° DALI 650mA RAL9005
1.79460.03.930.700	Putter LED/930, 34° 700mA RAL9005
1.79460.03.930.700.DALI	Putter LED/930, 34° DALI 700mA RAL9005
1.79460.03.930.800	Putter LED/930, 34° 800mA RAL9005
1.79460.03.930.800.DALI	Putter LED/930, 34° DALI 800mA RAL9005
1.79460.03.930.900	Putter LED/930, 34° 900mA RAL9005
1.79460.03.930.900.DALI	Putter LED/930, 34° DALI 900mA RAL9005
1.79460.03.930.950	Putter LED/930, 34° 950mA RAL9005
1.79460.03.930.950.DALI	Putter LED/930, 34° DALI 950mA RAL9005
1.79460.03.940.1050	Putter LED/940, 34° 1050mA RAL9005
1.79460.03.940.1050.DALI	Putter LED/940, 34° DALI 1050mA RAL9005
1.79460.03.940.250	Putter LED/940, 34° 250mA RAL9005
1.79460.03.940.250.DALI	Putter LED/940, 34° DALI 250mA RAL9005
1.79460.03.940.350	Putter LED/940, 34° 350mA RAL9005
1.79460.03.940.350.DALI	Putter LED/940, 34° DALI 350mA RAL9005
1.79460.03.940.450	Putter LED/940, 34° 450mA RAL9005
1.79460.03.940.450.DALI	Putter LED/940, 34° DALI 450mA RAL9005
1.79460.03.940.500	Putter LED/940, 34° 500mA RAL9005
1.79460.03.940.500.DALI	Putter LED/940, 34° DALI 500mA RAL9005
1.79460.03.940.600	Putter LED/940, 34° 600mA RAL9005
1.79460.03.940.600.DALI	Putter LED/940, 34° DALI 600mA RAL9005
1.79460.03.940.650	Putter LED/940, 34° 650mA RAL9005
1.79460.03.940.650.DALI	Putter LED/940, 34° DALI 650mA RAL9005
1.79460.03.940.700	Putter LED/940, 34° 700mA RAL9005
1.79460.03.940.700.DALI	Putter LED/940, 34° DALI 700mA RAL9005
1.79460.03.940.800	Putter LED/940, 34° 800mA RAL9005
1.79460.03.940.800.DALI	Putter LED/940, 34° DALI 800mA RAL9005
1.79460.03.940.900	Putter LED/940, 34° 900mA RAL9005
1.79460.03.940.900.DALI	Putter LED/940, 34° DALI 900mA RAL9005

Place and date of issue of the document

Warszawa, 01.02.2022



MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
1.79460.03.940.950	Putter LED/940, 34° 950mA RAL9005
1.79460.03.940.950.DALI	Putter LED/940, 34° DALI 950mA RAL9005
1.79490.01.930.1050	Putter LED/930, 62° 1050mA RAL9016
1.79490.01.930.1050.DALI	Putter LED/930, 62° DALI 1050mA RAL9016
1.79490.01.930.250	Putter LED/930, 62° 250mA RAL9016
1.79490.01.930.250.DALI	Putter LED/930, 62° DALI 250mA RAL9016
1.79490.01.930.350	Putter LED/930, 62° 350mA RAL9016
1.79490.01.930.350.DALI	Putter LED/930, 62° DALI 350mA RAL9016
1.79490.01.930.450	Putter LED/930, 62° 450mA RAL9016
1.79490.01.930.450.DALI	Putter LED/930, 62° DALI 450mA RAL9016
1.79490.01.930.500	Putter LED/930, 62° 500mA RAL9016
1.79490.01.930.500.DALI	Putter LED/930, 62° DALI 500mA RAL9016
1.79490.01.930.600	Putter LED/930, 62° 600mA RAL9016
1.79490.01.930.600.DALI	Putter LED/930, 62° DALI 600mA RAL9016
1.79490.01.930.650	Putter LED/930, 62° 650mA RAL9016
1.79490.01.930.650.DALI	Putter LED/930, 62° DALI 650mA RAL9016
1.79490.01.930.700	Putter LED/930, 62° 700mA RAL9016
1.79490.01.930.700.DALI	Putter LED/930, 62° DALI 700mA RAL9016
1.79490.01.930.800	Putter LED/930, 62° 800mA RAL9016
1.79490.01.930.800.DALI	Putter LED/930, 62° DALI 800mA RAL9016
1.79490.01.930.900	Putter LED/930, 62° 900mA RAL9016
1.79490.01.930.900.DALI	Putter LED/930, 62° DALI 900mA RAL9016
1.79490.01.930.950	Putter LED/930, 62° 950mA RAL9016
1.79490.01.930.950.DALI	Putter LED/930, 62° DALI 950mA RAL9016
1.79490.01.940.1050	Putter LED/940, 62° 1050mA RAL9016
1.79490.01.940.1050.DALI	Putter LED/940, 62° DALI 1050mA RAL9016
1.79490.01.940.250	Putter LED/940, 62° 250mA RAL9016
1.79490.01.940.250.DALI	Putter LED/940, 62° DALI 250mA RAL9016
1.79490.01.940.350	Putter LED/940, 62° 350mA RAL9016
1.79490.01.940.350.DALI	Putter LED/940, 62° DALI 350mA RAL9016
1.79490.01.940.450	Putter LED/940, 62° 450mA RAL9016
1.79490.01.940.450.DALI	Putter LED/940, 62° DALI 450mA RAL9016
1.79490.01.940.500	Putter LED/940, 62° 500mA RAL9016
1.79490.01.940.500.DALI	Putter LED/940, 62° DALI 500mA RAL9016
1.79490.01.940.600	Putter LED/940, 62° 600mA RAL9016
1.79490.01.940.600.DALI	Putter LED/940, 62° DALI 600mA RAL9016
1.79490.01.940.650	Putter LED/940, 62° 650mA RAL9016
1.79490.01.940.650.DALI	Putter LED/940, 62° DALI 650mA RAL9016
1.79490.01.940.700	Putter LED/940, 62° 700mA RAL9016
1.79490.01.940.700.DALI	Putter LED/940, 62° DALI 700mA RAL9016
1.79490.01.940.800	Putter LED/940, 62° 800mA RAL9016
1.79490.01.940.800.DALI	Putter LED/940, 62° DALI 800mA RAL9016
1.79490.01.940.900	Putter LED/940, 62° 900mA RAL9016
1.79490.01.940.900.DALI	Putter LED/940, 62° DALI 900mA RAL9016

Place and date of issue of the document

Warszawa, 01.02.2022



MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
1.79490.01.940.950	Putter LED/940, 62° 950mA RAL9016
1.79490.01.940.950.DALI	Putter LED/940, 62° DALI 950mA RAL9016
1.79490.02.930.1050	Putter LED/930, 62° 1050mA RAL9006
1.79490.02.930.1050.DALI	Putter LED/930, 62° DALI 1050mA RAL9006
1.79490.02.930.250	Putter LED/930, 62° 250mA RAL9006
1.79490.02.930.250.DALI	Putter LED/930, 62° DALI 250mA RAL9006
1.79490.02.930.350	Putter LED/930, 62° 350mA RAL9006
1.79490.02.930.350.DALI	Putter LED/930, 62° DALI 350mA RAL9006
1.79490.02.930.450	Putter LED/930, 62° 450mA RAL9006
1.79490.02.930.450.DALI	Putter LED/930, 62° DALI 450mA RAL9006
1.79490.02.930.500	Putter LED/930, 62° 500mA RAL9006
1.79490.02.930.500.DALI	Putter LED/930, 62° DALI 500mA RAL9006
1.79490.02.930.600	Putter LED/930, 62° 600mA RAL9006
1.79490.02.930.600.DALI	Putter LED/930, 62° DALI 600mA RAL9006
1.79490.02.930.650	Putter LED/930, 62° 650mA RAL9006
1.79490.02.930.650.DALI	Putter LED/930, 62° DALI 650mA RAL9006
1.79490.02.930.700	Putter LED/930, 62° 700mA RAL9006
1.79490.02.930.700.DALI	Putter LED/930, 62° DALI 700mA RAL9006
1.79490.02.930.800	Putter LED/930, 62° 800mA RAL9006
1.79490.02.930.800.DALI	Putter LED/930, 62° DALI 800mA RAL9006
1.79490.02.930.900	Putter LED/930, 62° 900mA RAL9006
1.79490.02.930.900.DALI	Putter LED/930, 62° DALI 900mA RAL9006
1.79490.02.930.950	Putter LED/930, 62° 950mA RAL9006
1.79490.02.930.950.DALI	Putter LED/930, 62° DALI 950mA RAL9006
1.79490.02.940.1050	Putter LED/940, 62° 1050mA RAL9006
1.79490.02.940.1050.DALI	Putter LED/940, 62° DALI 1050mA RAL9006
1.79490.02.940.250	Putter LED/940, 62° 250mA RAL9006
1.79490.02.940.250.DALI	Putter LED/940, 62° DALI 250mA RAL9006
1.79490.02.940.350	Putter LED/940, 62° 350mA RAL9006
1.79490.02.940.350.DALI	Putter LED/940, 62° DALI 350mA RAL9006
1.79490.02.940.450	Putter LED/940, 62° 450mA RAL9006
1.79490.02.940.450.DALI	Putter LED/940, 62° DALI 450mA RAL9006
1.79490.02.940.500	Putter LED/940, 62° 500mA RAL9006
1.79490.02.940.500.DALI	Putter LED/940, 62° DALI 500mA RAL9006
1.79490.02.940.600	Putter LED/940, 62° 600mA RAL9006
1.79490.02.940.600.DALI	Putter LED/940, 62° DALI 600mA RAL9006
1.79490.02.940.650	Putter LED/940, 62° 650mA RAL9006
1.79490.02.940.650.DALI	Putter LED/940, 62° DALI 650mA RAL9006
1.79490.02.940.700	Putter LED/940, 62° 700mA RAL9006
1.79490.02.940.700.DALI	Putter LED/940, 62° DALI 700mA RAL9006
1.79490.02.940.800	Putter LED/940, 62° 800mA RAL9006
1.79490.02.940.800.DALI	Putter LED/940, 62° DALI 800mA RAL9006
1.79490.02.940.900	Putter LED/940, 62° 900mA RAL9006
1.79490.02.940.900.DALI	Putter LED/940, 62° DALI 900mA RAL9006

Place and date of issue of the document

Warszawa, 01.02.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
1.79490.02.940.950	Putter LED/940, 62° 950mA RAL9006
1.79490.02.940.950.DALI	Putter LED/940, 62° DALI 950mA RAL9006
1.79490.03.930.1050	Putter LED/930, 62° 1050mA RAL9005
1.79490.03.930.1050.DALI	Putter LED/930, 62° DALI 1050mA RAL9005
1.79490.03.930.250	Putter LED/930, 62° 250mA RAL9005
1.79490.03.930.250.DALI	Putter LED/930, 62° DALI 250mA RAL9005
1.79490.03.930.350	Putter LED/930, 62° 350mA RAL9005
1.79490.03.930.350.DALI	Putter LED/930, 62° DALI 350mA RAL9005
1.79490.03.930.450	Putter LED/930, 62° 450mA RAL9005
1.79490.03.930.450.DALI	Putter LED/930, 62° DALI 450mA RAL9005
1.79490.03.930.500	Putter LED/930, 62° 500mA RAL9005
1.79490.03.930.500.DALI	Putter LED/930, 62° DALI 500mA RAL9005
1.79490.03.930.600	Putter LED/930, 62° 600mA RAL9005
1.79490.03.930.600.DALI	Putter LED/930, 62° DALI 600mA RAL9005
1.79490.03.930.650	Putter LED/930, 62° 650mA RAL9005
1.79490.03.930.650.DALI	Putter LED/930, 62° DALI 650mA RAL9005
1.79490.03.930.700	Putter LED/930, 62° 700mA RAL9005
1.79490.03.930.700.DALI	Putter LED/930, 62° DALI 700mA RAL9005
1.79490.03.930.800	Putter LED/930, 62° 800mA RAL9005
1.79490.03.930.800.DALI	Putter LED/930, 62° DALI 800mA RAL9005
1.79490.03.930.900	Putter LED/930, 62° 900mA RAL9005
1.79490.03.930.900.DALI	Putter LED/930, 62° DALI 900mA RAL9005
1.79490.03.930.950	Putter LED/930, 62° 950mA RAL9005
1.79490.03.930.950.DALI	Putter LED/930, 62° DALI 950mA RAL9005
1.79490.03.940.1050	Putter LED/940, 62° 1050mA RAL9005
1.79490.03.940.1050.DALI	Putter LED/940, 62° DALI 1050mA RAL9005
1.79490.03.940.250	Putter LED/940, 62° 250mA RAL9005
1.79490.03.940.250.DALI	Putter LED/940, 62° DALI 250mA RAL9005
1.79490.03.940.350	Putter LED/940, 62° 350mA RAL9005
1.79490.03.940.350.DALI	Putter LED/940, 62° DALI 350mA RAL9005
1.79490.03.940.450	Putter LED/940, 62° 450mA RAL9005
1.79490.03.940.450.DALI	Putter LED/940, 62° DALI 450mA RAL9005
1.79490.03.940.500	Putter LED/940, 62° 500mA RAL9005
1.79490.03.940.500.DALI	Putter LED/940, 62° DALI 500mA RAL9005
1.79490.03.940.600	Putter LED/940, 62° 600mA RAL9005
1.79490.03.940.600.DALI	Putter LED/940, 62° DALI 600mA RAL9005
1.79490.03.940.650	Putter LED/940, 62° 650mA RAL9005
1.79490.03.940.650.DALI	Putter LED/940, 62° DALI 650mA RAL9005
1.79490.03.940.700	Putter LED/940, 62° 700mA RAL9005
1.79490.03.940.700.DALI	Putter LED/940, 62° DALI 700mA RAL9005
1.79490.03.940.800	Putter LED/940, 62° 800mA RAL9005
1.79490.03.940.800.DALI	Putter LED/940, 62° DALI 800mA RAL9005
1.79490.03.940.900	Putter LED/940, 62° 900mA RAL9005
1.79490.03.940.900.DALI	Putter LED/940, 62° DALI 900mA RAL9005

Place and date of issue of the document


Warszawa, 01.02.2022



MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
1.79490.03.940.950	Putter LED/940, 62° 950mA RAL9005
1.79490.03.940.950.DALI	Putter LED/940, 62° DALI 950mA RAL9005

Place and date of issue of the document

Warszawa, 01.02.2022
MIROSLAW-RAKOCZY
V-ce PREZES