

Manufacturer: **Spectra Lighting LLC**
Ostródzka st. 53
03-289 Warsaw

Product name: **TALIS 100**

Product number: **in the attachment nr 02/133**

We hereby declare, under the sole responsibility of the manufacturer, that the above product complies with the provisions of the following directives:

2009/125/WE	Ecodesign
2011/65/UE	Restriction of the use of certain hazardous substances
2014/30/UE	Electromagnetic Compatibility
2014/35/UE	Low Voltage

and the following standards:

PN-EN 55015:2013	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
PN-EN 60529:2003	Degrees of protection provided by enclosures (IP code)
PN-EN 60598-1:2015	Luminaires - Part 1: General requirements and tests
PN-EN 61000-3-2:2014	Electromagnetic compatibility (EMC) -- Part 3-2: Limits -- Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
PN-EN 61000-3-3:2013	Electromagnetic compatibility (EMC) -- Part 3-3: Limits -- Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection
PN-EN 61547:2009	Equipment for general lighting purposes - EMC immunity requirements
PN-EN 62493:2015	Assessment of lighting equipment related to human exposure to electromagnetic fields

The product has been CE marked for the first time in the year:

2021

Place and date of issue of the document

Warszawa, 11.02.2022


MIROSLAW RAKOCZY
V-ce PREZES

ATTACHMENT

Code	Name
02.133.2201.01.930	Talis 100 Surface-mounted LED/930, 22° 300mA RAL9016
02.133.2201.01.940	Talis 100 Surface-mounted LED/940, 22° 300mA RAL9016
02.133.2201.02.930	Talis 100 Surface-mounted LED/930, 22° 300mA RAL9006
02.133.2201.02.940	Talis 100 Surface-mounted LED/940, 22° 300mA RAL9006
02.133.2201.03.930	Talis 100 Surface-mounted LED/930, 22° 300mA RAL9005
02.133.2201.03.940	Talis 100 Surface-mounted LED/940, 22° 300mA RAL9005
02.133.2202.01.930	Talis 100 Surface-mounted LED/930, 56° 300mA RAL9016
02.133.2202.01.940	Talis 100 Surface-mounted LED/940, 56° 300mA RAL9016
02.133.2202.02.930	Talis 100 Surface-mounted LED/930, 56° 300mA RAL9006
02.133.2202.02.940	Talis 100 Surface-mounted LED/940, 56° 300mA RAL9006
02.133.2202.03.930	Talis 100 Surface-mounted LED/930, 56° 300mA RAL9005
02.133.2202.03.940	Talis 100 Surface-mounted LED/940, 56° 300mA RAL9005
02.133.2203.01.930	Talis 100 Surface-mounted LED/930, 22° 400mA RAL9016
02.133.2203.01.940	Talis 100 Surface-mounted LED/940, 22° 400mA RAL9016
02.133.2203.02.930	Talis 100 Surface-mounted LED/930, 22° 400mA RAL9006
02.133.2203.02.940	Talis 100 Surface-mounted LED/940, 22° 400mA RAL9006
02.133.2203.03.930	Talis 100 Surface-mounted LED/930, 22° 400mA RAL9005
02.133.2203.03.940	Talis 100 Surface-mounted LED/940, 22° 400mA RAL9005
02.133.2204.01.930	Talis 100 Surface-mounted LED/930, 56° 400mA RAL9016
02.133.2204.01.940	Talis 100 Surface-mounted LED/940, 56° 400mA RAL9016
02.133.2204.02.930	Talis 100 Surface-mounted LED/930, 56° 400mA RAL9006
02.133.2204.02.940	Talis 100 Surface-mounted LED/940, 56° 400mA RAL9006
02.133.2204.03.930	Talis 100 Surface-mounted LED/930, 56° 400mA RAL9005
02.133.2204.03.940	Talis 100 Surface-mounted LED/940, 56° 400mA RAL9005
02.133.2205.01.930	Talis 100 Surface-mounted LED/930, 22° 500mA RAL9016
02.133.2205.01.940	Talis 100 Surface-mounted LED/940, 22° 500mA RAL9016
02.133.2205.02.930	Talis 100 Surface-mounted LED/930, 22° 500mA RAL9006
02.133.2205.02.940	Talis 100 Surface-mounted LED/940, 22° 500mA RAL9006
02.133.2205.03.930	Talis 100 Surface-mounted LED/930, 22° 500mA RAL9005
02.133.2205.03.940	Talis 100 Surface-mounted LED/940, 22° 500mA RAL9005
02.133.2206.01.930	Talis 100 Surface-mounted LED/930, 56° 500mA RAL9016
02.133.2206.01.940	Talis 100 Surface-mounted LED/940, 56° 500mA RAL9016
02.133.2206.02.930	Talis 100 Surface-mounted LED/930, 56° 500mA RAL9006
02.133.2206.02.940	Talis 100 Surface-mounted LED/940, 56° 500mA RAL9006
02.133.2206.03.930	Talis 100 Surface-mounted LED/930, 56° 500mA RAL9005
02.133.2206.03.940	Talis 100 Surface-mounted LED/940, 56° 500mA RAL9005
02.133.2207.01.930	Talis 100 Surface-mounted LED/930, 22° 600mA RAL9016
02.133.2207.01.940	Talis 100 Surface-mounted LED/940, 22° 600mA RAL9016
02.133.2207.02.930	Talis 100 Surface-mounted LED/930, 22° 600mA RAL9006
02.133.2207.02.940	Talis 100 Surface-mounted LED/940, 22° 600mA RAL9006
02.133.2207.03.930	Talis 100 Surface-mounted LED/930, 22° 600mA RAL9005
02.133.2207.03.940	Talis 100 Surface-mounted LED/940, 22° 600mA RAL9005

Place and date of issue of the document

Warszawa, 11.02.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code**Name**

02.133.2208.01.930	Talis 100 Surface-mounted LED/930, 56° 600mA RAL9016
02.133.2208.01.940	Talis 100 Surface-mounted LED/940, 56° 600mA RAL9016
02.133.2208.02.930	Talis 100 Surface-mounted LED/930, 56° 600mA RAL9006
02.133.2208.02.940	Talis 100 Surface-mounted LED/940, 56° 600mA RAL9006
02.133.2208.03.930	Talis 100 Surface-mounted LED/930, 56° 600mA RAL9005
02.133.2208.03.940	Talis 100 Surface-mounted LED/940, 56° 600mA RAL9005
02.133.2306.01.940	Talis 100 Surface-mounted LED/940, 56° 500mA HoneyComb RAL9016
02.133.2316.01.940	Talis 100 Surface-mounted LED/940, 56° 500mA HoneyComb Frost RAL9016
02.133.2401.01.930	Talis 100 Surface-mounted LED/930, 26° 300mA Frost RAL9016
02.133.2401.01.940	Talis 100 Surface-mounted LED/940, 26° 300mA Frost RAL9016
02.133.2401.02.930	Talis 100 Surface-mounted LED/930, 26° 300mA Frost RAL9006
02.133.2401.02.940	Talis 100 Surface-mounted LED/940, 26° 300mA Frost RAL9006
02.133.2401.03.930	Talis 100 Surface-mounted LED/930, 26° 300mA Frost RAL9005
02.133.2401.03.940	Talis 100 Surface-mounted LED/940, 26° 300mA Frost RAL9005
02.133.2402.01.930	Talis 100 Surface-mounted LED/930, 56° 300mA Frost RAL9016
02.133.2402.01.940	Talis 100 Surface-mounted LED/940, 56° 300mA Frost RAL9016
02.133.2402.02.930	Talis 100 Surface-mounted LED/930, 56° 300mA Frost RAL9006
02.133.2402.02.940	Talis 100 Surface-mounted LED/940, 56° 300mA Frost RAL9006
02.133.2402.03.930	Talis 100 Surface-mounted LED/930, 56° 300mA Frost RAL9005
02.133.2402.03.940	Talis 100 Surface-mounted LED/940, 56° 300mA Frost RAL9005
02.133.2403.01.930	Talis 100 Surface-mounted LED/930, 26° 400mA Frost RAL9016
02.133.2403.01.940	Talis 100 Surface-mounted LED/940, 26° 400mA Frost RAL9016
02.133.2403.02.930	Talis 100 Surface-mounted LED/930, 26° 400mA Frost RAL9006
02.133.2403.02.940	Talis 100 Surface-mounted LED/940, 26° 400mA Frost RAL9006
02.133.2403.03.930	Talis 100 Surface-mounted LED/930, 26° 400mA Frost RAL9005
02.133.2403.03.940	Talis 100 Surface-mounted LED/940, 26° 400mA Frost RAL9005
02.133.2404.01.930	Talis 100 Surface-mounted LED/930, 56° 400mA Frost RAL9016
02.133.2404.01.940	Talis 100 Surface-mounted LED/940, 56° 400mA Frost RAL9016
02.133.2404.02.930	Talis 100 Surface-mounted LED/930, 56° 400mA Frost RAL9006
02.133.2404.02.940	Talis 100 Surface-mounted LED/940, 56° 400mA Frost RAL9006
02.133.2404.03.930	Talis 100 Surface-mounted LED/930, 56° 400mA Frost RAL9005
02.133.2404.03.940	Talis 100 Surface-mounted LED/940, 56° 400mA Frost RAL9005
02.133.2405.01.930	Talis 100 Surface-mounted LED/930, 26° 500mA Frost RAL9016
02.133.2405.01.940	Talis 100 Surface-mounted LED/940, 26° 500mA Frost RAL9016
02.133.2405.02.930	Talis 100 Surface-mounted LED/930, 26° 500mA Frost RAL9006
02.133.2405.02.940	Talis 100 Surface-mounted LED/940, 26° 500mA Frost RAL9006
02.133.2405.03.930	Talis 100 Surface-mounted LED/930, 26° 500mA Frost RAL9005
02.133.2405.03.940	Talis 100 Surface-mounted LED/940, 26° 500mA Frost RAL9005
02.133.2406.01.930	Talis 100 Surface-mounted LED/930, 56° 500mA Frost RAL9016
02.133.2406.01.940	Talis 100 Surface-mounted LED/940, 56° 500mA Frost RAL9016
02.133.2406.02.930	Talis 100 Surface-mounted LED/930, 56° 500mA Frost RAL9006
02.133.2406.02.940	Talis 100 Surface-mounted LED/940, 56° 500mA Frost RAL9006
02.133.2406.03.930	Talis 100 Surface-mounted LED/930, 56° 500mA Frost RAL9005
02.133.2406.03.940	Talis 100 Surface-mounted LED/940, 56° 500mA Frost RAL9005

Place and date of issue of the document

Warszawa, 11.02.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
02.133.2407.01.930	Talis 100 Surface-mounted LED/930, 26° 600mA Frost RAL9016
02.133.2407.01.940	Talis 100 Surface-mounted LED/940, 26° 600mA Frost RAL9016
02.133.2407.02.930	Talis 100 Surface-mounted LED/930, 26° 600mA Frost RAL9006
02.133.2407.02.940	Talis 100 Surface-mounted LED/940, 26° 600mA Frost RAL9006
02.133.2407.03.930	Talis 100 Surface-mounted LED/930, 26° 600mA Frost RAL9005
02.133.2407.03.940	Talis 100 Surface-mounted LED/940, 26° 600mA Frost RAL9005
02.133.2408.01.930	Talis 100 Surface-mounted LED/930, 56° 600mA Frost RAL9016
02.133.2408.01.940	Talis 100 Surface-mounted LED/940, 56° 600mA Frost RAL9016
02.133.2408.02.930	Talis 100 Surface-mounted LED/930, 56° 600mA Frost RAL9006
02.133.2408.02.940	Talis 100 Surface-mounted LED/940, 56° 600mA Frost RAL9006
02.133.2408.03.930	Talis 100 Surface-mounted LED/930, 56° 600mA Frost RAL9005
02.133.2408.03.940	Talis 100 Surface-mounted LED/940, 56° 600mA Frost RAL9005
02.133.3201.01.930	Talis 100 Suspended LED/930, 22° 300mA RAL9016
02.133.3201.01.940	Talis 100 Suspended LED/940, 22° 300mA RAL9016
02.133.3201.02.930	Talis 100 Suspended LED/930, 22° 300mA RAL9006
02.133.3201.02.940	Talis 100 Suspended LED/940, 22° 300mA RAL9006
02.133.3201.03.930	Talis 100 Suspended LED/930, 22° 300mA RAL9005
02.133.3201.03.940	Talis 100 Suspended LED/940, 22° 300mA RAL9005
02.133.3202.01.930	Talis 100 Suspended LED/930, 56° 300mA RAL9016
02.133.3202.01.940	Talis 100 Suspended LED/940, 56° 300mA RAL9016
02.133.3202.02.930	Talis 100 Suspended LED/930, 56° 300mA RAL9006
02.133.3202.02.940	Talis 100 Suspended LED/940, 56° 300mA RAL9006
02.133.3202.03.930	Talis 100 Suspended LED/930, 56° 300mA RAL9005
02.133.3202.03.940	Talis 100 Suspended LED/940, 56° 300mA RAL9005
02.133.3203.01.930	Talis 100 Suspended LED/930, 22° 400mA RAL9016
02.133.3203.01.940	Talis 100 Suspended LED/940, 22° 400mA RAL9016
02.133.3203.02.930	Talis 100 Suspended LED/930, 22° 400mA RAL9006
02.133.3203.02.940	Talis 100 Suspended LED/940, 22° 400mA RAL9006
02.133.3203.03.930	Talis 100 Suspended LED/930, 22° 400mA RAL9005
02.133.3203.03.940	Talis 100 Suspended LED/940, 22° 400mA RAL9005
02.133.3204.01.930	Talis 100 Suspended LED/930, 56° 400mA RAL9016
02.133.3204.01.940	Talis 100 Suspended LED/940, 56° 400mA RAL9016
02.133.3204.02.930	Talis 100 Suspended LED/930, 56° 400mA RAL9006
02.133.3204.02.940	Talis 100 Suspended LED/940, 56° 400mA RAL9006
02.133.3204.03.930	Talis 100 Suspended LED/930, 56° 400mA RAL9005
02.133.3204.03.940	Talis 100 Suspended LED/940, 56° 400mA RAL9005
02.133.3205.01.930	Talis 100 Suspended LED/930, 22° 500mA RAL9016
02.133.3205.01.940	Talis 100 Suspended LED/940, 22° 500mA RAL9016
02.133.3205.02.930	Talis 100 Suspended LED/930, 22° 500mA RAL9006
02.133.3205.02.940	Talis 100 Suspended LED/940, 22° 500mA RAL9006
02.133.3205.03.930	Talis 100 Suspended LED/930, 22° 500mA RAL9005
02.133.3205.03.940	Talis 100 Suspended LED/940, 22° 500mA RAL9005
02.133.3206.01.930	Talis 100 Suspended LED/930, 56° 500mA RAL9016
02.133.3206.01.940	Talis 100 Suspended LED/940, 56° 500mA RAL9016

Place and date of issue of the document

Warszawa, 11.02.2022




MIROSLAW RAKOCZY
V-ce PREZES

Code**Name**

02.133.3206.02.930	Talis 100 Suspended LED/930, 56° 500mA RAL9006
02.133.3206.02.940	Talis 100 Suspended LED/940, 56° 500mA RAL9006
02.133.3206.03.930	Talis 100 Suspended LED/930, 56° 500mA RAL9005
02.133.3206.03.940	Talis 100 Suspended LED/940, 56° 500mA RAL9005
02.133.3207.01.930	Talis 100 Suspended LED/930, 22° 600mA RAL9016
02.133.3207.01.940	Talis 100 Suspended LED/940, 22° 600mA RAL9016
02.133.3207.02.930	Talis 100 Suspended LED/930, 22° 600mA RAL9006
02.133.3207.02.940	Talis 100 Suspended LED/940, 22° 600mA RAL9006
02.133.3207.03.930	Talis 100 Suspended LED/930, 22° 600mA RAL9005
02.133.3207.03.940	Talis 100 Suspended LED/940, 22° 600mA RAL9005
02.133.3208.01.930	Talis 100 Suspended LED/930, 56° 600mA RAL9016
02.133.3208.01.940	Talis 100 Suspended LED/940, 56° 600mA RAL9016
02.133.3208.02.930	Talis 100 Suspended LED/930, 56° 600mA RAL9006
02.133.3208.02.940	Talis 100 Suspended LED/940, 56° 600mA RAL9006
02.133.3208.03.930	Talis 100 Suspended LED/930, 56° 600mA RAL9005
02.133.3208.03.940	Talis 100 Suspended LED/940, 56° 600mA RAL9005
02.133.3306.01.940	Talis 100 Suspended LED/940, 56° 500mA HoneyComb RAL9016
02.133.3316.01.940	Talis 100 Suspended LED/940, 56° 56° 500mA HoneyComb Frost RAL9016
02.133.3401.01.930	Talis 100 Suspended LED/930, 26° 300mA Frost RAL9016
02.133.3401.01.940	Talis 100 Suspended LED/940, 26° 300mA Frost RAL9016
02.133.3401.02.930	Talis 100 Suspended LED/930, 26° 300mA Frost RAL9006
02.133.3401.02.940	Talis 100 Suspended LED/940, 26° 300mA Frost RAL9006
02.133.3401.03.930	Talis 100 Suspended LED/930, 26° 300mA Frost RAL9005
02.133.3401.03.940	Talis 100 Suspended LED/940, 26° 300mA Frost RAL9005
02.133.3402.01.930	Talis 100 Suspended LED/930, 56° 300mA Frost RAL9016
02.133.3402.01.940	Talis 100 Suspended LED/940, 56° 300mA Frost RAL9016
02.133.3402.02.930	Talis 100 Suspended LED/930, 56° 300mA Frost RAL9006
02.133.3402.02.940	Talis 100 Suspended LED/940, 56° 300mA Frost RAL9006
02.133.3402.03.930	Talis 100 Suspended LED/930, 56° 300mA Frost RAL9005
02.133.3402.03.940	Talis 100 Suspended LED/940, 56° 300mA Frost RAL9005
02.133.3403.01.930	Talis 100 Suspended LED/930, 26° 400mA Frost RAL9016
02.133.3403.01.940	Talis 100 Suspended LED/940, 26° 400mA Frost RAL9016
02.133.3403.02.930	Talis 100 Suspended LED/930, 26° 400mA Frost RAL9006
02.133.3403.02.940	Talis 100 Suspended LED/940, 26° 400mA Frost RAL9006
02.133.3403.03.930	Talis 100 Suspended LED/930, 26° 400mA Frost RAL9005
02.133.3403.03.940	Talis 100 Suspended LED/940, 26° 400mA Frost RAL9005
02.133.3404.01.930	Talis 100 Suspended LED/930, 56° 400mA Frost RAL9016
02.133.3404.01.940	Talis 100 Suspended LED/940, 56° 400mA Frost RAL9016
02.133.3404.02.930	Talis 100 Suspended LED/930, 56° 400mA Frost RAL9006
02.133.3404.02.940	Talis 100 Suspended LED/940, 56° 400mA Frost RAL9006
02.133.3404.03.930	Talis 100 Suspended LED/930, 56° 400mA Frost RAL9005
02.133.3404.03.940	Talis 100 Suspended LED/940, 56° 400mA Frost RAL9005
02.133.3405.01.930	Talis 100 Suspended LED/930, 26° 500mA Frost RAL9016
02.133.3405.01.940	Talis 100 Suspended LED/940, 26° 500mA Frost RAL9016

Place and date of issue of the document

Warszawa, 11.02.2022




MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
02.133.3405.02.930	Talis 100 Suspended LED/930, 26° 500mA Frost RAL9006
02.133.3405.02.940	Talis 100 Suspended LED/940, 26° 500mA Frost RAL9006
02.133.3405.03.930	Talis 100 Suspended LED/930, 26° 500mA Frost RAL9005
02.133.3405.03.940	Talis 100 Suspended LED/940, 26° 500mA Frost RAL9005
02.133.3406.01.930	Talis 100 Suspended LED/930, 56° 500mA Frost RAL9016
02.133.3406.01.940	Talis 100 Suspended LED/940, 56° 500mA Frost RAL9016
02.133.3406.02.930	Talis 100 Suspended LED/930, 56° 500mA Frost RAL9006
02.133.3406.02.940	Talis 100 Suspended LED/940, 56° 500mA Frost RAL9006
02.133.3406.03.930	Talis 100 Suspended LED/930, 56° 500mA Frost RAL9005
02.133.3406.03.940	Talis 100 Suspended LED/940, 56° 500mA Frost RAL9005
02.133.3407.01.930	Talis 100 Suspended LED/930, 26° 600mA Frost RAL9016
02.133.3407.01.940	Talis 100 Suspended LED/940, 26° 600mA Frost RAL9016
02.133.3407.02.930	Talis 100 Suspended LED/930, 26° 600mA Frost RAL9006
02.133.3407.02.940	Talis 100 Suspended LED/940, 26° 600mA Frost RAL9006
02.133.3407.03.930	Talis 100 Suspended LED/930, 26° 600mA Frost RAL9005
02.133.3407.03.940	Talis 100 Suspended LED/940, 26° 600mA Frost RAL9005
02.133.3408.01.930	Talis 100 Suspended LED/930, 56° 600mA Frost RAL9016
02.133.3408.01.940	Talis 100 Suspended LED/940, 56° 600mA Frost RAL9016
02.133.3408.02.930	Talis 100 Suspended LED/930, 56° 600mA Frost RAL9006
02.133.3408.02.940	Talis 100 Suspended LED/940, 56° 600mA Frost RAL9006
02.133.3408.03.930	Talis 100 Suspended LED/930, 56° 600mA Frost RAL9005
02.133.3408.03.940	Talis 100 Suspended LED/940, 56° 600mA Frost RAL9005
02.133.4001.01.930	Talis 100 Wall DI/IN HE/930, 22° 600mA RAL9016
02.133.4001.01.940	Talis 100 Wall DI/IN HE/940, 22° 600mA RAL9016
02.133.4001.02.930	Talis 100 Wall DI/IN HE/930, 22° 600mA RAL9006
02.133.4001.02.940	Talis 100 Wall DI/IN HE/940, 22° 600mA RAL9006
02.133.4001.03.930	Talis 100 Wall DI/IN HE/930, 22° 600mA RAL9005
02.133.4001.03.940	Talis 100 Wall DI/IN HE/940, 22° 600mA RAL9005
02.133.4002.01.930	Talis 100 Wall DI/IN HE/930, 56° 600mA RAL9016
02.133.4002.01.940	Talis 100 Wall DI/IN HE/940, 56° 600mA RAL9016
02.133.4002.02.930	Talis 100 Wall DI/IN HE/930, 56° 600mA RAL9006
02.133.4002.02.940	Talis 100 Wall DI/IN HE/940, 56° 600mA RAL9006
02.133.4002.03.930	Talis 100 Wall DI/IN HE/930, 56° 600mA RAL9005
02.133.4002.03.940	Talis 100 Wall DI/IN HE/940, 56° 600mA RAL9005
02.133.4003.01.930	Talis 100 Wall DI/IN ST/930, 22° 800mA RAL9016
02.133.4003.01.940	Talis 100 Wall DI/IN ST/940, 22° 800mA RAL9016
02.133.4003.02.930	Talis 100 Wall DI/IN ST/930, 22° 800mA RAL9006
02.133.4003.02.940	Talis 100 Wall DI/IN ST/940, 22° 800mA RAL9006
02.133.4003.03.930	Talis 100 Wall DI/IN ST/930, 22° 800mA RAL9005
02.133.4003.03.940	Talis 100 Wall DI/IN ST/940, 22° 800mA RAL9005
02.133.4004.01.930	Talis 100 Wall DI/IN ST/930, 56° 800mA RAL9016
02.133.4004.01.940	Talis 100 Wall DI/IN ST/940, 56° 800mA RAL9016
02.133.4004.02.930	Talis 100 Wall DI/IN ST/930, 56° 800mA RAL9006
02.133.4004.02.940	Talis 100 Wall DI/IN ST/940, 56° 800mA RAL9006

Place and date of issue of the document

Warszawa, 11.02.2022



MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
02.133.4004.03.930	Talis 100 Wall DI/IN ST/930, 56° 800mA RAL9005
02.133.4004.03.940	Talis 100 Wall DI/IN ST/940, 56° 800mA RAL9005
02.133.4005.01.930	Talis 100 Wall DI/IN HO/930, 22° 1000mA RAL9016
02.133.4005.01.940	Talis 100 Wall DI/IN HO/940, 22° 1000mA RAL9016
02.133.4005.02.930	Talis 100 Wall DI/IN HO/930, 22° 1000mA RAL9006
02.133.4005.02.940	Talis 100 Wall DI/IN HO/940, 22° 1000mA RAL9006
02.133.4005.03.930	Talis 100 Wall DI/IN HO/930, 22° 1000mA RAL9005
02.133.4005.03.940	Talis 100 Wall DI/IN HO/940, 22° 1000mA RAL9005
02.133.4006.01.930	Talis 100 Wall DI/IN HO/930, 56° 1000mA RAL9016
02.133.4006.01.940	Talis 100 Wall DI/IN HO/940, 56° 1000mA RAL9016
02.133.4006.02.930	Talis 100 Wall DI/IN HO/930, 56° 1000mA RAL9006
02.133.4006.02.940	Talis 100 Wall DI/IN HO/940, 56° 1000mA RAL9006
02.133.4006.03.930	Talis 100 Wall DI/IN HO/930, 56° 1000mA RAL9005
02.133.4006.03.940	Talis 100 Wall DI/IN HO/940, 56° 1000mA RAL9005
02.133.4051.01.930	Talis 100 Wall DI LHE/930, 22° 300mA RAL9016
02.133.4051.01.940	Talis 100 Wall DI LHE/940, 22° 300mA RAL9016
02.133.4051.02.930	Talis 100 Wall DI LHE/930, 22° 300mA RAL9006
02.133.4051.02.940	Talis 100 Wall DI LHE/940, 22° 300mA RAL9006
02.133.4051.03.930	Talis 100 Wall DI LHE/930, 22° 300mA RAL9005
02.133.4051.03.940	Talis 100 Wall DI LHE/940, 22° 300mA RAL9005
02.133.4052.01.930	Talis 100 Wall DI LHE/930, 56° 300mA RAL9016
02.133.4052.01.940	Talis 100 Wall DI LHE/940, 56° 300mA RAL9016
02.133.4052.02.930	Talis 100 Wall DI LHE/930, 56° 300mA RAL9006
02.133.4052.02.940	Talis 100 Wall DI LHE/940, 56° 300mA RAL9006
02.133.4052.03.930	Talis 100 Wall DI LHE/930, 56° 300mA RAL9005
02.133.4052.03.940	Talis 100 Wall DI LHE/940, 56° 300mA RAL9005
02.133.4053.01.930	Talis 100 Wall DI HE/930, 22° 400mA RAL9016
02.133.4053.01.940	Talis 100 Wall DI HE/940, 22° 400mA RAL9016
02.133.4053.02.930	Talis 100 Wall DI HE/930, 22° 400mA RAL9006
02.133.4053.02.940	Talis 100 Wall DI HE/940, 22° 400mA RAL9006
02.133.4053.03.930	Talis 100 Wall DI HE/930, 22° 400mA RAL9005
02.133.4053.03.940	Talis 100 Wall DI HE/940, 22° 400mA RAL9005
02.133.4054.01.930	Talis 100 Wall DI HE/930, 56° 400mA RAL9016
02.133.4054.01.940	Talis 100 Wall DI HE/940, 56° 400mA RAL9016
02.133.4054.02.930	Talis 100 Wall DI HE/930, 56° 400mA RAL9006
02.133.4054.02.940	Talis 100 Wall DI HE/940, 56° 400mA RAL9006
02.133.4054.03.930	Talis 100 Wall DI HE/930, 56° 400mA RAL9005
02.133.4054.03.940	Talis 100 Wall DI HE/940, 56° 400mA RAL9005
02.133.4055.01.930	Talis 100 Wall DI ST/930, 22° 500mA RAL9016
02.133.4055.01.940	Talis 100 Wall DI ST/940, 22° 500mA RAL9016
02.133.4055.02.930	Talis 100 Wall DI ST/930, 22° 500mA RAL9006
02.133.4055.02.940	Talis 100 Wall DI ST/940, 22° 500mA RAL9006
02.133.4055.03.930	Talis 100 Wall DI ST/930, 22° 500mA RAL9005
02.133.4055.03.940	Talis 100 Wall DI ST/940, 22° 500mA RAL9005

Place and date of issue of the document

Warszawa, 11.02.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
02.133.4056.01.930	Talis 100 Wall DI ST/930, 56° 500mA RAL9016
02.133.4056.01.940	Talis 100 Wall DI ST/940, 56° 500mA RAL9016
02.133.4056.02.930	Talis 100 Wall DI ST/930, 56° 500mA RAL9006
02.133.4056.02.940	Talis 100 Wall DI ST/940, 56° 500mA RAL9006
02.133.4056.03.930	Talis 100 Wall DI ST/930, 56° 500mA RAL9005
02.133.4056.03.940	Talis 100 Wall DI ST/940, 56° 500mA RAL9005
02.133.4057.01.930	Talis 100 Wall DI HO/930, 22° 600mA RAL9016
02.133.4057.01.940	Talis 100 Wall DI HO/940, 22° 600mA RAL9016
02.133.4057.02.930	Talis 100 Wall DI HO/930, 22° 600mA RAL9006
02.133.4057.02.940	Talis 100 Wall DI HO/940, 22° 600mA RAL9006
02.133.4057.03.930	Talis 100 Wall DI HO/930, 22° 600mA RAL9005
02.133.4057.03.940	Talis 100 Wall DI HO/940, 22° 600mA RAL9005
02.133.4058.01.930	Talis 100 Wall DI HO/930, 56° 600mA RAL9016
02.133.4058.01.940	Talis 100 Wall DI HO/940, 56° 600mA RAL9016
02.133.4058.02.930	Talis 100 Wall DI HO/930, 56° 600mA RAL9006
02.133.4058.02.940	Talis 100 Wall DI HO/940, 56° 600mA RAL9006
02.133.4058.03.930	Talis 100 Wall DI HO/930, 56° 600mA RAL9005
02.133.4058.03.940	Talis 100 Wall DI HO/940, 56° 600mA RAL9005
02.133.4401.01.930	Talis 100 Wall DI/IN HE/930, 26° 600mA Frost RAL9016
02.133.4401.01.940	Talis 100 Wall DI/IN HE/940, 26° 600mA Frost RAL9016
02.133.4401.02.930	Talis 100 Wall DI/IN HE/930, 26° 600mA Frost RAL9006
02.133.4401.02.940	Talis 100 Wall DI/IN HE/940, 26° 600mA Frost RAL9006
02.133.4401.03.930	Talis 100 Wall DI/IN HE/930, 26° 600mA Frost RAL9005
02.133.4401.03.940	Talis 100 Wall DI/IN HE/940, 26° 600mA Frost RAL9005
02.133.4402.01.930	Talis 100 Wall DI/IN HE/930, 56° 600mA Frost RAL9016
02.133.4402.01.940	Talis 100 Wall DI/IN HE/940, 56° 600mA Frost RAL9016
02.133.4402.02.930	Talis 100 Wall DI/IN HE/930, 56° 600mA Frost RAL9006
02.133.4402.02.940	Talis 100 Wall DI/IN HE/940, 56° 600mA Frost RAL9006
02.133.4402.03.930	Talis 100 Wall DI/IN HE/930, 56° 600mA Frost RAL9005
02.133.4402.03.940	Talis 100 Wall DI/IN HE/940, 56° 600mA Frost RAL9005
02.133.4403.01.930	Talis 100 Wall DI/IN ST/930, 26° 800mA Frost RAL9016
02.133.4403.01.940	Talis 100 Wall DI/IN ST/940, 26° 800mA Frost RAL9016
02.133.4403.02.930	Talis 100 Wall DI/IN ST/930, 26° 800mA Frost RAL9006
02.133.4403.02.940	Talis 100 Wall DI/IN ST/940, 26° 800mA Frost RAL9006
02.133.4403.03.930	Talis 100 Wall DI/IN ST/930, 26° 800mA Frost RAL9005
02.133.4403.03.940	Talis 100 Wall DI/IN ST/940, 26° 800mA Frost RAL9005
02.133.4404.01.930	Talis 100 Wall DI/IN ST/930, 56° 800mA Frost RAL9016
02.133.4404.01.940	Talis 100 Wall DI/IN ST/940, 56° 800mA Frost RAL9016
02.133.4404.02.930	Talis 100 Wall DI/IN ST/930, 56° 800mA Frost RAL9006
02.133.4404.02.940	Talis 100 Wall DI/IN ST/940, 56° 800mA Frost RAL9006
02.133.4404.03.930	Talis 100 Wall DI/IN ST/930, 56° 800mA Frost RAL9005
02.133.4404.03.940	Talis 100 Wall DI/IN ST/940, 56° 800mA Frost RAL9005
02.133.4405.01.930	Talis 100 Wall DI/IN HO/930, 26° 1000mA Frost RAL9016
02.133.4405.01.940	Talis 100 Wall DI/IN HO/940, 26° 1000mA Frost RAL9016

Place and date of issue of the document

Warszawa, 11.02.2022



MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
02.133.4405.02.930	Talis 100 Wall DI/IN HO/930, 26° 1000mA Frost RAL9006
02.133.4405.02.940	Talis 100 Wall DI/IN HO/940, 26° 1000mA Frost RAL9006
02.133.4405.03.930	Talis 100 Wall DI/IN HO/930, 26° 1000mA Frost RAL9005
02.133.4405.03.940	Talis 100 Wall DI/IN HO/940, 26° 1000mA Frost RAL9005
02.133.4406.01.930	Talis 100 Wall DI/IN HO/930, 56° 1000mA Frost RAL9016
02.133.4406.01.940	Talis 100 Wall DI/IN HO/940, 56° 1000mA Frost RAL9016
02.133.4406.02.930	Talis 100 Wall DI/IN HO/930, 56° 1000mA Frost RAL9006
02.133.4406.02.940	Talis 100 Wall DI/IN HO/940, 56° 1000mA Frost RAL9006
02.133.4406.03.930	Talis 100 Wall DI/IN HO/930, 56° 1000mA Frost RAL9005
02.133.4406.03.940	Talis 100 Wall DI/IN HO/940, 56° 1000mA Frost RAL9005
02.133.4451.01.930	Talis 100 Wall DI LHE/930, 26° 300mA Frost RAL9016
02.133.4451.01.940	Talis 100 Wall DI LHE/940, 26° 300mA Frost RAL9016
02.133.4451.02.930	Talis 100 Wall DI LHE/930, 26° 300mA Frost RAL9006
02.133.4451.02.940	Talis 100 Wall DI LHE/940, 26° 300mA Frost RAL9006
02.133.4451.03.930	Talis 100 Wall DI LHE/930, 26° 300mA Frost RAL9005
02.133.4451.03.940	Talis 100 Wall DI LHE/940, 26° 300mA Frost RAL9005
02.133.4452.01.930	Talis 100 Wall DI LHE/930, 56° 300mA Frost RAL9016
02.133.4452.01.940	Talis 100 Wall DI LHE/940, 56° 300mA Frost RAL9016
02.133.4452.02.930	Talis 100 Wall DI LHE/930, 56° 300mA Frost RAL9006
02.133.4452.02.940	Talis 100 Wall DI LHE/940, 56° 300mA Frost RAL9006
02.133.4452.03.930	Talis 100 Wall DI LHE/930, 56° 300mA Frost RAL9005
02.133.4452.03.940	Talis 100 Wall DI LHE/940, 56° 300mA Frost RAL9005
02.133.4453.01.930	Talis 100 Wall DI HE/930, 26° 400mA Frost RAL9016
02.133.4453.01.940	Talis 100 Wall DI HE/940, 26° 400mA Frost RAL9016
02.133.4453.02.930	Talis 100 Wall DI HE/930, 26° 400mA Frost RAL9006
02.133.4453.02.940	Talis 100 Wall DI HE/940, 26° 400mA Frost RAL9006
02.133.4453.03.930	Talis 100 Wall DI HE/930, 26° 400mA Frost RAL9005
02.133.4453.03.940	Talis 100 Wall DI HE/940, 26° 400mA Frost RAL9005
02.133.4454.01.930	Talis 100 Wall DI HE/930, 56° 400mA Frost RAL9016
02.133.4454.01.940	Talis 100 Wall DI HE/940, 56° 400mA Frost RAL9016
02.133.4454.02.930	Talis 100 Wall DI HE/930, 56° 400mA Frost RAL9006
02.133.4454.02.940	Talis 100 Wall DI HE/940, 56° 400mA Frost RAL9006
02.133.4454.03.930	Talis 100 Wall DI HE/930, 56° 400mA Frost RAL9005
02.133.4454.03.940	Talis 100 Wall DI HE/940, 56° 400mA Frost RAL9005
02.133.4455.01.930	Talis 100 Wall DI ST/930, 26° 500mA Frost RAL9016
02.133.4455.01.940	Talis 100 Wall DI ST/940, 26° 500mA Frost RAL9016
02.133.4455.02.930	Talis 100 Wall DI ST/930, 26° 500mA Frost RAL9006
02.133.4455.02.940	Talis 100 Wall DI ST/940, 26° 500mA Frost RAL9006
02.133.4455.03.930	Talis 100 Wall DI ST/930, 26° 500mA Frost RAL9005
02.133.4455.03.940	Talis 100 Wall DI ST/940, 26° 500mA Frost RAL9005
02.133.4456.01.930	Talis 100 Wall DI ST/930, 56° 500mA Frost RAL9016
02.133.4456.01.940	Talis 100 Wall DI ST/940, 56° 500mA Frost RAL9016
02.133.4456.02.930	Talis 100 Wall DI ST/930, 56° 500mA Frost RAL9006
02.133.4456.02.940	Talis 100 Wall DI ST/940, 56° 500mA Frost RAL9006

Place and date of issue of the document

Warszawa, 11.02.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code	Name
02.133.4456.03.930	Talis 100 Wall DI ST/930, 56° 500mA Frost RAL9005
02.133.4456.03.940	Talis 100 Wall DI ST/940, 56° 500mA Frost RAL9005
02.133.4457.01.930	Talis 100 Wall DI HO/930, 26° 600mA Frost RAL9016
02.133.4457.01.940	Talis 100 Wall DI HO/940, 26° 600mA Frost RAL9016
02.133.4457.02.930	Talis 100 Wall DI HO/930, 26° 600mA Frost RAL9006
02.133.4457.02.940	Talis 100 Wall DI HO/940, 26° 600mA Frost RAL9006
02.133.4457.03.930	Talis 100 Wall DI HO/930, 26° 600mA Frost RAL9005
02.133.4457.03.940	Talis 100 Wall DI HO/940, 26° 600mA Frost RAL9005
02.133.4458.01.930	Talis 100 Wall DI HO/930, 56° 600mA Frost RAL9016
02.133.4458.01.940	Talis 100 Wall DI HO/940, 56° 600mA Frost RAL9016
02.133.4458.02.930	Talis 100 Wall DI HO/930, 56° 600mA Frost RAL9006
02.133.4458.02.940	Talis 100 Wall DI HO/940, 56° 600mA Frost RAL9006
02.133.4458.03.930	Talis 100 Wall DI HO/930, 56° 600mA Frost RAL9005
02.133.4458.03.940	Talis 100 Wall DI HO/940, 56° 600mA Frost RAL9005

Place and date of issue of the document

Warszawa, 11.02.2022



MIROSLAW-RAKOCZY
V-ce PREZES