

Manufacturer: **Spectra Lighting LLC**
Ostródzka st. 53
03-289 Warsaw

Product name: **NOVUS 55**

Product number: **in the attachment nr 04/122**

We hereby declare, under the sole responsibility of the manufacturer, that the above product complies with the provisions of the following directives:

2009/125/WE	Ecodesign
2011/65/UE	Restriction of the use of certain hazardous substances
2014/30/UE	Electromagnetic Compatibility
2014/35/UE	Low Voltage

and the following standards:

PN-EN 55015:2013	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
PN-EN 60529:2003	Degrees of protection provided by enclosures (IP code)
PN-EN 60598-1:2015	Luminaires - Part 1: General requirements and tests
PN-EN 61000-3-2:2014	Electromagnetic compatibility (EMC) -- Part 3-2: Limits -- Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
PN-EN 61000-3-3:2013	Electromagnetic compatibility (EMC) -- Part 3-3: Limits -- Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection
PN-EN 61547:2009	Equipment for general lighting purposes - EMC immunity requirements
PN-EN 62493:2015	Assessment of lighting equipment related to human exposure to electromagnetic fields

The product has been CE marked for the first time in the year:

2021

Place and date of issue of the document

Warszawa, 01.02.2022


MIROSLAW RAKOCZY
V-ce PREZES

ATTACHMENT

Code	Name
04.122.4101.01.830	Novus 55 spot 3-phase track IN LED GU10/830 36° RAL9016
04.122.4101.01.840	Novus 55 spot 3-phase track IN LED GU10/840 36° RAL9016
04.122.4101.03.830	Novus 55 spot 3-phase track IN LED GU10/830 36° RAL9005
04.122.4101.03.840	Novus 55 spot 3-phase track IN LED GU10/840 36° RAL9005
04.122.4111.01.930	Novus 55 spot 3-phase track IN LED HE/930 19° 180mA RAL9016/RAL9016
04.122.4111.01.940	Novus 55 spot 3-phase track IN LED HE/940 19° 180mA RAL9016/RAL9016
04.122.4111.03.930	Novus 55 spot 3-phase track IN LED HE/930 19° 180mA RAL9005/ RAL9005
04.122.4111.03.940	Novus 55 spot 3-phase track IN LED HE/940 19° 180mA RAL9005/ RAL9005
04.122.4111.31.930	Novus 55 spot 3-phase track IN LED HE/930 19° 180mA RAL9016/ RAL9005
04.122.4111.31.940	Novus 55 spot 3-phase track IN LED HE/940 19° 180mA RAL9016/ RAL9005
04.122.4111.32.930	Novus 55 spot 3-phase track IN LED HE/930 19° 180mA RAL9005/ RAL9005
04.122.4111.32.940	Novus 55 spot 3-phase track IN LED HE/940 19° 180mA RAL9005/ RAL9005
04.122.4112.01.930	Novus 55 spot 3-phase track IN LED HE/930 32° 180mA RAL9016/RAL9016
04.122.4112.01.940	Novus 55 spot 3-phase track IN LED HE/940 32° 180mA RAL9016/RAL9016
04.122.4112.03.930	Novus 55 spot 3-phase track IN LED HE/930 32° 180mA RAL9005/ RAL9005
04.122.4112.03.940	Novus 55 spot 3-phase track IN LED HE/940 32° 180mA RAL9005/ RAL9005
04.122.4112.31.930	Novus 55 spot 3-phase track IN LED HE/930 32° 180mA RAL9016/ RAL9005
04.122.4112.31.940	Novus 55 spot 3-phase track IN LED HE/940 32° 180mA RAL9016/ RAL9005
04.122.4112.32.930	Novus 55 spot 3-phase track IN LED HE/930 32° 180mA RAL9005/ RAL9005
04.122.4112.32.940	Novus 55 spot 3-phase track IN LED HE/940 32° 180mA RAL9005/ RAL9005
04.122.4113.01.930	Novus 55 spot 3-phase track IN LED HE/930 46° 180mA RAL9016/RAL9016
04.122.4113.01.940	Novus 55 spot 3-phase track IN LED HE/940 46° 180mA RAL9016/RAL9016
04.122.4113.03.930	Novus 55 spot 3-phase track IN LED HE/930 46° 180mA RAL9005/ RAL9005
04.122.4113.03.940	Novus 55 spot 3-phase track IN LED HE/940 46° 180mA RAL9005/ RAL9005
04.122.4113.31.930	Novus 55 spot 3-phase track IN LED HE/930 46° 180mA RAL9016/ RAL9005
04.122.4113.31.940	Novus 55 spot 3-phase track IN LED HE/940 46° 180mA RAL9016/ RAL9005
04.122.4113.32.930	Novus 55 spot 3-phase track IN LED HE/930 46° 180mA RAL9005/ RAL9005
04.122.4113.32.940	Novus 55 spot 3-phase track IN LED HE/940 46° 180mA RAL9005/ RAL9005
04.122.4114.01.930	Novus 55 spot 3-phase track IN LED ST/930 19° 250mA RAL9016/RAL9016
04.122.4114.01.940	Novus 55 spot 3-phase track IN LED ST/940 19° 250mA RAL9016/RAL9016
04.122.4114.03.930	Novus 55 spot 3-phase track IN LED ST/930 19° 250mA RAL9005/ RAL9005
04.122.4114.03.940	Novus 55 spot 3-phase track IN LED ST/940 19° 250mA RAL9005/ RAL9005
04.122.4114.31.930	Novus 55 spot 3-phase track IN LED ST/930 19° 250mA RAL9016/ RAL9005
04.122.4114.31.940	Novus 55 spot 3-phase track IN LED ST/940 19° 250mA RAL9016/ RAL9005
04.122.4114.32.930	Novus 55 spot 3-phase track IN LED ST/930 19° 250mA RAL9005/ RAL9005
04.122.4114.32.940	Novus 55 spot 3-phase track IN LED ST/940 19° 250mA RAL9005/ RAL9005
04.122.4115.01.930	Novus 55 spot 3-phase track IN LED ST/930 32° 250mA RAL9016/RAL9016
04.122.4115.01.940	Novus 55 spot 3-phase track IN LED ST/940 32° 250mA RAL9016/RAL9016
04.122.4115.03.930	Novus 55 spot 3-phase track IN LED ST/930 32° 250mA RAL9005/ RAL9005
04.122.4115.03.940	Novus 55 spot 3-phase track IN LED ST/940 32° 250mA RAL9005/ RAL9005
04.122.4115.31.930	Novus 55 spot 3-phase track IN LED ST/930 32° 250mA RAL9016/ RAL9005
04.122.4115.31.940	Novus 55 spot 3-phase track IN LED ST/940 32° 250mA RAL9016/ RAL9005

Place and date of issue of the document

Warszawa, 01.02.2022



MIROSLAW RAKOCZY
V-ce PREZES

Code**Name**

04.122.4115.32.930	Novus 55 spot 3-phase track IN LED ST/930 32° 250mA RAL9005/ RAL9005
04.122.4115.32.940	Novus 55 spot 3-phase track IN LED ST/940 32° 250mA RAL9005/ RAL9005
04.122.4116.01.930	Novus 55 spot 3-phase track IN LED ST/930 46° 250mA RAL9016/RAL9016
04.122.4116.01.940	Novus 55 spot 3-phase track IN LED ST/940 46° 250mA RAL9016/RAL9016
04.122.4116.03.930	Novus 55 spot 3-phase track IN LED ST/930 46° 250mA RAL9005/ RAL9005
04.122.4116.03.940	Novus 55 spot 3-phase track IN LED ST/940 46° 250mA RAL9005/ RAL9005
04.122.4116.31.930	Novus 55 spot 3-phase track IN LED ST/930 46° 250mA RAL9016/ RAL9005
04.122.4116.31.940	Novus 55 spot 3-phase track IN LED ST/940 46° 250mA RAL9016/ RAL9005
04.122.4116.32.930	Novus 55 spot 3-phase track IN LED ST/930 46° 250mA RAL9005/ RAL9005
04.122.4116.32.940	Novus 55 spot 3-phase track IN LED ST/940 46° 250mA RAL9005/ RAL9005
04.122.4117.01.930	Novus 55 spot 3-phase track IN LED HO/930 19° 325mA RAL9016/RAL9016
04.122.4117.01.940	Novus 55 spot 3-phase track IN LED HO/940 19° 325mA RAL9016/RAL9016
04.122.4117.03.930	Novus 55 spot 3-phase track IN LED HO/930 19° 325mA RAL9005/ RAL9005
04.122.4117.03.940	Novus 55 spot 3-phase track IN LED HO/940 19° 325mA RAL9005/ RAL9005
04.122.4117.31.930	Novus 55 spot 3-phase track IN LED HO/930 19° 325mA RAL9016/ RAL9005
04.122.4117.31.940	Novus 55 spot 3-phase track IN LED HO/940 19° 325mA RAL9016/ RAL9005
04.122.4117.32.930	Novus 55 spot 3-phase track IN LED HO/930 19° 325mA RAL9005/ RAL9005
04.122.4117.32.940	Novus 55 spot 3-phase track IN LED HO/940 19° 325mA RAL9005/ RAL9005
04.122.4118.01.930	Novus 55 spot 3-phase track IN LED HO/930 32° 325mA RAL9016/RAL9016
04.122.4118.01.940	Novus 55 spot 3-phase track IN LED HO/940 32° 325mA RAL9016/RAL9016
04.122.4118.03.930	Novus 55 spot 3-phase track IN LED HO/930 32° 325mA RAL9005/ RAL9005
04.122.4118.03.940	Novus 55 spot 3-phase track IN LED HO/940 32° 325mA RAL9005/ RAL9005
04.122.4118.31.930	Novus 55 spot 3-phase track IN LED HO/930 32° 325mA RAL9016/ RAL9005
04.122.4118.31.940	Novus 55 spot 3-phase track IN LED HO/940 32° 325mA RAL9016/ RAL9005
04.122.4118.32.930	Novus 55 spot 3-phase track IN LED HO/930 32° 325mA RAL9005/ RAL9005
04.122.4118.32.940	Novus 55 spot 3-phase track IN LED HO/940 32° 325mA RAL9005/ RAL9005
04.122.4119.01.930	Novus 55 spot 3-phase track IN LED HO/930 46° 325mA RAL9016/RAL9016
04.122.4119.01.940	Novus 55 spot 3-phase track IN LED HO/940 46° 325mA RAL9016/RAL9016
04.122.4119.03.930	Novus 55 spot 3-phase track IN LED HO/930 46° 325mA RAL9005/ RAL9005
04.122.4119.03.940	Novus 55 spot 3-phase track IN LED HO/940 46° 325mA RAL9005/ RAL9005
04.122.4119.31.930	Novus 55 spot 3-phase track IN LED HO/930 46° 325mA RAL9016/ RAL9005
04.122.4119.31.940	Novus 55 spot 3-phase track IN LED HO/940 46° 325mA RAL9016/ RAL9005
04.122.4119.32.930	Novus 55 spot 3-phase track IN LED HO/930 46° 325mA RAL9005/ RAL9005
04.122.4119.32.940	Novus 55 spot 3-phase track IN LED HO/940 46° 325mA RAL9005/ RAL9005
04.122.4201.01.830	Novus 55 Base IN LED GU10/830 36° RAL9016
04.122.4201.01.840	Novus 55 Base IN LED GU10/840 36° RAL9016
04.122.4201.03.830	Novus 55 Base IN LED GU10/830 36° RAL9005
04.122.4201.03.840	Novus 55 Base IN LED GU10/840 36° RAL9005
04.122.4211.01.930	Novus 55 Base IN LED HE/930 19° 180mA RAL9016/RAL9016
04.122.4211.01.940	Novus 55 Base IN LED HE/940 19° 180mA RAL9016/RAL9016
04.122.4211.03.930	Novus 55 Base IN LED HE/930 19° 180mA RAL9005/ RAL9005
04.122.4211.03.940	Novus 55 Base IN LED HE/940 19° 180mA RAL9005/ RAL9005
04.122.4211.31.930	Novus 55 Base IN LED HE/930 19° 180mA RAL9016/ RAL9005
04.122.4211.31.940	Novus 55 Base IN LED HE/940 19° 180mA RAL9016/ RAL9005

Place and date of issue of the document

Warszawa, 01.02.2022
MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
04.122.4211.32.930	Novus 55 Base IN LED HE/930 19° 180mA RAL9005/ RAL9005
04.122.4211.32.940	Novus 55 Base IN LED HE/940 19° 180mA RAL9005/ RAL9005
04.122.4212.01.930	Novus 55 Base IN LED HE/930 32° 180mA RAL9016/RAL9016
04.122.4212.01.940	Novus 55 Base IN LED HE/940 32° 180mA RAL9016/RAL9016
04.122.4212.03.930	Novus 55 Base IN LED HE/930 32° 180mA RAL9005/ RAL9005
04.122.4212.03.940	Novus 55 Base IN LED HE/940 32° 180mA RAL9005/ RAL9005
04.122.4212.31.930	Novus 55 Base IN LED HE/930 32° 180mA RAL9016/ RAL9005
04.122.4212.31.940	Novus 55 Base IN LED HE/940 32° 180mA RAL9016/ RAL9005
04.122.4212.32.930	Novus 55 Base IN LED HE/930 32° 180mA RAL9005/ RAL9005
04.122.4212.32.940	Novus 55 Base IN LED HE/940 32° 180mA RAL9005/ RAL9005
04.122.4213.01.930	Novus 55 Base IN LED HE/930 46° 180mA RAL9016/RAL9016
04.122.4213.01.940	Novus 55 Base IN LED HE/940 46° 180mA RAL9016/RAL9016
04.122.4213.03.930	Novus 55 Base IN LED HE/930 46° 180mA RAL9005/ RAL9005
04.122.4213.03.940	Novus 55 Base IN LED HE/940 46° 180mA RAL9005/ RAL9005
04.122.4213.31.930	Novus 55 Base IN LED HE/930 46° 180mA RAL9016/ RAL9005
04.122.4213.31.940	Novus 55 Base IN LED HE/940 46° 180mA RAL9016/ RAL9005
04.122.4213.32.930	Novus 55 Base IN LED HE/930 46° 180mA RAL9005/ RAL9005
04.122.4213.32.940	Novus 55 Base IN LED HE/940 46° 180mA RAL9005/ RAL9005
04.122.4214.01.930	Novus 55 Base IN LED ST/930 19° 250mA RAL9016/RAL9016
04.122.4214.01.940	Novus 55 Base IN LED ST/940 19° 250mA RAL9016/RAL9016
04.122.4214.03.930	Novus 55 Base IN LED ST/930 19° 250mA RAL9005/ RAL9005
04.122.4214.03.940	Novus 55 Base IN LED ST/940 19° 250mA RAL9005/ RAL9005
04.122.4214.31.930	Novus 55 Base IN LED ST/930 19° 250mA RAL9016/ RAL9005
04.122.4214.31.940	Novus 55 Base IN LED ST/940 19° 250mA RAL9016/ RAL9005
04.122.4214.32.930	Novus 55 Base IN LED ST/930 19° 250mA RAL9005/ RAL9005
04.122.4214.32.940	Novus 55 Base IN LED ST/940 19° 250mA RAL9005/ RAL9005
04.122.4215.01.930	Novus 55 Base IN LED ST/930 32° 250mA RAL9016/RAL9016
04.122.4215.01.940	Novus 55 Base IN LED ST/940 32° 250mA RAL9016/RAL9016
04.122.4215.03.930	Novus 55 Base IN LED ST/930 32° 250mA RAL9005/ RAL9005
04.122.4215.03.940	Novus 55 Base IN LED ST/940 32° 250mA RAL9005/ RAL9005
04.122.4215.31.930	Novus 55 Base IN LED ST/930 32° 250mA RAL9016/ RAL9005
04.122.4215.31.940	Novus 55 Base IN LED ST/940 32° 250mA RAL9016/ RAL9005
04.122.4215.32.930	Novus 55 Base IN LED ST/930 32° 250mA RAL9005/ RAL9005
04.122.4215.32.940	Novus 55 Base IN LED ST/940 32° 250mA RAL9005/ RAL9005
04.122.4216.01.930	Novus 55 Base IN LED ST/930 46° 250mA RAL9016/RAL9016
04.122.4216.01.940	Novus 55 Base IN LED ST/940 46° 250mA RAL9016/RAL9016
04.122.4216.03.930	Novus 55 Base IN LED ST/930 46° 250mA RAL9005/ RAL9005
04.122.4216.03.940	Novus 55 Base IN LED ST/940 46° 250mA RAL9005/ RAL9005
04.122.4216.31.930	Novus 55 Base IN LED ST/930 46° 250mA RAL9016/ RAL9005
04.122.4216.31.940	Novus 55 Base IN LED ST/940 46° 250mA RAL9016/ RAL9005
04.122.4216.32.930	Novus 55 Base IN LED ST/930 46° 250mA RAL9005/ RAL9005
04.122.4216.32.940	Novus 55 Base IN LED ST/940 46° 250mA RAL9005/ RAL9005
04.122.4217.01.930	Novus 55 Base IN LED HO/930 19° 325mA RAL9016/RAL9016
04.122.4217.01.940	Novus 55 Base IN LED HO/940 19° 325mA RAL9016/RAL9016

Place and date of issue of the document

Warszawa, 01.02.2022



MIROSLAW-RAKOCZY
V-ce PREZES

Code	Name
04.122.4217.03.930	Novus 55 Base IN LED HO/930 19° 325mA RAL9005/ RAL9005
04.122.4217.03.940	Novus 55 Base IN LED HO/940 19° 325mA RAL9005/ RAL9005
04.122.4217.31.930	Novus 55 Base IN LED HO/930 19° 325mA RAL9016/ RAL9005
04.122.4217.31.940	Novus 55 Base IN LED HO/940 19° 325mA RAL9016/ RAL9005
04.122.4217.32.930	Novus 55 Base IN LED HO/930 19° 325mA RAL9005/ RAL9005
04.122.4217.32.940	Novus 55 Base IN LED HO/940 19° 325mA RAL9005/ RAL9005
04.122.4218.01.930	Novus 55 Base IN LED HO/930 32° 325mA RAL9016/RAL9016
04.122.4218.01.940	Novus 55 Base IN LED HO/940 32° 325mA RAL9016/RAL9016
04.122.4218.03.930	Novus 55 Base IN LED HO/930 32° 325mA RAL9005/ RAL9005
04.122.4218.03.940	Novus 55 Base IN LED HO/940 32° 325mA RAL9005/ RAL9005
04.122.4218.31.930	Novus 55 Base IN LED HO/930 32° 325mA RAL9016/ RAL9005
04.122.4218.31.940	Novus 55 Base IN LED HO/940 32° 325mA RAL9016/ RAL9005
04.122.4218.32.930	Novus 55 Base IN LED HO/930 32° 325mA RAL9005/ RAL9005
04.122.4218.32.940	Novus 55 Base IN LED HO/940 32° 325mA RAL9005/ RAL9005
04.122.4219.01.930	Novus 55 Base IN LED HO/930 46° 325mA RAL9016/RAL9016
04.122.4219.01.940	Novus 55 Base IN LED HO/940 46° 325mA RAL9016/RAL9016
04.122.4219.03.930	Novus 55 Base IN LED HO/930 46° 325mA RAL9005/ RAL9005
04.122.4219.03.940	Novus 55 Base IN LED HO/940 46° 325mA RAL9005/ RAL9005
04.122.4219.31.930	Novus 55 Base IN LED HO/930 46° 325mA RAL9016/ RAL9005
04.122.4219.31.940	Novus 55 Base IN LED HO/940 46° 325mA RAL9016/ RAL9005
04.122.4219.32.930	Novus 55 Base IN LED HO/930 46° 325mA RAL9005/ RAL9005
04.122.4219.32.940	Novus 55 Base IN LED HO/940 46° 325mA RAL9005/ RAL9005

Place and date of issue of the document

Warszawa, 01.02.2022



MIROSLAW RAKOCZY
V-ce PREZES